

Bibliography

Alpern, M., G. L. Mason, R. E. Jardinico, "Pupil size changes associated with changes in accommodative vergence," *Am J Ophthalmol* 52: 762-767 (1961).

Alvarez, L. W., "Two-element variable-power spherical element," US Patent 3,305,294.

Ames, A., C. A. Proctor, "Dioptrics of the eye," *J Opt Soc Am* 5: 22-84 (1921).

Applegate, R. A., V. Lakshminarayanan, "Parametric representation of Stiles-Crawford functions: normal variations of peak location and directionality," *J Opt Soc Am A* 10: 1611-1623 (1993).

Arend, O., R. Remky, D. Evans, R. Stuber, A. Harris, "Contrast sensitivity loss is coupled with capillary dropout in patients with diabetes," *Invest Ophthalmol Vis Sci* 38: 1819-1824 (1997).

Atchison, D. A., G. Smith, *Optics of the Human Eye*. (Butterworth-Heinemann, Oxford, 2000).

Barten, P. G. J., *Contrast Sensitivity of the Human Eye and Its Effects on Image Quality* (SPIE Press, Bellingham, WA, 1999).

Boettner, E. A., J. R. Wolter, "Transmission of the ocular media," *Invest Ophthalmol Vis Sci* 1:776-783 (1962).

Chernyak, D. A., "Cyclotorsional eye motion occurring between wavefront measurement and refractive surgery," *J Cataract Ref Surg* 30: 633-638 (2004).

Duane, A., "Normal values of the accommodation at all ages," *Trans Sec Ophthalmol AMA* 53: 383-391 (1912).

Fannin, T. E., T. Grosvenor, *Clinical Optics* (Butterworth-Heinemann, Oxford, 1997).

Bibliography (Continued)

Hecht, S., C. Haig, A. M. Chase, "The influence of light adaptation on subsequent dark adaptation of the eye," *J Gen Physiol* 20: 831-850 (1937).

Holladay, J. T., "International Lens & Implant Registry 2004," *J Cataract Refract Surg* 30: 207-229 (2004).

Howland, H. C., B. Howland, "A subjective method for measurements of monochromatic aberrations of the eye," *J Opt Soc Am* 67: 1508-1518 (1977).

Humphrey, W. E., "Variable anamorphic lens and method for constructing lens," US Patent 3,751,138.

International Commission on Non-Ionizing Radiation Protection, "Guidelines of limits of exposure to broad-band incoherent optical radiation (0.38 to 3 μm)," *Health Phys* 73: 539-554 (1997).

Ivanoff, A., "About the spherical aberration of the eye," *J Opt Soc Am* 46: 901-903 (1956).

Judd, D. B., Report of U.S. Secretariat Committee on Colorimetry and Artificial Daylight. In: *Proceedings of the Twelfth Session of the CIE, Stockholm*. Paris: Bureau Central de la CIE (1951).

Klein, S. A., R. B. Mandell, "Axial and instantaneous power conversion in corneal topography," *Invest Ophthalmol Vis Sci* 36: 2155-2159 (1995).

Kooijman, A. C., "Light distribution on the retina of a wide-angle theoretical eye," *J Opt Soc Am* 73: 1544-1550 (1983).

Koretz, J. F., C. A. Cook, P. L. Kaufman, "Accommodation and presbyopia in the human eye: changes in the anterior segment and crystalline lens with focus," *Invest Ophthalmol Vis Sci* 38: 569-578 (1997).

Bibliography (Continued)

Koretz, J. F., C. A. Cook, P. L. Kaufman, "Aging of the human lens: changes in shape upon accommodation and with accommodative loss," *J Opt Soc Am A* 19: 144-151 (2002).

Koretz, J. F., S. A. Strenk, L. M. Strenk, J. L. Semmlow, "Scheimpflug and high-resolution magnetic resonance imaging of the anterior segment: a comparative study, *J Opt Soc Am A* 21: 346-354 (2004).

Le Grand, Y., S. G. El Hage, *Physiological Optics* (Springer-Verlag: Berlin, 1980).

Liang, J., B. Grimm, S. Goelz, J. F. Bille, "Objective measurement of the wave aberrations of the human eye with the use of a Hartmann-Shack wavefront sensor," *J Opt Soc Am A* 11: 1949-1957 (1994).

Lotmar, W., T. Lotmar, "Peripheral astigmatism in the human eye: experimental data and theoretical model prediction," *J Opt Soc Am* 64: 510-513 (1974).

Malacara, D., *Color Vision and Colorimetry: Theory and Applications* (SPIE Press: Bellingham, 2002).

Mandell, R. B., "Location of the corneal sighting center in videokeratography," *J Refract Corneal Surg* 11: 253-258 (1995).

McLeod, S., S. M. Pitts, "Reflection of light by small areas of the ocular fundus," *Invest Ophthalmol Vis Sci* 16: 981-985 (1977).

Miller, D., *Optics and Refraction: A User-Friendly Guide* (Gower: New York, 1991).

Molebny, V. V., I. G. Pallikaris, L. P. Naoumidis, I. H. Chyzh, S. V. Molebny, V. M. Sokurenko, "Retinal ray-tracing technique for eye refraction mapping," *Proc SPIE* 2971: 175-183 (1997).

Bibliography (Continued)

Moon, P., D. E. Spencer, "On the Stiles-Crawford effect," *J Opt Soc Am* 34: 319-329 (1944).

Porter, J., A. Guirao, I. G. Cox, D. R. Williams, "Monochromatic aberrations of the human eye in a large population," *J Opt Soc Am A* 18: 1793-1803 (2001).

Poynton, C., *Digital Video and HDTV. Algorithms and Interfaces* (Morgan Kaufmann: Amsterdam, 2003).

Rabbetts, R. B., A. G. Bennett, *Clinical Visual Optics* (Butterworth-Heinemann: Oxford, 1990).

Rempt, F., J. Hoogerheide, W. P. H. Hoogenboom, "Peripheral retinoscopy and the skiagram," *Ophthalmologica* 162: 1-10 (1971).

Roufs, J. A., "Dynamic properties of vision. I. experimental relationships between flicker and flash thresholds," *Vis Res* 12: 261-278 (1972).

Sivak, J. G., T. Mandelman, "Chromatic dispersion of the ocular media," *Vis Res* 22: 997-1003 (1982).

Smirnov, M. S., "Measurement of the wave aberration of the human eye," *Biofizika* 6: 687-703 (1961).

Stiles, W. S., J. M. Burch, "NPL colour-matching investigation: Final report," *Optica Acta* 6: 1-26 (1959).

Stockman, A., L. T. Sharpe, "Cone spectral sensitivities and color matching," In: *Color Vision: From Genes to Perception*. Eds: K. R. Gegenfurtner, L. T. Sharpe (Cambridge University Press: Cambridge, 2001).

Stockman, A., L. T. Sharpe, "Spectral sensitivities of the middle- and long-wavelength sensitive cones derived from measurements in observers of known genotype," *Vision Research* 40: 1711-1737 (2000).

Bibliography (Continued)

Thibos, L. N., R. A. Applegate, J. Schwiegerling, R. Webb, "Standards for reporting the optical aberrations of eyes," *J Refract Surg* 18: S652-S660 (2002).

Thibos, L. N., W. Wheeler, D. Horner, "Power vectors: an application of Fourier analysis to the description and statistical analysis of refractive error," *Optom Vis Sci* 74: 367-375 (1997).

Thibos, L. N., M. Ye, X. Zhang, A. Bradley, "The chromatic eye: a new reduced-eye model of ocular chromatic aberration in humans," *Appl Opt* 31: 3594-3600 (1992).

Tscherning, M., "Die monochromatischen Aberrationen des menschlichen Auges," *Z Psychol Physiol Sinne* 6: 456-471 (1894).

van Nes, F. L., M. A. Bouman, "Spatial modulation transfer in the human eye," *J Opt Soc Am* 57: 401-406 (1967).

Von Noorden, G. K., *Binocular Vision and Ocular Motility: Theory and Management of Strabismus*, 4th ed. (Mosby: St. Louis, 1990).

Vos, J. J., "Colorimetric and photometric properties of a 2-deg fundamental observer," *Color Research and Application* 3: 125-128 (1978).

Walsh, G., W. N. Charman, H. C. Howland, "Objective technique for the determination of monochromatic aberrations of the human eye," *J Opt Soc Am A* 1: 987-992 (1984).

Webb, R. H., C. M. Penney, K. P. Thompson, "Measurement of ocular wavefront distortion with a spatially resolved refractometer," *Appl Opt* 31:3678-3686 (1992).

Bibliography (Continued)

Winn, B., D. Whitaker, D. B. Elliot, N. J. Phillips, "Factors affecting light-adapted pupil size in normal human subjects," *Invest Ophthalmol Vis Sci* 35: 1132-1137 (1994).

Wyszecki, G., W. S. Stiles, *Color Science* (Wiley: New York: 1982).

Z136.1 ANSI Standard, "For the Safe Use of Lasers."

Websites

<http://cvrl.ioo.ucl.ac.uk/basicindex.htm>

The homepage for Colour & Vision Research Laboratories, Institute of Ophthalmology, University College London.

<http://www.optics.arizona.edu/Palmer/rpfaq/rpfaq.htm>

The homepage for Radiometry and Photometry FAQ.

<http://www.brucelinbloom.com>

The homepage for Color Science calculations

Index

- AC/A ratio, 13
 - accommodating intraocular lenses, 25
 - accommodation, 7
 - ACD, *See* anterior chamber depth
 - against motion, 60
 - against-the-rule astigmatism, 42
 - age-related macular degeneration (ARMD), 59, 63
 - AK, *See* astigmatic keratotomy
 - Alvarez Lens, 33
 - amacrine, 3
 - amblyopia, 30
 - ametropia, 23
 - Amsler grid, 5
 - angle, 46
 - anterior chamber depth (ACD), 6, 7, 38
 - anterior corneal radius, 6
 - anterior lens radius, 6
 - anterior ROC, 7
 - anterior segment, 46, 90, 91
 - aphakic, 38
 - aphakic hazard function, 65
 - aqueous humor, 1, 6
 - argon fluoride (ArF) laser, 37, 63
 - Arizona Eye Model, 16
 - ARMD, *See* age-related macular degeneration
 - aspheric surface, 74
 - astigmatic decomposition, 31
 - astigmatic keratotomy (AK), 37
 - astigmatic surfaces, 74
 - astigmatism, 23, 26
 - autorefracton, 61
 - axial length, 6
 - axial power, 44, 45
 - Badal lens, 61, 62
 - Bailey-Lovie chart, 19
 - biconic, 74
 - bifocal spectacles, 25
 - bipolar cells, 3
 - blue light hazard, 65
 - Bowman's Membrane, 2
 - Bradford chromatic adaptation, 72
 - capsule, 7, 63
 - cat's eye position, 35
 - cataracts, 38
 - center of rotation, 13, 26, 27
 - choroid, 1
 - chroma, 70, 71
 - chromaticity coordinates, 67, 68, 69, 70
 - CIELAB, 71
 - CIELUV, 70
 - ciliary muscle, 7
 - CK, *See* conductive keratoplasty
 - CMFs, *See* color matching functions
 - color blindness, 73
 - color difference, 70, 71
 - color matching functions (CMFs), 67
 - colorimetry, 67, 68, 69, 70, 71, 90, 91
 - complementary color, 68
-

Index

- conductive keratoplasty (CK), 37
 - cones, 4, 8, 12, 73, 92
 - consensual light reflex, 8
 - contrast sensitivity, 21
 - contrast sensitivity function
 - (CSF), 21, 22
 - cornea, 1, 2, 6, 38
 - corneal Ks, 42
 - crystalline lens, 1, 6, 7, 9, 15, 16, 24, 25, 34, 37, 38, 39, 46, 63, 65, 90
 - crystalline lens power, 6
 - crystalline lens thickness, 6

 - dark adaptation, 8
 - defocus, 17
 - Descemet's Membrane, 2
 - diffractive contact and intraocular lenses, 25
 - diplopia, 13
 - distance visual acuity, 19
 - dominant wavelength, 68
 - Donders' Law, 13

 - emmetropia, 23
 - endothelium, 2
 - epithelium, 2
 - ETDRS chart, 19, 20
 - excitation purity, 68

 - far point, 17, 24, 57, 60, 61
 - far-sightedness, 23
 - field of view (FOV), 59, 67
 - fogging, 61
 - FOV, *See* field of view
 - fovea, 1
 - fovea centralis, 5
 - foveola, 5
 - fundamental forms, 75
 - fundus photography, 58

 - Gabor patches, 21
 - Gaussian curvature, 75
 - glaucoma, 59
 - Goldmann projection, 59
 - gonioscopy, 46
 - gonioscopy lenses, 46

 - Helmholtz Theory of Accommodation, 7
 - horizontal cells, 3
 - hue, 68, 70, 71
 - Humphrey lens, 33
 - hydrogels (soft lenses), 34
 - hyperopia, 23

 - illuminance, 66
 - indocyanine green, 41
 - infant hazard function, 65
 - inner segment, 4
 - instantaneous power, 45, 90
 - interpupillary distance, 13, 29
 - intraocular lens (IOL), 9, 25, 37, 38
 - intraocular pressure (IOP), 46, 57
 - iris, 1

 - Jackson crossed cylinder, 32
 - Jaeger scores, 20

 - keratometric index of refraction, 42, 44, 45
 - keratometry, 42
 - K-values, 42
-

Index

- Landolt C's, 20
 laser epithelial keratomi-
 leusis (LASEK), 37
 laser in situ keratomileusis
 (LASIK), 37
 laser thermal keratoplasty
 (LTK), 37
 LCA, 17
 Lea Symbols, 20
 LeGrand full theoretical eye,
 15
 lens paradox, 6
 lensmaker's formula, 14
 lensmeter, 28
 line of sight (LOS), 10, 30, 49,
 59
 Listing's Law, 13
 Listing's Plane, 13
 LMS color space, 73
 LogMAR, 19
 longitudinal chromatic
 aberration of the eye, 16
 longitudinal spherical
 aberration (LSA), 16, 17
 LOS, *See* line of sight
 LTK, *See* laser thermal
 keratoplasty
 luminance, 8, 12, 66
 luminous flux, 66
 luminous intensity, 66

 Maddox rod, 32
 maximum permissible
 exposure (MPE), 64
 Maxwellian view, 62
 mean curvature, 75
 modulation threshold
 function, 22
 modulation transfer
 monovision, 25
 MPE, *See* maximum
 permissible exposure
 multi-zone refractive contact,
 25
 myopia, 23

 near point, 24, 25
 near reflex, 8
 near visual acuity, 20
 near-sightedness, 23
 neutrality, 60

 oblique astigmatism, 17
 OCT, *See* optical coherence
 tomography, 58
 ocular power, 6
 ocular transmission, 9
 oculus dexter (OD), 29
 oculus sinister (OS), 29
 oculus uterque (OU), 29
 ophthalmoscopy, 57, 58
 optic disk, 1
 optic nerve, 1
 optic nerve head, 5
 optical axis, 10, 26, 27
 optical coherence tomography
 (OCT), 58
 optometer principle, 62
 Ostwalt branch, 26
 outer nuclear layer, 4
 outer segment, 4

 PALs, *See* progressive
 addition lenses
 pantoscopic tilt, 27
 PCO, *See* posterior capsule
 opacification
 perimetry, 59
-

Index

- phakic intraocular lenses (PIOLs), 37
 - phakometry, 39
 - photoablation, 63
 - photochemical hazards, 65
 - photocoagulation, 63
 - photodisruption, 63
 - photodynamic therapy, 63
 - photoreceptors, 3, 4, 11, 12, 58, 59
 - photorefractive keratectomy (PRK), 37
 - PIOLs, *See* phakic intraocular lenses
 - placido, 43
 - placido disks, 43
 - posterior capsule opacification (PCO), 63
 - posterior corneal radius, 6
 - posterior lens radius, 6
 - posterior ROC, 7
 - Prentice's Rule, 30
 - presbyopia, 25
 - prism diopter, 30
 - PRK, *See* photorefractive keratectomy
 - progressive addition lenses (PALs), 25
 - pseudophakic, 38
 - pupillary axis, 10
 - Purkinje images, 39
 - Purkinje shift, 12
 - radial keratotomy (RK), 37
 - radiuscope, 35
 - refraction from Zernikes, 56
 - refractor, 60
 - retinal CSF, 22
 - retina, 1, 3
 - retinal ganglion cells, 3
 - retinal raytracing, 49
 - retinal reflectance, 9
 - retinoscopy, 60
 - rigid gas permeables (RGPs), 34
 - Risley prism, 33
 - RK, *See* radial keratotomy
 - rods, 4, 8, 12
 - Rosenbaum card, 20
 - scanning laser
 - ophthalmoscopy (SLO), 58
 - Scheimpflug imaging, 46
 - Scheiner disk, 61
 - Schlemm's canal, 46
 - sclera, 1
 - scotomas, 59
 - selective laser
 - trabeculoplasty, 46, 63
 - SEP, *See* spherical equivalent power
 - Shack-Hartmann, 47, 49
 - slit lamp imaging, 46
 - SLO, *See* scanning laser ophthalmoscopy
 - Snellen acuity, 19
 - Snellen fraction, 19, 21
 - sodium fluorescein, 40
 - spatially resolved
 - refractometry (SRR), 50
 - spectral locus, 68
 - spherical equivalent power (SEP), 29, 32
 - SRK formula, 38
 - SRR, *See* spatially resolved refractometry
 - static perimetry, 59
-

Index

- Stiles-Crawford effect, 11, 92
 - Stokes lens, 33
 - strabismus, 30
 - stroma, 2
 - subjective refraction, 60

 - tangent screen, 59
 - temporal CSF, 22
 - thermal hazards, 65
 - thickness, 7
 - toric, 34, 74
 - trabecular meshwork, 46
 - triangulation, 43
 - tristimulus values, 67, 69, 70, 71, 72
 - troland, 66
 - Tscherning aberrometry, 48
 - Tscherning's ellipse, 26
 - Tumbling E's, 20

 - vergence, 14
 - vertex adjustment, 27
 - vertex distance, 27
 - visual axis, 10, 13
 - visual field testing, 59
 - vitreous humor, 1, 6

 - wavefront sensing, 47, 51
 - white point, 32, 68, 69, 70, 71
 - with motion, 60
 - with-the-rule astigmatism, 42
 - Wollaston branch, 26

 - Zernike polynomials, 51, 53, 54, 55
 - Zernikes from refraction, 56
 - zonules of Zinn, 7
-



Jim Schwiererling is an Associate Professor of Ophthalmology and Optical Sciences at the University of Arizona. For the past five years, he has taught a course in visual optics, introducing engineers to the functioning of the human eye and ophthalmic instrumentation. After training at the University of Rochester and the University of Arizona, he joined the faculty of the Ophthalmology Department to bridge

the gap between clinical and applied optics.

Dr. Schwiererling's research interests include wavefront sensing and adaptive optics in the human eye, customized ophthalmic lenses and procedures, corneal topography, contact and spectacle lens design, ophthalmic instrumentation, and improvement of refractive surgery outcomes.