

Bibliography

- Abe, T., Steigmeier, E.F., Hagleitner, W., and Pidduck, A.J.
1992. "Microroughness measurements on polished silicon wafers," *Jpn. J. Appl. Phys.*, Vol. 31, 721-728
- ANSI/ASME
1985. Standard # B46.1-1985, *Surface Texture (Surface Roughness, Waviness, and Lay)*, Am. Soc. Mech. Eng., New York
- Asmail, C., Hsia, J., Parr, A., and Hoeft, J.
1994. "Rayleigh scattering limits for low-level bidirectional reflectance distribution function (BRDF) measurements," *Appl. Opt.*, to be published V33
- ASTM
1991. Standard # E1392-90, "Standard Practice for Angle Resolved Optical Scatter Measurements on Specular or Diffuse Surfaces"
- Azzam, R.M.A., and Bashara, N.M.
1977. *Ellipsometry and Polarized Light*, North Holland, New York
- Bamberg, J.
1983. "Stray light analysis with the HP-41C/CV calculator," *Proc. SPIE* 384, 109-116
- Barrick, D.E.
1970. *Radar Cross Section Handbook*, Chap. 9, Plenum, New York
- Bawolek, E.J.
1992. "Light scattering by spherical particles on semiconductor surfaces," Ph.D. dissertation, p. 82, Arizona State University, Tempe
- Bawolek, E.J., Mohr, J.B., Hirleman, E.D., and Majumdar, A.
1993. "Light scatter from polysilicon and aluminum surfaces and comparison with surface-roughness statistics by atomic force microscopy." *Appl. Opt.*, vol 32, no. 19, p. 3377
- Baylies, W.
1994. Private communication
- Beckmann, P., and Spizzichino, A.
1963. *The Scattering of Electromagnetic Waves from Rough Surfaces*, Pergamon, New York

- Bell, B.W., and Bickel, W.S.
1981. "Single fiber light scattering matrix: an experimental determination," *Appl. Opt.*, vol. 20, no. 22, p. 3874
- Bendat, J.S., and Piersol, A.G.
1971. *Random Data: Analysis and Measurement Procedures*, Wiley-Interscience, New York

1986. *Engineering Applications of Correlation and Spectral Analysis*, 2d ed., John Wiley & Sons, New York
- Bender, J.A., Henning, T.D., and Bernt, M.L.
1992. "Near-specular measurements of integrated scatter," Proc. SPIE 1753, 121–126
- Bennett, H.E., and Porteus, J.O.
1961. "Relation between surface roughness and specular reflectance at normal incidence," *J. Opt. Soc. Am.*, vol. 51, p. 123
- Bennett, J.M., and Mattsson, L.
1989. *Introduction to Surface Roughness and Scattering*, Opt. Soc. of Am., Washington DC
- Bernt, M.L., and Stover, J.C.
1990. "IR and visible BSDF measurements of several materials," Proc. SPIE 1331, 261–269

1991. "Infrared window damage measured by reflective scatter," Proc. SPIE 1530, 42–49 (1991).
- Bickel, W.S., and Videen, G.W.
1991. "Stokes vectors, Mueller matrices and polarized light: experimental applications to optical surfaces and all other scatterers," Proc. SPIE 1530, 2–6
- Bickel W.S., Davidson, J.F., Huffman, D.R., and Kilkson, R.
1976. "Application of polarization effects in light scattering: a new biophysical tool," Proc. Nat. Acad. Sci. USA, vol. 73, no. 2, p. 486
- Bickel, W.S., Iafelice, V., and Videen, G.
1986. "The role of polarization in the measurement and characterization of scatterers," Proc. SPIE 679, 91–98
- Bickel W.S., Zito, R.R., and Iafelice, V.
1987. "Polarized light scattering from metal surfaces," *J. Appl. Phys.*, vol. 61, no. 12, p. 5392
- Bjork, D.R., Klicker, K.A., and Cady, F. M.
1988. "Predicting laser port scatter," Proc. SPIE 967, 58–61

- Bohren, C.E., and Huffman, D.R.
1983. *Absorption and Scattering of Light by Small Particles*, John Wiley & Sons, New York
- Breault, R.P.
1986. "Current technology of stray light," Proc. SPIE 675, 4–13
- Breault, R.P., Greynolds, A.W., and Gauvin, M.A.
1986. "Stray-light analysis with APART/PADE, version 8.7," Proc. SPIE 675, 4–13
- Brown, J.L.
1991. "Light scatter variations with respect to wafer orientation in GaAs," Proc. SPIE 1530, 299–305

1993. "Preparing samples for scattering measurements—a cleaning study: part 2," Proc. SPIE 1995, 80–91
- Brown, N.J.
1989. "Optical fabrication," Lawrence Livermore National Laboratories, Misc. 4476, Rev. 1, August
- Bullis, W.M.
1994. "Microroughness of silicon wafers," Semiconductor Silicon, Proc. Silicon Material, Science the Technology, May
- Burnham, M.
1976. "The mechanics of micromachining," Proc. SPIE 93, 38–45
- Cady F.M., Bjork, D.R., Rifkin, J., and Stover, J.C.
1989a. "BRDF error analysis," Proc. SPIE 1165, 154–164

1989b. "Linearity in BSDF measurements," Proc. SPIE 1165, 1928–201
- Cady, F.M., Cheever, D.R., Klicker, K.A., and Stover, J.C.
1987. "Comparison of scatter data from various beam dumps," Proc. SPIE 818, 21–25
- Cady, F.M., Knighton, M.W., Cheever, D.R., Swimley, B.D., Huntstoff, T.L., Schiff, T.F., and Southwood, M.E.
1992. "Design review of a broadband, 3-dimensional scatterometer," Proc. SPIE 1753, 148–157
- Cady, F.M., Stover, J.C., Bjork, D.R., Bernt, M.L., Knighton, M.W., Wilson, D.J., and Cheever, D.R.
1990. "Design review of a multiwavelength, three-dimensional scatterometer," Proc. SPIE 1331, 201–208
- Cady, F.M., Stover, J.C., Schiff, T.F., Klicker, K.A., and D.R. Bjork
1988. "Measurement of very near specular scatter," Proc. SPIE 967, 264–271

Cheever, D.R., Cady, F.M., Klicker, K.A., and Stover, J.C.

1987. "Design review of a unique complete angle-scatter instrument (CASI)," Proc. SPIE 818, 13–20

Church, E.L.

1978. "Corrections to stylus measurements of surface finish," *J. Opt. Soc. Am.*, vol. 68, 1425A–1426A

1980. "The statistical description of optical inhomogeneities," NBS Special Publication 574, 51–54

1986. "Models for the finish of precision machined optical surfaces," Proc. SPIE 676, 142–152

1987. "Comments on the correlation length," Proc. SPIE 680, 102–111

1988. "Fractal surface finish," *Appl. Opt.*, vol. 27, no. 8

1989. Private communication: This useful relationship was first discovered serendipitously while checking Q values with a calculator and then later confirmed by derivation

1991. "Scattering from slightly rough crystal surfaces," Proc. SPIE 1530, 171–184

1994. Private communication

Church, E.L., and Berry, H.C.

1982. "Spectral analysis of the finish of polished optical surfaces," *Wear*, vol. 83, 189–201

Church, E.L., and Takacs, P.Z.

1986a. "Statistical and signal processing concepts in surface metrology," Proc. SPIE 645, 107–115

1986b. "Use of an optical-profiling instrument for the measurement of the figure and finish of optical-quality surfaces," *Wear*, vol. 109, p. 257

1988. "Instrumental effects in surface finish measurement," Proc. SPIE 1009, 46–55

1989a. "Subsurface and volume scattering from smooth surfaces," Proc. SPIE 1165, 31–41

1989b. "Effects of the optical transfer function in surface profile measurements," Proc. SPIE 1164, 46–59

1991. "Optimal estimation of finish parameters," Proc. SPIE 1530, 71–85

1993. "Specification of surface figure and finish in terms of system performance," *Appl. Opt.*, vol. 32, no.19, 3344–3353

- Church, E.L., and Zavada, J.M.
1975. "Residual surface roughness of diamond-turned optics," *Appl. Opt.*, vol. 14, p. 1788
- Church, E.L., Asmail, C.C., and Parks, R.E.
1994. "Scattering predictions based on the plateau-polishing model," unpublished
- Church, E.L., Dainty, J.C., Gale, D.M., and Takacs, P.Z.
1988. "Comparison of optical and mechanical measurements of surface finish," *Proc. SPIE* 954, 189–199
- Church, E.L., Howells, M.R., and Vorburger, T.V.
1982. "Spectral analysis of the finish of diamond-turned mirror surfaces," *Proc. SPIE* 315, 202–218
- Church, E.L., Jenkinson, H.A., and Zavada, J.M.
1977. "Measurement of the finish of diamond-turned metal surfaces by differential light scattering," *Opt. Eng.*, vol. 16, no. 4, 360–374
1979. "Relationship between surface scattering and microtopographic features," *Opt. Eng.*, vol. 18, no. 2, 125–136
- Church, E.L., Sanger, G.M., and Takacs, P.Z.
1987. "Comparison of WYKO and TIS measurements of surface finish," *Proc. SPIE* 749, 65–73
- Church, E.L., Takacs, P.Z., and Leonard, T.A.
1989. "The prediction of BRDFs from surface profile measurements," *Proc. SPIE* 1165, 136–150
- Church, E.L., Takacs, P.Z., and Stover, J.C.
1990. "Scattering by anisotropic grains in beryllium mirrors," *Proc. SPIE* 1331, 12–17
- Collett, E.
1993. *Polarized Light: Fundamentals and Applications*, Marcel Dekker, New York
- Dagnall, H.
1980. *Exploring Surface Texture*, Rank Taylor Hobson, Leicester, England
- Davies, H.
1954. "The reflection of electromagnetic waves from a rough surface," *Proc. Inst. Elec. Engrs.* 101, p. 209
- Denes, L., and Huff, H.
1992. "A Fourier analysis of silicon wafer topography," Abstract 823 RNP, 182nd Meeting of the Electrochemical Society, Toronto, Ontario, Oct. 11–16, 1992.

- DeWitt, D.P.
1986. "Inferring temperature from optical radiation measurements," *Opt. Eng.*, vol. 25, no. 4, 596–601
- DeWitt, D.P., and Nutter, G.D. (eds.)
1989. *Theory and Practice of Radiation Thermometry*, Wiley Interscience, New York
- Dolan, A.
1989. "An interactive graphical, CAD integrated tool for stray radiation analysis," *Proc. SPIE* 675, 80–84
- Egert, C.M.
1991. "Material characterization of beryllium mirrors exhibiting anomalous scatter," *Proc. SPIE* 1530, 162–170
- Egert, C.M., Stover, J.C., and Bernt, M.L.
1993. "Wavelength dependence of scatter from 0–50 grade beryllium mirrors," *Proc. SPIE* 1995, 57–65
- Elson, J.M., and Bennett, J.M.
1979. *Opt. Eng.*, vol. 18., no. 2, 116–124
- Elson, J.M., Bennett, J.M., and Stover, J.C.
1993. "Wavelength and angular dependence of light scattering from beryllium: comparison of theory and experiment," *Appl. Opt.*, vol. 32, no. 19, p. 3362
- Foo, L.D.
1985. "Computer analysis of background radiation sources for a staring IRCCD camera," M.S. Thesis, U. of Arizona
- Freniere, E.R.
1980. "Simulation of stray light in optical systems with the GUERAP III," *Proc. SPIE* 257, 78–85
- Freniere, E.R., and Skelton, D.L.
1986. "Use of specular black coatings in well-baffled optical systems," *Proc. SPIE* 675, 126–132
- Goldstein, D.H., and Chipman, R.A.
1990. "Error analysis of a Mueller matrix polarimeter," *J. Opt. Soc. Am. A.*, vol. 7, no. 4, 693–700
- Goodman, J.W.
1968. *Introduction to Fourier Optics*, McGraw-Hill, New York
- Greynolds, A.
1980. "Formulas for estimating stray-radiation levels in well-baffled optical systems," *Proc. SPIE* 257, 39–49

- Gu, Z.H., Dummer, R.S., Maradudin, A.A., and McGurn, A.R.
1989a. "Experimental study of the opposition effect in the scattering of light from a randomly rough metal surface," *Appl. Opt.*, vol. 28, no. 3, p. 537
- 1989b. "Opposition effect in the scattering of light from a random rough metal surface," *Proc. SPIE* 1165, 42–51
- Gu, Z.H., Dummer, R.S., Maradudin, A.A., Lu, J.Q., McGurn, A.R., and Méndez, E.R.
1990. "Experimental study of enhanced transmission through rough metal surfaces," *Proc. SPIE* 1331, 36–47
- Hancock, J.C.
1961. *Principles of Communication Theory*, McGraw-Hill, New York
- Harvey, J.E.
1976. "Light scattering characteristics of optical surfaces," Ph.D. Dissertation, U. of Arizona
1989. "Surface scatter phenomena: a linear, shift-invariant process," *Proc. SPIE* 1165, 87–99
- Harvey, J.E., and Lewotsky, K.
1991. "Scattering from multilayer coatings: a linear systems model," *Proc. SPIE* 1530, 35–44
- Hill, D.P., Shoemaker, R.L., De Witt, D.P., Gaskell, D.R., Schiff, T.F., Stover, J.C., White, D., and Gaskey, K.M.
1989. "Relating surface scattering characteristics to emissivity changes during the galvanneal process," *Proc. SPIE* 1165, 62–71
- Hunt, A.J., and Huffinan, D.R.
1973. "A new polarization-modulated light scattering instrument," *Rev. Sci. Instrum.*, vol. 44, no. 12, p. 1753
- Huntley, W.H.
1980. "Grating interferometers," *Lasers 80*, T Japan
- Iafelice, V.J., and Bickel, W.S.
1987. "Polarized light-scattering matrix elements for select perfect and perturbed optical surfaces," *Appl. Opt.*, vol. 26, no. 12, p. 2410
- Iizuka, K.
1985. *Engineering Optics*, Springer-Verlag, Berlin
- Ishimaru, A.
1978. *Wave Propagation in Random Media*, Academic Press, New York

- Izunome, K., Saito, Y., and Kubota, H.
1992. "Periodic step and terrace formation on Si(100) surface during Si epitaxial growth by atmospheric chemical vapor deposition," *Jpn. J. Appl. Phys.*, vol. 31, L1277–L1279, Pt. 2, no. 9A, September
- Jenkins, F.A., and White, H.E.
1976. *Fundamentals of Optics*, McGraw-Hill, New York
- Jenkins, G.M., and Watts, D.G.
1968. *Spectral Analysis and its Applications*, Holden-Day, San Francisco
- Keller, J.B.
1962. "Geometrical theory of diffraction," *J. Opt. Soc. Am.*, vol. 52, p. 116
- Klicker, K.A., and Bjork, D.R.
1988. "Model of port scatter from lasers," Final Report to U.S. Army White Sands Missile Range, Contract No. DAAD07-87-0083
- Klicker, K.A., Fuhrman, D., and Bjork, D.R.
1990. "BSDF database," Proc. SPIE 1331, 270–279
- Klicker, K.A., Stover, J.C., and Wilson, D.J.
1988. "Near-specular measurement techniques for curved samples," Proc. SPIE 967, 255–263
- Klicker, K.A., Stover, J.C., Cheever, D.R., and Cady, F.M.
1987. "Practical reduction of instrument signature in near specular light scatter measurements," Proc. SPIE 818, 26–33
- Krauss, H.L., Bostian, C., and Raab, F.R.
1980. *Solid State Radio Engineering*, John Wiley & Sons, New York
- Kylner, C., Ingers, J.P., Mattsson, L.H., and Bjuggren, M.
1993. "Scattering signatures of isolated surface features," Proc. SPIE 1995, 66–73
- Lamb, L.D.
1991. "The scattering of infrared light by small particles on substrates," Ph.D. Thesis, Dept. of Physics, U. of Arizona
- Larson, T.
1993. "Particle measurement on films," ASTM/SEMATECH Symposium on Particles, Haze, and Microroughness on Silicon Wafers, Austin, TX, Nov 2–3, 1993 (unpublished).
- Leader, J.C.
1979. "Analysis and prediction of laser scattering from rough surface materials," *J. Opt. Soc. Am.*, vol. 69, 610–628

- Lee W.W., Scherr, L.M., and Barsh, M.K.
1986. "Stray light analysis and suppression in small angle BRDF/BTDF measurement," Proc. SPIE 675, 207–216
- Leonard, T.A.
1990. "Standardization of optical scatter measurements," Proc. SPIE 1331, 188–194
- Leonard, T.A., and Pantolino, M.A.
1988. "BRDF round robin," Proc. SPIE 967, 226–235
- Leonard, T.A., and Rudolph, P.
1993. "BRDF round robin test of ASTM E1392," Proc. SPIE 1995, 285–293
- Leonard, T.A., Pantoliano, M.A., and Reilly, J.
1989. "Results of a CO₂ BRDF round robin," Proc. SPIE 1165, 444–449
- Lewis, I.T., Ledebuhr, A.G., and Bernt, M.L.
1991. "Stray-light implications of scratch/dig specifications," Proc. SPIE 1530, 22–34
- Likeness, B.K.
1977. "Stray light simulation with advanced Monte Carlo techniques," Proc. SPIE 107, 80–88
- Maradudin, A.A., and Mills, D.L.
1975. *Phys. Rev. B*, vol. 11, p.1392
- Marvin, A., Toigo, F., and Celli, V.
1975. *Phys. Rev. B*, vol. 11, p. 2777
- Mathis, R.C.
1963. "A lunar echo study at 425 mcs," Ph.D. dissertation, U. of Texas
- Matovich, T., Stover, J.C., and Rifkin, J.
1990. "Design review of a vacuum cryogenic scatterometer," Proc. SPIE 1331, 135–142
- Maxwell, J.R., Beard, J., Weiner, S., Ladd, D., and Ladd, S.
1973. *Bidirectional Reflectance Model Validation and Utilization*. Technical Report AFAL-TR-73-303, Wright-Patterson AFB
- McGary, D.E., Stover, J.C., Rifkin, J., Cady, F.M., and Cheever, D.R.
1988. "Separation and measurement of surface scatter and volume scatter from transmissive optics," Proc. SPIE 967, 197–203
- McGillem, C.D., and Cooper, G.R.
1984. *Continuous and Discrete Signal and System Analysis*, Holt, Rinhart & Winston, New York

- McNeil, J.R., Herrman, W.C., and Stover, J.C.
1983. "Light scattering characteristics of some metal surfaces—a smoothing effect?" *Laser-Induced Damage in Optical Materials: 1983*, 202–210, NBS, Boulder
- Nahm, K.B., and Wolf, W.L.
1986. "Light scattering by polystyrene spheres on a mirror," *Proc. SPIE* 675, 295–304

1987. *Appl. Opt.*, vol. 26, no. 15, p. 2995
- Neu, J.T., and Bressler, M.
1991. "Design considerations for multipurpose bidirectional reflectometers," *Proc. SPIE* 1530, 244–254
- Nicodemus, F.E., Richmond, J.C., Hsia, J.J., Ginsberg, I., and Limperis, T.
1977. *Geometric Considerations and Nomenclature for Reflectance*, U.S. Dept. of Commerce, NBS Monograph 160
- Noll, R.J., and Glenn, P.E.
1982. "Optical surface analysis code (OSAC)," *Proc. SPIE* 362, 78–85
- Orazio, F.D., Stowell, W.K., and Silva, R.M.
1982. "Instrumentation of a variable angle scatterometer (VAS)," *Proc. SPIE* 362, 165–171
- Paumi, J.D.
1988. "Laser vs. camera inspection in the paper industry," *Tappi Journal*, November
- Perilloux, B.E.
1991. "Helium neon laser optics: scattered light measurements and process control," *Proc. SPIE* 1530, 255–262
- Pirooz, S., Shive, L.W., Malik, I.J., and Martin, A.C.
1993. "Predicting technology advances for wafer surface inspection systems," *Microcontamination Magazine*, November
- Rayleigh, Lord
1907. *Proc. R. Soc.*, vol. A79, p. 399
- Rice, S.O.
1951. *Commun. Pure Appl. Math.*, vol. 4, p. 351
- Rifkin, J., Klicker, K.A., Bjork, D.R., Cheever, D.R., Schiff, T.F., Stover, J.C., Cady, F.M., Wilson, D.J., Chausse, P.D., and Kirchner, K.H.
1988. "Design review of a complete angle scatter instrument," *Proc. SPIE* 1036, 116–124

- Rifkin, J., Stover, J.C., D.E. McGary, Kirchner, K.H., and Wilson, D.J.
1988. "Raster area scatter measurements and sample uniformity," Proc. SPIE 967, 171-177
- Rock, D.
1986. "ORDAS—a new ray-based stray radiation analysis program," Proc. SPIE 675, 85-94
- Rönnow, D.
1993. "Sources of error in spectroscopic low-level integrated light-scattering measurements," Proc. SPIE 1995, 143-151
- Rudberg, D.A., Stover, J.C., and McGary, D.E.
1991. "Mapping of imbedded contaminants in transparent material by optical scatter," Proc. SPIE 1530, 232-239
- Schiff, T.F., and Stover, J.C.
1989. "Surface Statistics determined from IR scatter," Proc. SPIE 1165, 52-61
- Schiff, T.F., Knighton, M.W., Wilson, D.J., Cady, F.M., Stover, J.C., and Butler, J.J.
1993. "Design review of a high-accuracy UV to near-IR scatterometer," Proc. SPIE 1995, 121-130
- Schiff, T.F., Stover, J.C., and Swimley, B.D.
1992. "Mueller matrix measurements of scattered light," Proc. SPIE 1753, 269-277
- Schiff, T.F., Stover, J.C., Cheever, D.R., and Bjork, D.R.
1988. "Maximum and minimum limitations imposed on BSDF measurements," Proc. SPIE 967, 50-57
- Schiff, T.F., Stover, J.C., Wilson, D.J., Swimley, B.D., Southwood, M.E., and Bjork, D.R.
1992a. "Mueller Matrix measurements with an out-of-plane polarimetric scatterometer," Proc. SPIE 1746, 295-306
- 1992b. "Design review of a unique out-of-plane polarimetric scatterometer," Proc. SPIE 1753, 262-268
- 1992c. "Retroreflections on a low-tech approach to the measurement of opposition effect," Proc. SPIE 1753, 278-284
- Shurcliff, W.A.
1962. *Polarized Light*, Harvard University Press, Cambridge, MA
- Siegman, A.E.
1986. *Lasers*, University Science Books, Mill Valley, CA
- Squires, G.L.
1985. *Practical Physics*, Cambridge University Press, Cambridge, UK

St. Clair Dinger, A.

1986. "STRAY—an interactive program for the computation of stray radiation in infrared telescopes," *Proc. SPIE* 675, 95–104

Stover, J.C.

1974. "Roughness measurement by light scattering," *Laser-Induced Damage in Optical Materials: 1974*, p. 163, NBS, Boulder

1975. "Roughness characterization of smooth machined surfaces by light scattering," *Appl. Opt.*, vol. 14, no. 8, p. 1796

1976a. "Spectral density function gives surface roughness," *Laser Focus*, February, p. 83

1976b. "Surface characteristics of machined optics," *Proc. SPIE* 93, 90–95

1982. "Surface roughness measurements of curved surfaces by light scatter," *Opt. Eng.*, vol. 21, no. 6, p. 987

1987a. "Overview of current scatterometer measurements and the impact on optical systems," *Proc. SPIE* 776, 33–41

1987b. "Near specular light scatter measurements," *Proc. Lasers* 87

1988. "Optical scatter measurements and specifications," *Lasers and Optronics*, vol. 7, no. 8

1989. "Scatter from optical components: an overview," *Proc. SPIE* 1165, 2–9

1990. *Optical Scattering: Measurement and Analysis*, McGraw-Hill, New York

Stover, J.C., and Bernt, M.L.

1992. "Very near specular measurements via incident angle scaling," *Proc. SPIE* 1753, 115–120

1993. "Wavelength scaling investigation of several materials," *Proc. SPIE* 1995, 256–266

Stover, J.C., and Gillespie, C.H.

1982. "Design review of three reflectance scatterometers," *Proc. SPIE* 362, 172–180

Stover, J.C., and Hourmand, B.

1984a. "Comparison of roughness measurements by differential scatter and total integrated scatter," *Proc. SPIE* 511, 2–6

1984b. "Some deviations associated with the vector perturbation theory," *Proc. SPIE* 511, 12–17

- Stover, J.C., and McGary, D.E.
1990. "Scatter from subsurface defects and contaminants," Proc. SPIE 1331, 48–52
- Stover, J.C., Bernt, M.L., and Henning, T.D.
1991. "Study of anomalous scatter characteristics," Proc. SPIE 1530, 185–195
- Stover, J.C., Bernt, M.L., Church, E.C., Takacs, P.Z.
1994. "Measurement and analysis of scatter from silicon wafers," Proc. SPIE 2260, 182–191
- Stover, J.C., Bernt, M.L., McGary, D.E., and Rifkin, J.
1989. "Investigation of anomalous scatter from beryllium mirrors," Proc. SPIE 1165, 100–109
- Stover, J.C., Bernt, M.L., Schiff, T.F., and Swimley, B.
1993. "Mueller matrix measurements of several optical components," Proc. SPIE 1995, 267–272
- Stover, J.C., Cady, F.M., and Sklar, E.
1985. "Measurement of low angle scatter," *Opt. Eng.*, vol. 24, no. 3, 404–407
- Stover, J.C., Gillespie, C.H., Cady, F.M., Cheever, D.R., and Klicker, K.A.
1987a. "Wavelength scaling of BRDF scatter data," Proc. SPIE 818, 62–67
1987b. "Comparison of BRDF data from two scatterometers," Proc. SPIE 818, 68–73
- Stover, J.C., Klicker, K.A., Cheever, D.R., and Cady, F.M.
1987. "Reduction of instrument signature in near angle scatter measurements," Proc. SPIE 749, 46–53
- Stover, J.C., Rifkin, J., Cheever, D.R., Kirchner, K.H., and Schiff, T.F.
1988. "Comparisons of wavelength scaling predictions to experiment," Proc. SPIE 967, 44–49
- Stover, J.C., Serati, S.A., and Gillespie, C.H.
1984. "Calculation of surface statistics from light scatter," *Opt. Eng.*, vol. 23, no. 4, p. 406
- Stover, J.C., Skurdal, V., Bender, J., and Chausse, P.D.
1990. "Design review of a hand-held scatterometer," Proc. SPIE 1331, 195–200
- Strausser, Y.E., Doris, B., Diebold, A.C., and Huff, H.R.
1994. "Measurement of silicon surface microroughness by AFM," *Electrochemical Society*, vol. 94-1, May

- Swimley, B.D., Knighton, M.W., Skurdal, V.C., Pearson, L.H., and Stover, J.C.
1993. "Design review of an instrument to map hydrocarbon contamination," Proc. SPIE 1995, 92–100
- Takacs, P.Z., Hewitt, R.C., and Church, E.L.
1987. "Correlation between the performance and metrology of glancing incidence mirrors containing millimeter wavelength shape errors," Proc. SPIE 749, 119–124
- Takacs, P.Z., Li, M.X.-O., Furenlid, K., and Church, E.L.
1993. "Step-height standard for surface-profiler calibration," Proc. SPIE 1995, 235–244
- Tanaka, F., and DeWitt, D.P.
1989. "Theory of a new radiation thermometry method and an experimental study using galvanized steel specimens," *Trans. Soc. Inst. & Cont. Eng. (Japan)*, vol. 25, no. 10, p. 1031
- Thomas, T.R.
1982. *Rough Surfaces*, Longman, New York
- van de Hulst, H.C.
1957 *Light Scattering by Small Particles*, Wiley, New York
- Verdeyen, J.T.
1989. *Laser Electronics*, 2nd. ed., Prentice Hall, Englewood Cliffs, NJ
- Vernold, C.L.
1989. "Application and verification of wavelength scaling for near specular scatter predictions," Proc. SPIE 1165, 18–30
- Wang, Y.
1983. "Comparison of BRDF theories with experiment," Ph.D. Dissertation, U. of Arizona
- Warner, T.L., Hirleman, E.D., and Bawolek, E.J.
1993. "Characteristics of light scattering signatures of various particle types on wafer surfaces," ASTM/SEMATECH Symposium on Particles, Haze, and Microroughness on Silicon Wafers, Austin, TX, Nov. 2–3, 1993 (unpublished).
- Wilson, S.R., Al-Jumaily, G.A., and McNeil, J.R.
1987. "Nonlinear characteristics of a stylus profilometer," Proc SPIE 818, 10–12
- Wolf, E., and Marchand, E.W.
1964. "Comparison of the Kirchhoff and the Rayleigh-Sommerfield theories of diffraction at an aperture," *J. Opt. Soc. Am.*, vol. 54, p. 587

Wolfe, W.L., and Wang, Y.

1982. "Comparisons of theory and experiment for BRDF of microrough surfaces," Proc. SPIE 362, 40–45

Wolff, L.B.

1993. "Diffuse reflections from smooth dielectric surfaces," Proc. SPIE 1995, 26–44

Xie, Q.Y., and Fesko, D.G.

1993. "Characterization of curved plastic surfaces," Proc. SPIE 1995, 193–201

Yariv, A.

1976. *Introduction to Optical Electronics*, 2nd ed., Holt, Rinehart & Winston, New York

Young, M.

1982. "Objective measurement and characterization of scratch standards," Proc. SPIE 362, 86–92

Young, R. P.

1975. "Mirror scatter measurement facility comparison," AEDC-TR-75-68

1976a. "Degradation of low-scatter mirrors by particulate contamination," *Opt. Eng.*, vol. 15, no. 6, 516–520

1976b. "Degradation of mirror BRDF by particulate contamination," AEDC-TR-177 [or AD-B015792]

Zito, R.R., and W.S. Bickel

1986. "Light scattering from twisted metal cylinders," *Appl. Opt.*, vol. 25, no. 11, p.1833