

INDEX

- aberrations 4, 13, 20, 22, 26-29, 86-89, 100
 - defocus 13, 27, 29
 - coma 13
- accuracy 101
- aerosol-scattering MTF 59, 65-67
- aliasing 35-40, 44-47, 50, 77, 78, 95
- angular period 6, 7
- autocorrelation 20, 21, 25, 38, 39
- averaging 99, 100

- bar target 15, 37, 38, 42, 53, 79-84, 95, 106
- birefringent filter 40
- boost filter 53, 55

- cascade property of MTF 85-88
- central-ordinate theorem 28
- charge-carrier diffusion MTF 52
- charge-transfer inefficiency 51, 52
- coherence 76, 85, 86, 90, 91
- computers in MTF measurements 69, 70, 101
- contrast transfer function (CTF) 80-82, 104
- convolution 1-4, 7, 8, 32, 69, 72, 74, 76
- convolution theorem 7, 8, 26, 33, 85
- crossstalk MTF 51, 52

- detector footprint MTF 31-33, 39, 42-50, 94
- diffraction 18-26, 73
- diffraction MTF 20-26, 87, 88

- edge-spread function (ESF) 69, 73-76, 95-103
- encircled energy 18, 25, 26
- electronics-subsystem MTF 39, 53

- fiber-bundle array 48
- focal-plane array (FPA) 31, 32, 40, 43 - 50, 94, 95, 99, 100
- Fourier decomposition 4, 6
- f-number $F/\#$ 18-23

- geometrical MTF 26

- image modulation depth (IMD) 80-82
- impulse response 1-4, 7, 20, 21, 26, 29, 35, 40, 42, 60, 61, 63, 70
 - defocused 13
 - diffraction 21
 - turbulence 63
 - vibration 60, 61
- instantaneous field of view (IFOV) 31, 32, 53

- limiting frequency 17, 54
- line-spread function (LSF) 69, 71, 72, 73, 74, 75, 76, 93-97, 102, 103
- linearity 3, 4, 10

- microscan 45, 46
- modulation depth 10, 11, 12, 25, 34
- modulation transfer 11
- modulation transfer function (MTF) 9-14, 16, 20, 31
- motion MTF 59, 60
- MTF area (MTFA) 17, 39, 54, 55

- noise 9, 11, 16, 31, 45, 53-55, 93, 94
- noise-equivalent modulation (NEM) 16, 17, 54, 55
- Nyquist condition 35-40, 44-48, 77, 78, 95

- obscured-aperture systems 25, 26, 82, 83
- optical path difference (OPD) 27-29
- optical transfer function (OTF) 9, 12, 13, 20, 28

- phase distortion 15
- phase screen 62-64
- phase reversal 13, 14, 27
- phase transfer function (PTF) 9, 12-15
- point-spread function (PSF) 2, 13, 69, 70-74, 76, 93-97

- power spectral density (PSD) 55, 76-79, 93, 96
- random-noise target 42, 76-79
 - laser speckle 77, 78
 - random transparency 78, 79
- resolution 16, 17, 54
- sampling 31, 35-49, 95
- sampling MTF 35, 41-50, 95
- scan velocity 53, 54
- shift invariance 3, 4, 10, 31, 41, 42, 55
- sifting property of delta function 3
- signal-to-noise ratio (SNR) 45, 53-55, 94, 96-100, 102, 103, 105, 106
- source size 92-94
- spatial frequency 4-9, 17, 25, 35, 49, 53
 - cutoff frequency 21-25, 38, 39
 - angular 6, 7, 24, 53
- spatial period 4-6, 24
- square-wave response 80-82, 104
- Strehl ratio 28, 29
- transfer function 7-9
 - normalization 9, 25, 26, 29, 53
- turbulence MTF 59, 62-64
- vibration MTF 59, 60-62

About the author



Glenn Boreman is Professor of Optics and Electrical Engineering in the School of Optics/CREOL at the University of Central Florida in Orlando. He received a B.S. in Optics from the University of Rochester and a Ph.D. in Optics from the University of Arizona. He has been a visiting researcher at the U.S. Army Night Vision Lab, U.S. Army Redstone Arsenal, Imperial College in London, Swiss Federal Institute of Technology (ETH) in Zürich, and the Defense Research Agency (FOI) in Linköping, Sweden. Dr. Boreman currently serves as Editor-in-Chief of *Applied Optics*. He is coauthor of *Infrared Detectors and Systems* (Wiley); author of *Basic Electro-Optics for Electrical Engineers* and *Fundamentos de Electro-Óptica para Ingenieros*, and editor of *Infrared Technology 1988-1998* (SPIE Press). He is a fellow of OSA and SPIE, and received the 1995 Kingslake medal from SPIE.