

# PROCEEDINGS OF SPIE

## **Sensors, Systems, and Next-Generation Satellites XVI**

**Roland Meynart**  
**Steven P. Neeck**  
**Haruhisa Shimoda**  
*Editors*

**24–27 September 2012**  
**Edinburgh, United Kingdom**

*Sponsored by*  
SPIE

*Cosponsored by*  
SELEX GALILEO  
THALES

*Delivered with the support of*  
Scottish Development International  
Scottish Enterprise

*Cooperating Organisations*  
European Association of Remote Sensing Companies (Belgium) • Remote Sensing and  
Photogrammetry Society (United Kingdom) • Scottish Optoelectronics Association (United  
Kingdom) • Electronics Sensors and Photonics Knowledge Transfer Network (United Kingdom)

*Published by*  
SPIE

**Volume 8533**

Proceedings of SPIE 0277-786X, V.8533

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

Sensors, Systems, and Next-Generation Satellites XVI, edited by Roland Meynart, Steven P. Neeck, Haruhisa Shimoda,  
Proc. of SPIE Vol. 8533, 853301 · © 2012 SPIE · CCC code: 0277-786/12/\$18 · doi: 10.1117/12.2015422

The papers included in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. The papers published in these proceedings reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from this book:

Author(s), "Title of Paper," in Sensors, Systems, and Next-Generation Satellites XVI, edited by Roland Meynart, Steven P. Neek, Haruhisa Shimoda, Proceedings of SPIE Vol. 8533 (SPIE, Bellingham, WA, 2012) Article CID Number.

ISSN: 0277-786X

ISBN: 9780819492739

Published by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA

Telephone +1 360 676 3290 (Pacific Time) · Fax +1 360 647 1445

SPIE.org

Copyright © 2012, Society of Photo-Optical Instrumentation Engineers.

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at [copyright.com](http://copyright.com). Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/12/\$18.00.

Printed in the United States of America.

Publication of record for individual papers is online in the SPIE Digital Library.



[SPIEDigitalLibrary.org](http://SPIEDigitalLibrary.org)

---

**Paper Numbering:** Proceedings of SPIE follow an e-First publication model, with papers published first online and then in print and on CD-ROM. Papers are published as they are submitted and meet publication criteria. A unique, consistent, permanent citation identifier (CID) number is assigned to each article at the time of the first publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online, print, and electronic versions of the publication. SPIE uses a six-digit CID article numbering system in which:

- The first four digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc.

The CID Number appears on each page of the manuscript. The complete citation is used on the first page, and an abbreviated version on subsequent pages. Numbers in the index correspond to the last two digits of the six-digit CID Number.

# Contents

- ix Conference Committee
- xi Maximizing the use of EO products: how to leverage the potential of open geospatial service architectures (Plenary Paper) [8538-100]  
T. Usländer, Fraunhofer-Institut für Optronik, Systemtechnik und Bildauswertung (Germany)

---

## JAPANESE MISSIONS

- 8533 04 **Overview of Japanese Earth observation programs (Invited Paper)** [8533-3]  
H. Shimoda, Japan Aerospace Exploration Agency (Japan)
- 8533 05 **Onboard calibration of the ASTER instrument over twelve years** [8533-4]  
F. Sakuma, M. Kikuchi, Japan Space Systems (Japan); H. Ihada, NEC Toshiba Space Systems, Ltd. (Japan); S. Akagi, Mitsubishi Electric Corp. (Japan); H. Ono, Fujitsu Ltd. (Japan)
- 8533 06 **The current status of GOSAT and the concept of GOSAT-2** [8533-5]  
M. Nakajima, A. Kuze, H. Suto, Japan Aerospace Exploration Agency (Japan)
- 8533 07 **Status of AMSR2 on GCOM-W1** [8533-6]  
M. Kasahara, K. Imaoka, M. Kachi, Japan Aerospace Exploration Agency (Japan); H. Fujii, The Univ. of Tokyo (Japan); K. Naoki, T. Maeda, N. Ito, K. Nakagawa, Japan Aerospace Exploration Agency (Japan); T. Oki, Japan Aerospace Exploration Agency (Japan) and The Univ. of Tokyo (Japan)

---

## JAPANESE MISSIONS II

- 8533 08 **Land validation for GCOM-C1/SGLI using UAV (Invited Paper)** [8533-7]  
Y. Honda, K. Kajiwara, R. Sharma, A. Ono, Chiba Univ. (Japan); K. Imaoka, H. Murakami, M. Hori, Y. Ono, D. Rostand, Japan Aerospace Exploration Agency (Japan)
- 8533 09 **Status of proto-flight model of the dual-frequency precipitation radar for the global precipitation measurement** [8533-8]  
T. Miura, M. Kojima, K. Furukawa, Y. Hyakusoku, T. Ishikiri, H. Kai, Japan Aerospace Exploration Agency (Japan); T. Iguchi, H. Hanado, K. Nakagawa, National Institute of Information and Communications Technology (Japan)
- 8533 0A **ALOS-2 development status and draft acquisition strategy** [8533-9]  
S. Suzuki, Y. Kankaku, Y. Osawa, Japan Aerospace Exploration Agency (Japan)
- 8533 0B **A conceptual design of PRISM-2 for Advanced Land Observing Satellite-3(ALOS-3)** [8533-10]  
H. Imai, H. Katayama, M. Sagisaka, Y. Hatooka, S. Suzuki, Y. Osawa, M. Takahashi, T. Tadono, Japan Aerospace Exploration Agency (Japan)

- 8533 0C **Effect of temperature on onboard calibration reference material for spectral response function retrieval of the hyperspectral sensor of HISUI-SWIR spectral case** [8533-11]  
K. Tatsumi, J. Tanii, H. Harada, T. Kawanishi, F. Sakuma, Japan Space Systems (Japan);  
H. Inada, T. Kawashima, NEC Toshiba Space Systems, Ltd. (Japan); A. Iwasaki, The Univ. of Tokyo (Japan)
- 8533 0D **EarthCARE/CPR design and verification status** [8533-12]  
K. Okada, T. Kimura, H. Nakatsuka, Y. Seki, G. Kadosaki, J. Yamaguchi, Japan Aerospace Exploration Agency (Japan); N. Takahashi, Y. Ohno, H. Horie, K. Sato, National Institute of Information and Communications Technology (Japan)

---

#### US MISSIONS

---

- 8533 0E **NASA Earth Science Flight Program (Invited Paper)** [8533-13]  
S. P. Neeck, S. M. Volz, NASA Headquarters (United States)
- 8533 0F **Global Precipitation Measurement (GPM) L-18** [8533-14]  
S. P. Neeck, R. K. Kakar, NASA Headquarters (United States); A. A. Azarbarzin, A. Y. Hou, NASA Goddard Space Flight Ctr. (United States)
- 8533 0G **Surface Water and Ocean Topography (SWOT) mission** [8533-15]  
S. P. Neeck, E. J. Lindstrom, NASA Headquarters (United States); P. V. Vaze, L.-L. Fu, Jet Propulsion Lab. (United States)
- 8533 0H **Joint Polar Satellite System (JPSS) instrument transition to NASA and development status** [8533-16]  
C. W. Brann, Integrity Applications Inc. (United States)

---

#### MISSIONS AND SENSING I

---

- 8533 0K **Accomplishments from 9.5 years of AMSR-E observations** [8533-18]  
E. S. Lobl, The Univ. of Alabama in Huntsville (United States)
- 8533 0L **Simulation of the performance and image quality characteristics of the Landsat OLI and TIRS sensors using DIRSIG** [8533-19]  
J. R. Schott, A. Gerace, Rochester Institute of Technology (United States); M. Montanaro, Sigma Space Corp. (United States) and NASA Goddard Space Flight Ctr. (United States)

---

#### MISSIONS AND SENSING II

---

- 8533 0N **Concept and technology development for the multispectral imager of the Canadian Polar Communications and Weather mission** [8533-22]  
L. Moreau, P. Dubois, F. Girard, F. Tanguay, J. Giroux, ABB Analytical Measurement (Canada)

- 8533 0O **PCW/PHEOS-WCA: quasi-geostationary Arctic measurements for weather, climate, and air quality from highly eccentric orbits** [8533-21]  
R. L. Lachance, ABB Analytical Measurement (Canada); J. C. McConnell, C. T. McElroy, York Univ. (Canada); N. O'Neill, Univ. de Sherbrooke (Canada); R. Nassar, Environment Canada (Canada); H. Buijs, ABB Analytical Measurement (Canada); P. Rahnama, COM DEV International Ltd. (Canada); K. Walker, Univ. of Toronto (Canada); R. Martin, Dalhousie Univ. (Canada); C. Sioris, York Univ. (Canada); L. Garand, A. Trichtchenko, Environment Canada (Canada); M. Bergeron, Canadian Space Agency (Canada)
- 8533 0P **Novel pole-sitter mission concepts for continuous polar remote sensing** [8533-23]  
M. Ceriotti, J. Heiligers, C. R. McInnes, Univ. of Strathclyde (United Kingdom)
- 8533 0Q **A novel design concept for space-based polar remote sensing** [8533-24]  
M. Macdonald, P. Anderson, Univ. of Strathclyde (United Kingdom); C. Warren, EADS Astrium Ltd. (United Kingdom)
- 8533 0R **Invitation to a forum: architecting operational 'next generation' earth monitoring satellites based on best modeling, existing sensor capabilities, with constellation efficiencies to secure trusted datasets for the next 20 years** [8533-25]  
D. B. Helmuth, R. M. Bell, D. A. Grant, C. A. Lentz, Lockheed Martin Space Systems Co. (United States)

---

### MISSION AND SENSING III

---

- 8533 0T **PERSIST: prototype Earth observing system using image slicer mirrors** [8533-27]  
D. Lee, UK Astronomy Technology Ctr. (United Kingdom); J. Barlow, The Univ. of Edinburgh (United Kingdom); A. Vick, P. Hastings, D. Atkinson, M. Black, S. Wilson, UK Astronomy Technology Ctr. (United Kingdom); P. I. Palmer, The Univ. of Edinburgh (United Kingdom)
- 8533 0W **DubaiSat-2 mission overview** [8533-30]  
A. Al Suwaidi, Emirates Institution for Advanced Science and Technology (United Arab Emirates)
- 8533 0X **Research of the multispectral camera of ZY-3 satellite** [8533-31]  
B. Fan, National Univ. of Defense Technology (China) and Beijing Institute of Space Mechanics and Electricity (China); X. Zhang, W. Cai, Y. Huang, W. Jiao, Beijing Institute of Space Mechanics and Electricity (China)
- 8533 0Y **An effective unloading opto-structure design of the multispectral camera on ZY-3** [8533-32]  
W. Cai, B. Fan, F. Zhang, Q. Li, X. Wei, Beijing Institute of Space Mechanics and Electricity (China)

---

### FOCAL PLANE ASSEMBLIES

---

- 8533 11 **Infrared focal plane detector modules for space applications at AIM** [8533-76]  
D. Hübner, S. Hanna, R. Thöt, K.-U. Gassmann, M. Haiml, A. Weber, L.-D. Haas, J. Ziegler, H.-P. Nothaft, W. Fick, AIM Infrarot-Module GmbH (Germany)

- 8533 13 **New Sofradir VISIR-SWIR large format detector for next generation space missions** [8533-36]  
B. Fieque, N. Jamin, P. Chorier, P. Pidancier, L. Baud, B. Terrier, Sofradir (France)
- 8533 14 **Overview of p-on-n planar IRFPAs at DEFIR** [8533-37]  
L. Mollard, O. Gravrand, N. Baier, G. Destefanis, G. Bourgeois, S. Gout, F. Rochette, CEA-LETI (France); A. Kerlain, L. Rubaldo, A. Manissadjian, Sofradir (France); O. Boulade, CEA-SAP (France)
- 8533 15 **Evaluation of very long wave p-on-n MCT FPAs for space applications** [8533-38]  
N. Baier, L. Mollard, O. Gravrand, G. Bourgeois, J.-P. Zanatta, G. Destefanis, CEA-LETI-Minatec (France)

---

## CALIBRATION I

---

- 8533 16 **Overview of Aqua MODIS 10-year on-orbit calibration and performance (Invited Paper)**  
[8533-39]  
X. Xiong, NASA Goddard Space Flight Ctr. (United States); B. Wenny, J. Sun, Sigma Space Corp. (United States); A. Angal, Science Systems and Applications, Inc. (United States); A. Wu, H. Chen, T. Choi, Sigma Space Corp. (United States); S. Madhavan, Science Systems and Applications, Inc. (United States); X. Geng, D. Link, Z. Wang, G. Toller, Sigma Space Corp. (United States); W. Barnes, Univ. of Maryland, Baltimore County (United States); V. Salomonson, The Univ. of Utah (United States)
- 8533 17 **Evaluation of Terra and Aqua MODIS thermal emissive band calibration consistency**  
[8533-40]  
B. N. Wenny, Sigma Space Corp. (United States); X. Xiong, NASA Goddard Space Flight Ctr. (United States); S. Madhavan, Science Systems and Applications, Inc. (United States)
- 8533 18 **Comparison of MODIS and VIIRS onboard Blackbody performance** [8533-41]  
X. Xiong, J. Butler, NASA Goddard Space Flight Ctr. (United States); A. Wu, V. Chiang, B. Efremova, Sigma Space Corp. (United States); S. Madhavan, Science Systems and Applications, Inc. (United States); J. McIntire, H. Oudrari, Sigma Space Corp. (United States)
- 8533 19 **Modeling the detector radiometric response gains of the Suomi NPP VIIRS reflective solar bands** [8533-42]  
N. Lei, Z. Wang, Sigma Space Corp. (United States); B. Guenther, Stellar Solutions Inc. (United States); X. Xiong, J. Gleason, NASA Goddard Space Flight Ctr. (United States)
- 8533 1B **Calibration of NPP VIIRS fire detection band using lunar observations** [8533-44]  
J. McIntire, B. Efremova, Sigma Space Corp. (United States); X. Xiong, NASA Goddard Space Flight Ctr. (United States)

---

## CALIBRATION II

---

- 8533 1D **Method of comparing CERES and ScaRaB 3 measurements** [8533-46]  
G. L. Smith, Z. P. Szewczyk, Science Systems and Applications, Inc. (United States); K. J. Priestley, NASA Langley Research Ctr. (United States); R. Roca, Ctr. National d'Études Spatiales (France)

- 8533 1E **Development of dedicated target tracking capability for the CERES instruments through flight software: enhancing radiometric validation and on-orbit calibration** [8533-47]  
K. K. Teague, G. L. Smith, Science Systems and Applications, Inc. (United States);  
K. Priestley, C. Lukashin, C. Roithmayr, NASA Langley Research Ctr. (United States)

---

### CALIBRATION III

---

- 8533 1F **In-orbit calibration strategy for Sentinel-1** [8533-48]  
P. Snoeij, I. Navas-Traver, D. Geudtner, A. Østergaard, B. Rommen, M. Brown, R. Torres, European Space Research and Technology Ctr. (Netherlands); M. Schwerdt, B. Döring, M. Zink, Deutsches Zentrum für Luft- und Raumfahrt e.V. (Germany)
- 8533 1H **Characterisation methods for the hyperspectral sensor HySpex at DLR's calibration home base** [8533-50]  
A. Baumgartner, P. Gege, C. Köhler, K. Lenhard, T. Schwarzmaier, Deutsches Zentrum für Luft- und Raumfahrt e.V. (Germany)
- 8533 1I **Laboratory test simulation for non-flat response calibration of global Earth albedo monitor** [8533-51]  
S. Seong, S.-W. Kim, D. Ryu, Yonsei Univ. (Korea, Republic of); J. Hong, Samsung Thales Co., Ltd. (Korea, Republic of); M. Lockwood, The Univ. of Reading (United Kingdom)

---

### POSTER SESSION

---

- 8533 1K **Supercontinuum source-based system for pre-launch calibration of the hyperspectral sensor** [8533-54]  
Y. Yamaguchi, Y. Yamada, J. Ishii, National Metrology Institute of Japan (Japan)
- 8533 1M **MODIS TEB calibration approach in collection 6** [8533-57]  
B. N. Wenny, A. Wu, Sigma Space Corp. (United States); S. Madhavan, Science Systems and Applications, Inc. (United States); Z. Wang, Sigma Space Corp. (United States); Y. Li, Science Systems and Applications, Inc. (United States); N. Chen, K.-F. Chiang, Sigma Space Corp. (United States); X. Xiong, NASA Goddard Space Flight Ctr. (United States)
- 8533 1R **Stray light analysis of nearby slot source using integrated ray tracing technique** [8533-62]  
E. Oh, Korea Institute of Ocean Science and Technology (Korea, Republic of); J. Hong, Samsung Thales Co., Ltd. (Korea, Republic of); S.-W. Kim, Yonsei Univ. (Korea, Republic of); S. Cho, Korea Institute of Ocean Science and Technology (Korea, Republic of) and Yonsei Univ. (Korea, Republic of); J.-H. Ryu, Korea Institute of Ocean Science and Technology (Korea, Republic of)
- 8533 1S **COMS normal operation for Earth Observation mission** [8533-63]  
Y.-M. Cho, Korea Aerospace Research Institute (Korea, Republic of)

- 8533 1T **Novel high sensitivity sensor design based on cascaded long-period fiber gratings** [8533-64]  
Z. Gu, Univ. of Shanghai for Science and Technology (China); X. Jiang, Univ. of Shanghai for Science and Technology (China) and Shanghai Univ. of Electric Power (China); H. Chen, Univ. of Shanghai for Science and Technology (China) and Zhejiang Normal Univ. (China)
- 8533 1U **The radiance standard RASTA of DLR's calibration facility for airborne imaging spectrometers** [8533-65]  
T. Schwarzmaier, A. Baumgartner, P. Gege, C. Köhler, K. Lenhard, Deutsches Zentrum für Luft- und Raumfahrt e.V. (Germany)
- 8533 1V **Rigorous geometrical modeling of ALSAT-2A Algerian satellite** [8533-66]  
I. Boukerch, M. Hadied, R. Mahmoudi, B. Takarli, K. Hasni, Ctr. National des Techniques Spatiales (Algeria)
- 8533 20 **Development of a large-size gold-coated integrating sphere** [8533-71]  
M. Harada, F. Sakuma, Y. Yamamoto, Y. Nakajima, H. Katayama, Japan Aerospace Exploration Agency (Japan)
- 8533 21 **ALSAT-2A power subsystem behavior during launch, early operation, and in-orbit test** [8533-72]  
N. Larbi, M. Attaba, Ctr. National des Techniques Spatiales (Algeria); E. Beaufume, EADS Astrium (France)
- 8533 23 **A laser ranging system operating at 1036 nm with Geiger-mode silicon avalanche photodiode** [8533-74]  
G. Wu, M. Ren, Y. Liang, Z. Wang, H. Pan, H. Zeng, East China Normal Univ. (China)

*Author Index*

# Conference Committee

## Symposium Chair

**Karin Stein**, Fraunhofer-Institut für Optronik, Systemtechnik und Bildauswertung (Germany)

## Symposium Co-Chair

**Charles R. Bostater Jr.**, Florida Institute of Technology (United States)

## Conference Chairs

**Roland Meynart**, European Space Research and Technology Center

(Netherlands)

**Steven P. Neeck**, NASA Headquarters (United States)

**Haruhisa Shimoda**, Japan Aerospace Exploration Agency (Japan)

## Conference Programme Committee

**Olivier Saint-Pé**, EADS Astrium (France)

**Xiaoxiong Xiong**, NASA Goddard Space Flight Center (United States)

## Session Chairs

### European Missions

**Roland Meynart**, European Space Research and Technology Center  
(Netherlands)

### Japanese Missions

**Haruhisa Shimoda**, Tokai University (Japan)

### Japanese Missions II

**Haruhisa Shimoda**, Tokai University (Japan)

### US Missions

**Steven P. Neeck**, NASA Headquarters (United States)

### Missions and Sensing I

**Steven P. Neeck**, NASA Headquarters (United States)

### Missions and Sensing II

**Haruhisa Shimoda**, Tokai University (Japan)

Mission and Sensing III

**Roland Meynart**, European Space Research and Technology Center  
(Netherlands)

Focal Plane Assemblies

**Roland Meynart**, European Space Research and Technology Center  
(Netherlands)

Calibration I

**Xiaoxiong Xiong**, NASA Goddard Space Flight Center (United States)

Calibration II

**Xiaoxiong Xiong**, NASA Goddard Space Flight Center (United States)

Calibration III

**Xiaoxiong Xiong**, NASA Goddard Space Flight Center (United States)