# PROCEEDINGS OF SPIE

# Sensors and Smart Structures Technologies for Civil, Mechanical, and Aerospace Systems 2013

Jerome Peter Lynch Chung-Bang Yun Kon-Well Wang Editors

10–14 March 2013 San Diego, California, United States

Sponsored by SPIE

Cosponsored by American Society of Mechanical Engineers (United States)

Cooperating Organizations Intelligent Materials Forum (Japan) Jet Propulsion Laboratory (United States) National Science Foundation (United States)

Published by SPIE

Volume 8692

Proceedings of SPIE 0277-786X, V. 8692

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

Sensors and Smart Structures Technologies for Civil, Mechanical, and Aerospace Systems 2013, edited by Jerome Peter Lynch, Chung-Bang Yun, Kon-Well Wang, Proc. of SPIE Vol. 8692, 869201 · © 2013 SPIE · CCC code: 0277-786X/13/\$18 · doi: 10.1117/12.2025023

The papers included in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. The papers published in these proceedings reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from this book:

Author(s), "Title of Paper," in Sensors and Smart Structures Technologies for Civil, Mechanical, and Aerospace Systems 2013, edited by Jerome Peter Lynch, Chung-Bang Yun, Kon-Well Wang, Proceedings of SPIE Vol. 8692 (SPIE, Bellingham, WA, 2013) Article CID Number.

ISSN: 0277-786X ISBN: 9780819494757

Published by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA Telephone +1 360 676 3290 (Pacific Time) · Fax +1 360 647 1445 SPIE.org

Copyright © 2013, Society of Photo-Optical Instrumentation Engineers.

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/13/\$18.00.

Printed in the United States of America.

Publication of record for individual papers is online in the SPIE Digital Library.



**Paper Numbering:** Proceedings of SPIE follow an e-First publication model, with papers published first online and then in print and on CD-ROM. Papers are published as they are submitted and meet publication criteria. A unique, consistent, permanent citation identifier (CID) number is assigned to each article at the time of the first publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online, print, and electronic versions of the publication. SPIE uses a six-digit CID article numbering system in which:

- The first four digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc.

The CID Number appears on each page of the manuscript. The complete citation is used on the first page, and an abbreviated version on subsequent pages. Numbers in the index correspond to the last two digits of the six-digit CID Number.

# **Contents**

Introduction

Conference Committee

χvii

xxi

Part One SESSION 1 **KEYNOTE SESSION** Sensing platforms for structural health monitoring (Keynote Paper) [8692-2] 8692 03 S. Zheng, G. Naik, Z. Chen, Y. Zhu, S. Krishnaswamy, Northwestern Univ. (United States) **SESSION 2** NANOFABRICATED SENSORS FOR SHM 8692 04 An analysis of fabrication methods for embedding particles sensors into a composite **structure** [8692-3] D. L. Spayde, O. J. Myers, Mississippi State Univ. (United States) 8692 05 Self-healing nanocomposite using shape memory polymer and carbon nanotubes [8692-4] Y. Liu, Arizona State Univ. (United States); A. Rajadas, Peggy Payne Academy, McClintock High School (United States); A. Chattopadhyay, Arizona State Univ. (United States) 8692 06 Simultaneous monitoring of electrical resistance and optical absorbance signals of a fiber optoelectrode for multiple gas sensing [8692-5] S. Shao, Y. Hung, S. Tao, West Texas A&M Univ. (United States) 8692 09 Surface characteristics and mechanical properties of high-strength steel wires in corrosive conditions [8692-176] Y. Xu, S. Li, H. Li, Harbin Institute of Technology (China); W. Yan, Beijing Univ. of Technology (China) **SESSION 3 HEALTH MONITORING OF CONCRETE STRUCTURES** 8692 0A Vibration-based damage identification of reinforced concrete member using optical sensor array data [8692-8] C.-H. Loh, National Taiwan Univ. (Taiwan); S.-H. Chao, National Ctr. for Research on Earthquake Engineering (Taiwan); C.-H. Li, National Taiwan Univ. (Taiwan) 8692 OB Gaussian mixture modeling of acoustic emissions for structural health monitoring of reinforced concrete structures [8692-9] A. Farhidzadeh, E. Dehghan-Niri, S. Salamone, The Univ. at Buffalo (United States) 8692 OC Hybrid networking sensing system for structural health monitoring of a concrete cable**stayed bridge** [8692-10] M. Torbol, Ulsan National Institute of Science and Technology (Korea, Republic of); S. Kim,

T.-C. Chien, M. Shinozuka, The Univ. of California, Irvine (United States)

8692 OD	A dual mode imaging array for damage detection in grout structures [8692-11] Z. Tian, L. Yu, M. EL-Batanouny, P. Ziehl, L. Zhao, The Univ. of South Carolina (United States)
SESSION 4	MONITORING AND CONTROL OF SEISMICALLY EXCITED STRUCTURES
8692 OF	PVDF piezo film as dynamic strain sensor for local damage detection of steel frame buildings [8692-13] M. Kurata, X. Li, K. Fujita, L. He, M. Yamaguchi, Kyoto Univ. (Japan)
8692 OG	A resetting semi-passive stiffness damper for response mitigation of civil infrastructure [8692-14] K. K. Walsh, Ohio Univ. (United States)
8692 OH	Development of adaptive seismic isolators for ultimate seismic protection of civil structures [8692-15] J. Li, Y. Li, Univ. of Technology, Sydney (Australia); W. Li, Univ. of Wollongong (Australia); B. Samali, Univ. of Technology, Sydney (Australia)
8692 01	Real-time seismic monitoring of Veterans Affairs hospital buildings [8692-16] H. S. Ulusoy, Consultant (United States); E. Kalkan, The United States Geological Survey (United States); K. Banga, Dept. of Veterans Affairs (United States)
8692 OJ	A framework for rapid post-earthquake assessment of bridges and restoration of transportation network functionality using structural health monitoring [8692-17] P. Omenzetter, Univ. of Aberdeen (United Kingdom); S. Ramhormozian, The Univ. of Auckland (New Zealand); P. Mangabhai, Watercare (New Zealand); R. Singh, Beca (New Zealand); R. Orense, The Univ. of Auckland (New Zealand)
8692 OK	Preliminary research on monitoring the durability of concrete subjected to sulfate attack with optical fibre Raman spectroscopy [8692-180] Y. Yue, Y. Bai, Univ. College London (United Kingdom); P. A. M. Basheer, Queen's Univ. Belfast (United Kingdom); J. J. Boland, J. J. Wang, Trinity College Dublin (Ireland)
SESSION 5	DAMAGE LOCALIZATION USING NDE METHODS
8692 OL	Fatigue crack localization with near-field acoustic emission signals [8692-18] C. Zhou, Y. Zhang, The Univ. of Maryland, College Park (United States)
8692 OM	Improved modeling of magnetic impedance sensing system for damage detection [8692-19] Q. Shuai, J. Tang, The Univ. of Connecticut (United States)
8692 ON	Design of a curvature sensor using a flexoelectric material [8692-21] X. Yan, W. B. Huang, S. R. Kwon, S. R. Yang, X. N. Jiang, F. G. Yuan, North Carolina State Univ. (United States)
8692 OP	Acoustic mechanical feedthroughs [8692-174] S. Sherrit, P. Walkemeyer, X. Bao, Y. Bar-Cohen, M. Badescu, Jet Propulsion Lab. (United States)

SESSION 6	STATISTICAL LEARNING FOR SMART STRUCTURES
8692 OS	Extension of the rotation algorithm for earthquake damage estimation of complex structures [8692-24] K. Balafas, A. S. Kiremidjian, Stanford Univ. (United States)
8692 OT	<b>Data-driven forecasting algorithms for building energy consumption</b> [8692-25] H. Y. Noh, Carnegie Mellon Univ. (United States); R. Rajagopal, Stanford Univ. (United States)
8692 OU	Sequential detection of progressive damage [8692-26] M. Mollineaux, R. Rajagopal, Stanford Univ. (United States)
8692 OV	Embedded linear classifiers on wireless sensor networks for damage detection [8692-27] C. A. Peckens, J. P. Lynch, The Univ. of Michigan (United States)
8692 OX	Structural modal identification using data sets with missing observations [8692-136] T. J. Matarazzo, S. N. Pakzad, Lehigh Univ. (United States)
SESSION 7	SHM OF LAMINATED COMPOSITE STRUCTURES
8692 OY	On the detection of closing delaminations in laminated composite plates using the structural intensity method [8692-30]  A. Lamberti, F. Semperlotti, The Univ. of Notre Dame (United States)
8692 10	Analytically modeling the piezoresistivity of CNT composites with low-filler aggregation
	[8692-32] T. Tallman, K. W. Wang, The Univ. of Michigan (United States)
SESSION 8	ADVANCE SENSORS BASED ON MICRO- AND NANOTECHNOLOGIES
8692 11	Numerical and experimental characterizations of low frequency MEMS AE sensors [8692-33] H. Saboonchi, D. Ozevin, The Univ. of Illinois at Chicago (United States)
8692 12	Active stiffness modulation of fins using macro fiber composites [8692-34]  A. K. Kancharala, M. K. Philen, Virginia Polytechnic Institute and State Univ. (United States)
8692 13	Tunable fiber ring laser absorption spectroscopic sensors for gas detection [8692-35] S. Zheng, Y. Zhu, S. Krishnaswamy, Northwestern Univ. (United States)
8692 14	On the sensing of magnetorheological elastomers [8692-36] N. Ghafoorianfar, X. Wang, F. Gordaninejad, The Univ. of Nevada, Reno (United States)

SESSION 9	APPLICATION OF WIRELESS SENSOR FOR SHM
8692 15	Simulation analysis and experimental performance of a radar sensor network for distributed bridge monitoring [8692-37] S. Guan, J. A. Rice, The Univ. of Florida (United States); C. Li, C. Gu, Texas Tech Univ. (United States)
8692 16	Significance of sensor quality in modal identification of a bridge structure [8692-38] S. Dorvash, Paul C. Rizzo and Associate Inc. (United States); S. N. Pakzad, Lehigh Univ. (United States)
8692 18	Full-scale validation of wireless hybrid sensor on an in-service highway bridge [8692-40] S. Jang, S. Dahal, J. Li, The Univ. of Connecticut (United States)
8692 19	<b>Design and initial validation of a wireless control system based on WSN</b> [8692-179] Y. Yu, L. Li, Dalian Univ. of Technology (China); P. Li, Halliburton Company (United States); X. Wang, H. Liu, J. Ou, Dalian Univ. of Technology (China)
SESSION 10	NEXT-GEN SENSORS AND SENSING TECHNOLOGIES
8692 1A	Gen-2 RFID compatible, zero down-time, programmable mechanical strain-monitors and mechanical impact detectors [8692-41] S. Chakrabartty, T. Feng, K. Aono, Michigan State Univ. (United States)
8692 1B	Micro-aerial vehicle type wall-climbing robot mechanism for structural health monitoring [8692-42] JU. Shin, D. Kim, JH. Kim, H. Myung, KAIST (Korea, Republic of)
8692 1C	Large-area graphene-based thin films using rapid reduction of graphene-oxide [8692-43] G. Naik, Northwestern Univ. (United States); A. Kaniyoor, S. Ramaprabhu, Indian Institute of Technology Madras (India); S. Krishnaswamy, Northwestern Univ. (United States)
8692 1D	Microparticle transport and concentration with surface acoustic waves [8692-44] I. J. Oppenheim, E. R. Dauson, D. W. Greve, K. B. Gregory, Carnegie Mellon Univ. (United States)
8692 1E	Cochlea-inspired sensing node for compressive sensing [8692-45] C. A. Peckens, J. P. Lynch, The Univ. of Michigan (United States)
SESSION 11	ADVANCES IN ENERGY HARVESTING TECHNOLOGIES
8692 1F	Asynchronous phase shifted electromagnetic energy harvester [8692-46] J. Park, Stanford Univ. (United States); S. Kwon, Chonbuk National Univ. (Korea, Republic of); K. H. Law, Stanford Univ. (United States)
8692 1G	Uncertainty quantification of a corrosion-enabled energy harvester for low-power sensing applications [8692-47] S. A. Ouellette, M. D. Todd, The Univ. of California, San Diego (United States)

SESSION 12	MONITORING AND ANALYSIS OF WIND TURBINE SYSTEMS
8692 1H	Vibration control experiments using piezoelectric transducers on a wind turbine blade
	[8692-48] J. D. Tippmann, F. Lanza di Scalea, The Univ. of California, San Diego (United States)
8692 11	Cyclo-stationary linear parameter time-varying subspace realization method applied for identification of horizontal-axis wind turbines [8692-49]  A. Velazquez, R. A. Swartz, Michigan Technological Univ. (United States)
8692 1J	Propagation error minimization method for multiple structural displacement monitoring system [8692-50] H. Jeon, JU. Shin, H. Myung, KAIST (Korea, Republic of)
SESSION 13	NON-CONTACT SENSING AND EXCITATION I
8692 1K	Laser lock-in thermography for fatigue crack detection in an uncoated metallic structure [8692-51]
	YK. An, J. M. Kim, H. Sohn, KAIST (Korea, Republic of)
8692 1L	Non-contact ultrasonic guided wave inspection of rails [8692-53] S. Mariani, T. V. Nguyen, R. R. Phillips, The Univ. of California, San Diego (United States); P. Kijanka, AGH Univ. of Science and Technology (Poland); F. Lanza di Scalea, The Univ. of California, San Diego (United States); W. J. Staszewski, AGH Univ. of Science and Technology (Poland)
8692 1N	Noncontact measurement of guided ultrasonic wave scattering for fatigue crack characterization [8692-55] P. Fromme, The Univ. College London (United Kingdom)
8692 10	Visualization of thermally induced delamination by means of guided waves processing
	[8692-56] M. Radzienski, The Szewalski Institute of Fluid-Flow Machinery (Poland) and Gdansk Univ. of Technology (Poland); P. Kudela, The Szewalski Institute of Fluid-Flow Machinery (Poland); W. Ostachowicz, The Szewalski Institute of Fluid-Flow Machinery (Poland) and Warsaw Univ. of Technology (Poland)
8692 1Q	Percussive augmenter of rotary drills (PAROD) [8692-159] M. Badescu, J. Hasenoehrl, Y. Bar-Cohen, S. Sherrit, X. Bao, Z. Chang, P. Ostlund, J. Aldrich, Jet Propulsion Lab. (United States)
SESSION 14	GUIDED WAVE METHODS FOR PIPELINE SHM
8692 1R	Singular value decomposition for novelty detection in ultrasonic pipe monitoring [8692-58] C. Liu, J. B. Harley, Y. Ying, I. J. Oppenheim, M. Bergés, D. W. Greve, J. H. Garrett Jr., Carnegie Mellon Univ. (United States)
8692 1S	Thermo-mechanical simulation of guided waves in pipes excited by laser pulses [8692-59] H. U. Lim, JW. Hona, KAIST (Korea, Republic of)

8692 1T **Monitoring of hot pipes at the power plant Neurath using guided waves** [8692-60]
B. Weihnacht, T. Klesse, R. Neubeck, L. Schubert, Fraunhofer-Institut für Zerstörungsfreie Prüfverfahren (Germany)

## SESSION 15 ADVANCES IN OPTICAL SENSORS

8692 1U Theoretical and experimental study of a time-domain-reflectometry (TDR) probe used for water content measurement of clayrock through their electromagnetic properties [8692-61]

T. Bore, SATIE, CNRS, École Normale Supérieure de Cachan (France) and Andra (France); D. Placko, SATIE, CNRS, École Normale Supérieure de Cachan (France); F. Taillade, IFSTTAR (France); S. Lesoille-Delepine, SATIE, CNRS, École Normale Supérieure de Cachan (France); G. Six, IFSTTAR (France); P. Sabouroux, Institut Fresnel, CNRS, Univ. Aix Marseille (France)

8692 1W Embeddable fiber optic strain sensor for structural monitoring [8692-63]

A. Kaur, S. Nagarajan, S. Anandan, L. Yuan, K. Chandrashekhara, S. E. Watkins, H. Xiao, Missouri Univ. of Science and Technology (United States); N. Phan, Naval Air Systems Command (United States)

### SESSION 16 ADVANCES IN FIBER OPTIC SENSORS FOR DAMAGE DETECTION

- 8692 1Y Damage detection and characterization using fiber optic sensors [8692-65]
  B. Glisic, D. Sigurdardottir, Y. Yao, Princeton Univ. (United States); D. Hubbell, The Univ. of Toronto (Canada)
- 8692 20 Adaptive dynamic FBG interrogation utilising erbium-doped fibre [8692-67]
  R. N. John, Heriot-Watt Univ. (United Kingdom) and BAE Systems (United Kingdom); I. Read,
  BAE Systems (United Kingdom); W. N. MacPherson, Heriot-Watt Univ. (United Kingdom)
- FBG sensor system for trailing edge chord-wise hinge rotation measurements [8692-68]
  M. Ciminello, A. Concilio, Ctr. Italiano Ricerche Aerospaziali (Italy); D. Flauto, Univ. degli Studi di Palermo (Italy); F. Mennella, Univ. degli Studi di Napoli Federico II (Italy)
- 8692 22 Strain and damage monitoring in solar-powered aircraft composite wing using fiber Bragg grating sensors [8692-69]

D.-H. Kim, K.-H. Lee, B.-J. Ahn, J.-H. Lee, S.-K. Cheong, Seoul National Univ. of Science and Technology (Korea, Republic of); I.-H. Choi, Korea Aerospace Research Institute (Korea, Republic of)

### SESSION 17 ADVANCES IN TRANSDUCERS FOR ACOUSTICS AND ULTRASONICS

- 8692 23 **Unpowered wireless generation and sensing of ultrasound** [8692-70] H. Huang, The Univ. of Texas at Arlington (United States)
- Assembly of smart adaptronic piezo-metal composites by use of prefabricated batches of piezoceramic micro parts [8692-71]

R. Neugebauer, Technische Univ. Chemnitz (Germany); H.-J. Koriath, Fraunhofer-Institut für Werkzeugmaschinen und Umformtechnik (Germany); M. Müller, Technische Univ. Chemnitz (Germany)

8692 25 Guided wave generation, sensing, and damage detection using in-plane shear piezoelectric wafer [8692-72]

W. Zhou, H. Li, Harbin Institute of Technology (China); F. G. Yuan, North Carolina State Univ. (United States)

8692 26 Design of alternative sensors for NDE/SHM applications based on highly nonlinear solitary waves [8692-73]

L. Cai, X. Ni, P. Rizzo, The Univ. of Pittsburgh (United States)

Analytical modeling of PWAS in-plane and out-of-plane electromechanical impedance spectroscopy (EMIS) [8692-74]

T. Kamas, B. Lin, V. Giurgiutiu, The Univ. of South Carolina (United States)

# **Part Two**

## SESSION 18 SHM OF CIVIL INFRASTRUCTURE SYSTEMS I

8692 28 Development of smart seismic bridge bearing using fiber optic Bragg-grating sensors [8692-75]

S.-J. Chang, N.-S. Kim, Pusan National Univ. (Korea, Republic of)

8692 29 Analysis of monitoring data from cable-stayed bridge using sensor fusion techniques [8692-76]

D. Zonta, F. Bruschetta, R. Zandonini, Univ. degli Studi di Trento (Italy); M. Pozzi, Carnegie Mellon Univ. (United States); M. Wang, Northeastern Univ. (United States); Y. Zhao, Intelligent Instrument System, Inc. (United States); D. Inaudi, D. Posenato, Smartec S.A. (Switzerland); B. Glisic, Princeton Univ. (United States)

- 8692 2A **Real time bridge scour monitoring with magneto-inductive field coupling** [8692-77] A. Radchenko, D. Pommerenke, G. Chen, P. Maheshwari, S. Shinde, V. Pilla, Y. R. Zheng, Missouri Univ. of Science and Technology (United States)
- Automated wireless monitoring system for cable tension using smart sensors [8692-78]

  S.-H. Sim, Ulsan National Institute of Science and Technology (Korea, Republic of); J. Li,
  H. Jo, The Univ. of Illinois at Urbana-Champaign (United States); J. Park, KAIST (Korea,
  Republic of); S. Cho, B. F. Spencer Jr., The Univ. of Illinois at Urbana-Champaign (United
  States); C.-B. Yun, Ulsan National Institute of Science and Technology (Korea, Republic of)

# SESSION 19 IMAGE SENSING TECHNOLOGIES FOR SHM

8692 2D Visualization technique for fatigue cracks at steel structures integrating a scanning laser source with piezoelectric sensors [8692-80]

C. Lee, J.-W. Kim, H. U. Kim, S. Park, Sungkyunkwan Univ. (Korea, Republic of)

8692 2E Implementation of a wireless image motion estimation method for two-dimensional crack monitorina [8692-81]

S.-H. Man, C.-C. Chang, M. Hassan, A. Bermak, The Hong Kong Univ. of Science and Technology (Hong Kong, China)

8692 2F	Accurate and fast in-plane displacement measurement method for large-scale structures by utilizing repeated pattern [8692-82] S. Ri, National Institute of Advanced Industrial Science and Technology (Japan); S. Hayashi, S. Ogihara, Tokyo Univ. of Science (Japan); H. Tsuda, National Institute of Advanced Industrial Science and Technology (Japan)
8692 2H	The use of digital image correlation for non-destructive and multi-scale damage quantification [8692-84]  E. Schwartz, Drexel Univ. (United States) and Trilion Quality Systems (United States);  R. Saralaya, Trilion Quality Systems (United States); J. Cuadra, K. Hazeli,  P. A. Vanniamparambil, R. Carmi, I. Bartoli, A. Kontsos, Drexel Univ. (United States)
SESSION 20	NON-CONTACT SENSING AND EXCITATION II
8692 21	Estimation of defect parameters in quasi-isotropic composite materials using infrared thermography [8692-85]  A. Manohar, F. Lanza di Scalea, The Univ. of California, San Diego (United States)
8692 2K	<b>Development of a stereo camera system for road surface assessment</b> [8692-88] D. Su, T. Nagayama, M. Irie, Y. Fujino, The Univ. of Tokyo (Japan)
8692 2M	Identification of source location by using compressive approach [8692-91] W. Wang, Y. Bao, H. Li, Harbin Institute of Technology (China)
SESSION 21	SHM OF AEROSPACE STRUCTURES
8692 2P	Temperature-compensated strain measurement of full-scale small aircraft wing structure using low-cost FBG interrogator [8692-93] J. H. Kim, Y. G. Lee, Y. Park, C. G. Kim, KAIST (Korea, Republic of)
8692 2Q	Fiber optic system for deflection and damage detection in morphing wing structures [8692-94] M. Scheerer, Aerospace & Advanced Composites GmbH (Austria); Z. Djinovic, Integrated Microsystems Austria GmbH (Austria); M. Schüller, Fraunhofer-Institut für Elektronische Nanosysteme (Germany)
SESSION 22	SENSING AND CONTROL SOLUTIONS FOR MACHINERY
8692 2R	A regenerative damper with MR fluids working between gear transmissions [8692-95] Y. Chan, C. Chen, WH. Liao, The Chinese Univ. of Hong Kong (Hong Kong, China)
8692 2S	Auto-Gopher: a wireline deep sampler driven by piezoelectric percussive actuator and EM rotary motor [8692-96] M. Badescu, A. Ressa, H. J. Lee, Y. Bar-Cohen, S. Sherrit, Jet Propulsion Lab. (United States); K. Zacny, G. L. Paulsen, Honeybee Robotics Spacecraft Mechanisms Corp. (United States); L. Beegle, X. Bao, Jet Propulsion Lab. (United States)

8692 2T	Laser displacement sensor to monitor the layup process of composite laminate production [8692-97]
	N. Miesen, R. M. Groves, J. Sinke, R. Benedictus, Delft Univ. of Technology (Netherlands)
8692 2U	Self-powered wireless vibration-sensing system for machining monitoring [8692-98] TK. Chung, H. Lee, CY. Tseng, WT. Lo, CM. Wang, National Chiao Tung Univ. (Taiwan); WC. Wang, CJ. Tu, PY. Tasi, JW. Chang, Precision Machinery Research and Development Ctr. (Taiwan)
SESSION 23	ADVANCES IN SYSTEM IDENTIFICATION METHODS
8692 2W	A novel model-free data processing technique for ad hoc analysis in monitoring for heterogeneous infrastructure networks [8692-100] G. Sundaresan, HB. Yun, The Univ. of Central Florida (United States); JW. Kim, Judico, Co. (Korea, Republic of); K. T. Park, Korea Institute of Construction Technology (Korea, Republic of)
8692 27	Prediction of scour depth around bridge piers using Gaussian process [8692-165] R. K. Neerukatti, I. Kim, M. Yekani Fard, A. Chattopadhyay, Arizona State Univ. (United States)
SESSION 24	ACTUATORS AND NOVEL CONTROL SOLUTIONS
8692 30	Evaluation method for a controller of active mass damper using central pattern generator [8692-104]
	J. Hongu, D. Iba, M. Nakamura, I. Moriwaki, Kyoto Institute of Technology (Japan)
8692 31	Averaging sensors technique for active vibration control applications [8692-105] S. Cinquemani, G. Cazzulani, F. Braghin, F. Resta, Politecnico di Milano (Italy)
8692 32	Low frequency control strategy for seismic attenuation in inertial platforms and mechanica suspensions [8692-106]  F. Acernese, Univ. degli Studi di Salerno (Italy) and Istituto Nazionale di Fisica Nucleare, sez. di Napoli (Italy); R. Canonico, Univ. degli Studi di Salerno (Italy); R. De Rosa, Istituto Nazionale di Fisica Nucleare, sez. di Napoli (Italy) and Univ. degli Studi di Napoli Federico II (Italy); G. Giordano, Univ. degli Studi di Salerno (Italy); R. Romano, F. Barone, Univ. degli Studi di Salerno (Italy) and Istituto Nazionale di Fisica Nucleare, sez. di Napoli (Italy)
8692 33	Effect of in-structure damping uncertainty on semi-active control performance: a modeling perspective [8692-107]  A. M. Puthanpurayil, P. Reynolds, D. Nyawako, The Univ. of Sheffield (United Kingdom)
SESSION 25	SELF-SENSING CEMENTITIOUS COMPOSITES
8692 35	A study of reusable electromechanical impedance methods for structural health monitoring of civil structures [8692-109]  R. Tawie, Univ. Teknologi MARA (Malaysia): S. Na. H. K. Lee, KAIST (Korea, Republic of)

8692 38	Smart multifunctional cement mortar containing graphite nanoplatelet [8692-112] H. Du, S. T. Quek, S. D. Pang, National Univ. of Singapore (Singapore)
8692 39	A scouring sensor by using the electrical properties of carbon nanotube-filled cement-based composite [8692-113] G. Wang, Harbin Institute of Technology (China); H. Xiao, Harbin Institute of Technology (China) and State Key Lab. of Building Safety and Built Environment (China); H. Li, X. Guan, Harbin Institute of Technology (China)
SESSION 26	SHM OF CIVIL INFRASTRUCTURE SYSTEMS II
8692 3A	Road condition evaluation using the vibration response of ordinary vehicles and synchronously recorded movies [8692-114]  T. Nagayama, A. Miyajima, S. Kimura, Y. Shimada, Y. Fujino, The Univ. of Tokyo (Japan)
8692 3B	Compressive sampling based approach for identification of moving loads distribution on cable-stayed bridges [8692-115] Y. Bao, H. Li, F. Zhang, Harbin Institute of Technology (China); J. Ou, Dalian Univ. of Technology (China)
8692 3C	Road profile estimation of city roads using DTPS [8692-116] Q. Wang, Northeastern Univ. (United States); J. G. McDaniel, Boston Univ. (United States); N. X. Sun, M. L. Wang, Northeastern Univ. (United States)
8692 3E	Time-frequency methods for structural health monitoring of deepwater risers subjected to vortex induced vibrations [8692-118] C. Huang, P. Sun, S. Nagarajaiah, Rice Univ. (United States); S. Gopalakrishnan, Indian Institute of Science (India)
	POSTER SESSION
8692 3F	Identification of structural parameters based on symbolic time series analysis and differential evolution strategy [8692-119] R. Li, A. Mita, J. Zhou, Keio Univ. (Japan)
8692 3G	Multi-objective differential evolution algorithm for stochastic system identification [8692-120] J. Zhou, A. Mita, R. Li, Keio Univ. (Japan)
8692 3H	Low frequency/high sensitivity triaxial monolithic sensor [8692-121] F. Acernese, Univ. degli Studi di Salerno (Italy) and Istituto Nazionale di Fisica Nucleare, sez. di Napoli (Italy); R. Canonico, Univ. degli Studi di Salerno (Italy); R. De Rosa, Istituto Nazionale di Fisica Nucleare, sez. di Napoli (Italy) and Univ. degli Studi di Napoli Federico II (Italy); G. Giordano, Univ. degli Studi di Salerno (Italy); R. Romano, F. Barone, Univ. degli Studi di Salerno (Italy) and Istituto Nazionale di Fisica Nucleare, sez. di Napoli (Italy)

8692 31	Large-band seismic characterization of the INFN Gran Sasso National Laboratory [8692-122]
	F. Acernese, Univ. degli Studi di Salerno (Italy) and Istituto Nazionale di Fisica Nucleare, sez. di Napoli (Italy); R. Canonico, Univ. degli Studi di Salerno (Italy); R. De Rosa, Istituto Nazionale di Fisica Nucleare, sez. di Napoli (Italy) and Univ. degli Studi di Napoli Federico II (Italy); G. Giordano, Univ. degli Studi di Salerno (Italy); R. Romano, F. Barone, Univ. degli Studi di Salerno (Italy) and Istituto Nazionale di Fisica Nucleare, sez. di Napoli (Italy)
8692 3J	Mechanical monolithic tiltmeter for low frequency measurements [8692-123] F. Acernese, Univ. degli Studi di Salerno (Italy) and Istituto Nazionale di Fisica Nucleare, sez. di Napoli (Italy); R. Canonico, Univ. degli Studi di Salerno (Italy); R. De Rosa, Istituto Nazionale di Fisica Nucleare, sez. di Napoli (Italy) and Univ. degli Studi di Napoli Federico II (Italy); G. Giordano, Univ. degli Studi di Salerno (Italy); R. Romano, F. Barone, Univ. degli Studi di Salerno (Italy) and Istituto Nazionale di Fisica Nucleare, sez. di Napoli (Italy)
8692 3L	Semi-active control of stay cables using nonlinear friction damper [8692-125] H. Wang, Tongji Univ. (China) and Southeast Univ. (China); L. Sun, Tongji Univ. (China)
8692 3M	Assessment and evaluation of damage detection method based on modal frequency changes [8692-126] H. HoThu, A. Mita, Keio Univ. (Japan)
8692 3N	Structural damage identification based on substructure sensitivity and I <sub>1</sub> sparse regularization [8692-127] S. Zhou, Y. Bao, H. Li, Harbin Institute of Technology (China)
8692 3P	Application of Hall element as multimodal sensing device for artificial skin [8692-129] J. Yuji, K. Tanimura, Kumamoto National College of Technology (Japan)
8692 3Q	Research on probabilistic model of vehicle loads on express way [8692-130] L. Wang, Harbin Institute of Technology (China); J. Hou, Dalian Univ. of Technology (China); J. Ou, Harbin Institute of Technology (China) and Dalian Univ. of Technology (China)
8692 3S	Femtosecond laser irradiation enhanced room temperature tin oxide nanostructure gas sensor [8692-132] H. Ren, H. Huo, M. Shen, M. Ruths, H. Sun, The Univ. of Massachusetts Lowell (United States)
8692 3T	Simulation and experiment for large scale space structure [8692-133] H. Sun, J. Zhou, Z. Zha, Wuxi Jincheng Curtian Wall Engineering Co. Ltd. (China)
8692 3V	Performance criteria for dynamic window systems using nanostructured behaviors for energy harvesting and environmental comfort [8692-135] B. C. Andow, B. Krietemeyer, P. R. H. Stark, A. H. Dyson, Rensselaer Polytechnic Institute (United States)
8692 3W	Investigation of annealed ionic polymer transducers in sensing [8692-137] U. T. Zangrilli, B. Kocer, L. M. Weiland, The Univ. of Pittsburgh (United States)
8692 3X	The community seismic network and quake-catcher network: enabling structural health monitoring through instrumentation by community participants [8692-138] M. D. Kohler, T. H. Heaton, MH. Cheng, California Institute of Technology (United States)

8692 3Z	Active mass damper system employing time delay control algorithm for vibration mitigation of building structure [8692-140] DD. Jang, J. Park, HJ. Jung, KAIST (Korea, Republic of)
8692 42	Optimal placement of smart sensors in CFS structures under blast loading using hybrid FEM-
	GA approach [8692-144] H. R. Vosoughifar, S. K. Sadat Shokouhi, A. Dolatshah, Islamic Azad Univ. (Iran, Islamic Republic of); Y. Rahnavard, Technische Univ. Braunschweig (Germany); H. Atapour, California State Univ. (United States)
8692 43	Real-time health monitoring on impact identification of composite structures with
	distributed built-in sensor network [8692-145] L. Si, China Univ. of Mining and Technology (China) and Technische Univ. München (Germany); Z. Chen, China Univ. of Mining and Technology (China); H. Baier, Technische Univ. München (Germany)
8692 44	Semi-active vibration control with harmonically varying damping (application to serial TDOF system and filtering using the Stuart-Landau equation) [8692-146] S. Hirohata, D. Iba, Kyoto Institute of Technology (Japan)
8692 46	A piezoelectric wafer-stack vibration energy harvester for wireless sensor networks
	[8692-148] X. Jiang, Y. Li, J. Li, Univ. of Technology, Sydney (Australia)
8692 4A	Brush wear and dust accumulation fiber-optic sensor system for synchronous compensators online monitoring [8692-153] C. Floridia, L. R. Alves, F. R. Bassan, A. A. Juriollo, F. Borin, CpqD Foundation (Brazil); A. R. C. Souza, Centrais Elétricas do Norte do Brasil S.A. (Brazil)
8692 4B	Design of self-contained sensor for monitoring of deep-sea offshore platform [8692-154] Y. Song, Y. Yu, Dalian Univ. of Technology (China); C. Zhang, The Univ. of Western Sydney (Australia); W. Dong, J. Ou, Dalian Univ. of Technology (China)
8692 4C	Battery-less PWAS-based wireless acoustic emission sensor [8692-155] M. M. Islam, F. Zahedi, H. Huang, The Univ. of Texas at Arlington (United States)
8692 4D	Damped gyroscopic effects and axial-flexural-torsional coupling using spinning finite elements for wind-turbine blades characterization [8692-156]  A. Velazquez, R. A. Swartz, Michigan Technological Univ. (United States)
8692 4E	Development of cyber-based autonomous structural integrity assessment system for building structures [8692-157] M. Kurata, K. Fujita, X. Li, T. Yamazaki, M. Yamaguchi, Kyoto Univ. (Japan)
	M. Kurara, K. Fujira, A. Li, T. Tarnazaki, M. Tarnagueni, Kyoro univ. (Japan)
8692 4J	An acceleration transducer based on optical fiber Bragging grating with temperature self-compensating function [8692-163] C. Wang, Q. Lu, Harbin Institute of Technology (China); J. Ou, Harbin Institute of Technology (China) and Dalian Univ. of Technology (China)
8692 4K	Experimental investigation on the interaction between magnetorheological fluid damper and stay cable [8692-164] M. Liu, Harbin Institute of Technology (China)

8692 4L	Optimization of piezoelectric energy harvester for wireless smart sensors in railway health monitoring [8692-166]
	J. Li, S. Jang, J. Tang, The Univ. of Connecticut (United States)
8692 4M	Long-term real-time structural health monitoring using wireless smart sensor [8692-167] S. Jang, P. O. Mensah-Bonsu, J. Li, S. Dahal, The Univ. of Connecticut (United States)
8692 4N	Optimal sensor placement in the base-isolated structures subjected to near-fault earthquakes using a novel TTFD approach [8692-168] S. K. Sadat Shokouhi, A. Dolatshah, H. R. Vosoughifar, Islamic Azad Univ. (Iran, Islamic Republic of); Y. Rahnavard, Technische Univ. Braunschweig (Germany); B. Dowlatshahi, Univ. of Minnesota (United States)
8692 40	An operational power management method for the grid containing renewable power systems utilizing short-term weather and load forecasting data [8692-169] F. T. Aula, S. C. Lee, Univ. of Oklahoma (United States)
8692 4Q	Dynamic calibration of pressure transducers with an improved shock tube system [8692-172] D. Wisniewiski, Meggitt Sensing Systems (United States)
8692 4\$	Design, modeling, and testing of a piezoelectric impact compressive kinetic (PICK) tool for crack-stop hole treatment [8692-177] G. G. Simmons, C. R. Bennett, R. Barrett-Gonzalez, A. B. Matamoros, S. T. Rolfe, The Univ. of Kansas (United States)
8692 4T	FE simulation of SMA seal for Mars sample return [8692-178] X. Bao, P. Younse, P. Bhandari, California Institute of Technology (United States)
8692 4U	Corrosion detection and evolution monitoring in reinforced concrete structures by the use of fiber Bragg grating sensor [8692-181]  S. Ali-Alvarez, Commissariat à l'Énergie Atomique (France) and Lab. d'Electrochimie et de Physicochimie des Matériaux et des Interfaces, CNRS, Univ. de Grenoble (France); P. Ferdinand, S. Magne, Commissariat à l'Énergie Atomique (France); R. P. Nogueira, Lab. d'Electrochimie et de Physicochimie des Matériaux et des Interfaces, CNRS, Univ. de Grenoble (France)
	Author Index

# **Conference Committee**

# Symposium Chairs

Norbert Meyendorf, Fraunhofer-Institut für Zerstörungsfreie Prüfverfahren (United States) and University of Dayton (United States)

Norman Wereley, University of Maryland, College Park (United States)

# Symposium Cochairs

Victor Giurgiutiu, University of South Carolina (United States)
Christopher S. Lynch, University of California, Los Angeles (United States)

## Conference Chair

Jerome Peter Lynch, University of Michigan (United States)

# Conference Cochairs

**Chung-Bang Yun**, Ulsan National Institute of Science and Technology (Korea, Republic of)

**Kon-Well Wang**, University of Michigan (United States)

# Conference Program Committee

**Dumitru Caruntu**, The University of Texas-Pan American (United States) **Fabio Casciati**, Università degli Studi di Pavia (Italy)

**Chih-Chen Chang**, Hong Kong University of Science and Technology (China)

**Genda Chen**, Missouri University of Science and Technology (United States)

**Shirley J. Dyke**, Washington University in St. Louis (United States)

Alison B. Flatau, University of Maryland, College Park (United States)

**Yozo Fujino**, The University of Tokyo (Japan)

Robert X. Gao, University of Connecticut (United States)

**Steven D. Glaser**, University of California, Berkeley (United States)

Faramarz Gordaninejad, University of Nevada, Reno (United States)

Xiaoyan Han, Wayne State University (United States)

Benjamin Kyle Henderson, Air Force Research Laboratory (United States)

Jung-Wuk Hong, KAIST (Korea, Republic of)

**Haiying Huang**, The University of Texas at Arlington (United States)

**Shinae Jang**, University of Connecticut (United States)

Jeong-Tae Kim, Pukyong National University (Korea, Republic of)

**Ki-Soo Kim**, Hongik University (Korea, Republic of)

Jan-Ming Ko, The Hong Kong Polytechnic University (Hong Kong, China)

**Francesco Lanza di Scalea**, University of California, San Diego (United States)

Wei-Hsin Liao, The Chinese University of Hong Kong (Hong Kong, China)

Yingzi Lin, Northeastern University (United States)

Chin-Hsiung Loh, National Taiwan University (Taiwan)

**Kenneth J. Loh**, University of California, Davis (United States)

Sami F. Masri, The University of Southern California (United States)

Akira Mita, Keio University (Japan)

Satish Nagarajaiah, Rice University (United States)

Tomonori Nagayama, The University of Tokyo (Japan)

Yiqing Ni, The Hong Kong Polytechnic University (Hong Kong, China)

Irving J. Oppenheim, Carnegie Mellon University (United States)

Jinping Ou, Dalian University of Technology (China)

**Shamim N. Pakzad**, Lehigh University (United States)

**Jin-Song Pei**, The University of Oklahoma (United States)

**Michael K. Philen**, Virginia Polytechnic Institute and State University (United States)

**Ser-Tong Quek**, National University of Singapore (Singapore)

Massimo Ruzzene, Georgia Institute of Technology (United States)

Fabio Semperlotti, University of Notre Dame (United States)

**Rahmat A. Shoureshi**, University of Denver (United States)

**Sung-Han Sim**, Ulsan National Institute of Science and Technology (Korea, Republic of)

Hoon Sohn, KAIST (Korea, Republic of)

**Gangbing Song**, University of Houston (United States)

**Billie F. Spencer Jr.**, University of Illinois at Urbana-Champaign (United States)

**Lizhi Sun**, University of California, Irvine (United States)

**R. Andrew Swartz**, Michigan Technological University (United States)

Masayoshi Tomizuka, University of California, Berkeley (United States)

**Tsu-Chin Tsao**, University of California, Los Angeles (United States)

Ming Wang, Northeastern University (United States)

Yang Wang, Georgia Institute of Technology (United States)

**Zhishen Wu**, Ibaraki University (Japan)

**Chengying Xu**, University of Central Florida (United States)

**Yunfeng Zhang**, University of Maryland, College Park (United States)

**Hong Susan Zhou**, Worcester Polytechnic Institute (United States)

Li Zhou, Nanjing University of Aeronautics and Astronautics (China)

Daniele Zonta, Università degli Studi di Trento (Italy)

# Session Chairs

1 Keynote Session

**Chung-Bang Yun**, Ulsan National Institute of Science and Technology (Korea, Republic of)

Kon-Well Wang, University of Michigan (United States)

**Jerome Peter Lynch**, University of Michigan (United States)

2 Nanofabricated Sensors for SHM

**Sridhar Krishnaswamy**, Northwestern University (United States)

- 3 Health Monitoring of Concrete Structures Chin-Hsiung Loh, National Taiwan University (Taiwan)
- 4 Monitoring and Control of Seismically Excited Structures Masahiro Kurata, Kyoto University (Japan) Jianchun Li, University of Technology, Sydney (Australia)
- 5 Damage Localization using NDE Methods Yunfeng Zhang, University of Maryland, College Park (United States) Piervincenzo Rizzo, University of Pittsburgh (United States)
- 6 Statistical Learning for Smart Structures Hae Young Noh, Stanford University (United States) and Carnegie Mellon University (United States) Shamim N. Pakzad, Lehigh University (United States)
- 7 SHM of Laminated Composite Structures Fabio Semperlotti, University of Notre Dame (United States) Kon-Well Wang, University of Michigan (United States)
- 8 Advance Sensors based on Micro- and Nanotechnologies Kenneth J. Loh, University of California, Davis (United States) Michael K. Philen, Virginia Polytechnic Institute and State University (United States)
- 9 Application of Wireless Sensor for SHM Zhenhua Huang, University of North Texas (United States)
- 10 Next-Gen Sensors and Sensing Technologies Jerome Peter Lynch, University of Michigan (United States) Shantanu Chakrabartty, Michigan State University (United States)
- 11 Advances in Energy Harvesting Technologies **Tomonori Nagayama**, The University of Tokyo (Japan)
- 12 Monitoring and Analysis of Wind Turbine Systems
  R. Andrew Swartz, Michigan Technological University (United States)
  Jerome Peter Lynch, University of Michigan (United States)
- Non-contact Sensing and Excitation I
   Hoon Sohn, KAIST (Korea, Republic of)
   R. Andrew Swartz, Michigan Technological University (United States)
   Courtney Peckens, University of Michigan (United States)
- 14 Guided Wave Methods for Pipeline SHM Irving J. Oppenheim, Carnegie Mellon University (United States) Jung-Wuk Hong, KAIST (Korea, Republic of)

- 15 Advances in Optical SensorsJerome Peter Lynch, University of Michigan (United States)
- 16 Advances in Fiber Optic Sensors for Damage Detection Branko Glisic, Princeton University (United States)
- 17 Advances in Transducers for Acoustics and Ultrasonics Fuh-Gwo Yuan, North Carolina State University (United States) Piervincenzo Rizzo, University of Pittsburgh (United States)
- 18 SHM of Civil Infrastructure Systems I Daniele Zonta, Università degli Studi di Trento (Italy) Genda Chen, Missouri University of Science and Technology (United States)
- 19 Image Sensing Technologies for SHM Seunghee Park, Sungkyunkwan University (Korea, Republic of) Haiying Huang, The University of Texas at Arlington (United States)
- 20 Non-contact Sensing and Excitation II Hoon Sohn, KAIST (Korea, Republic of) Ryan L. Harne, University of Michigan (United States)
- 21 SHM of Aerospace Structures **Haiying Huang**, The University of Texas at Arlington (United States)
- 22 Sensing and Control Solutions for Machinery

  Mircea Badescu, Jet Propulsion Laboratory (United States)
- 23 Advances in System Identification Methods **Hae-Bum A. Yun**, University of Central Florida (United States)
- 24 Actuators and Novel Control Solutions
  Simone Cinquemani, Politecnico di Milano (Italy)
  Paul Reynolds, The University of Sheffield (United Kingdom)
  Gabriele Cazzulani, Politecnico di Milano (Italy)
- 25 Self-Sensing Cementitious Composites **Haeng-Ki Lee**, KAIST (Korea, Republic of)
- 26 SHM of Civil Infrastructure Systems II Sung-Han Sim, Ulsan National Institute of Science and Technology (Korea, Republic of)

# Introduction

This volume is a collection of technical papers presented at the 2013 SPIE Conference held in San Diego, California, on Sensors and Smart Structures Technologies for Civil, Mechanical, and Aerospace Systems. This conference is unique in the emerging area of sensors and smart structures technologies because of its multidisciplinary representations from the aerospace, civil, and mechanical engineering communities. As you find in the roster of the program committee, members of the program committee represented almost all the subdisciplines of the engineering field. In addition to its multidisciplinary leadership, the conference attracted participants from over 20 different countries. The participation of the Asian-Pacific Network of Centers for Research in Smart Structure Technology (ANCRiSST) as a conference co-sponsor further strengthened the international identity of the conference.

The conference showed growth over the past few years; this year, over 184 papers were submitted and presented to the conference. The conference started with a keynote session with two excellent keynote presentations: "Sensing platforms for structural health monitoring" by Professor Sridhar Krishnaswamy, Northwestern University, and "Structural health monitoring of large-scale structures: from diagnostics to prognostics" by Professor YQ Ni, Hong Kong Polytechnic University. The opening plenary session was followed by 26 topical sessions and one poster session. The papers in these sessions covered a wide range of topics in: fiber optics and other novel sensors, structural health monitoring, signal processing, damage detection and assessment, wireless technologies, modeling and analysis of smart systems and applications to civil, mechanical, and aerospace systems.

In light of the increased number of submissions to this conference in recent years, we are optimistic that the conference has a bright future ahead. We would like to thank all of the authors and presenters of this year's conference for their contributions. The outstanding conference program was put together by the fine efforts of the program committee, and we are thankful to the members of the program committee for their unyielding commitment to making the conference a great success. Prof. Masayoshi Tomizuka, University of California Berkeley, who previously served as chair and co-chair of the conference decided to step-down from a leadership position after the 2012 conference. On behalf of the entire conference, we would like to thank Prof. Tomizuka for his unyielding commitment to the conference which resulted in its significant growth over the past 10 years. His bold, visionary leadership will be sorely missed.

Jerome Peter Lynch Chung-Bang Yun Kon-Well Wang