

PROCEEDINGS OF SPIE

Fiber Lasers XI: Technology, Systems, and Applications

Siddharth Ramachandran
Editor

3–6 February 2014
San Francisco, California, United States

Sponsored by
SPIE

Cosponsored by
NKT Photonics A/S (Denmark)
PolarOnyx, Inc. (United States)

Published by
SPIE

Volume 8961

Proceedings of SPIE 0277-786X, V. 8961

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

Fiber Lasers XI: Technology, Systems, and Applications, edited by Siddharth Ramachandran,
Proc. of SPIE Vol. 8961, 896101 · © 2014 SPIE · CCC code: 0277-786X/14/\$18
doi: 10.1117/12.2062794

Proc. of SPIE Vol. 8961 896101-1

The papers included in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. The papers published in these proceedings reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from this book:

Author(s), "Title of Paper," in *Fiber Lasers XI: Technology, Systems, and Applications*, edited by Siddharth Ramachandran, Proceedings of SPIE Vol. 8961 (SPIE, Bellingham, WA, 2014) Article CID Number.

ISSN: 0277-786X
ISBN: 9780819498748

Published by
SPIE
P.O. Box 10, Bellingham, Washington 98227-0010 USA
Telephone +1 360 676 3290 (Pacific Time) · Fax +1 360 647 1445
SPIE.org

Copyright © 2014, Society of Photo-Optical Instrumentation Engineers.

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/14/\$18.00.

Printed in the United States of America.

Publication of record for individual papers is online in the SPIE Digital Library.



SPIEDigitalLibrary.org

Paper Numbering: Proceedings of SPIE follow an e-First publication model, with papers published first online and then in print and on CD-ROM. Papers are published as they are submitted and meet publication criteria. A unique, consistent, permanent citation identifier (CID) number is assigned to each article at the time of the first publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online, print, and electronic versions of the publication. SPIE uses a six-digit CID article numbering system in which:

- The first four digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc.

The CID Number appears on each page of the manuscript. The complete citation is used on the first page, and an abbreviated version on subsequent pages. Numbers in the index correspond to the last two digits of the six-digit CID Number.

Contents

xv Conference Committee

NARROW LINewidth

- 8961 02 **Using a linearly chirped seed suppresses SBS in high-power fiber amplifiers, allows coherent combination, and enables long delivery fibers (Invited Paper) [8961-1]**
J. O. White, E. Petersen, U.S. Army Research Lab. (United States); J. Edgecumbe, Nufern (United States); G. Rakuljic, N. Satyan, Telaris, Inc. (United States); A. Vasilyev, A. Yariv, California Institute of Technology (United States)
- 8961 03 **Single-frequency Yb-doped photonic crystal fiber amplifier with 800W output power [8961-2]**
C. Robin, I. Dajani, B. Pulford, C. Vergien, Air Force Research Lab. (United States)
- 8961 04 **Characterization of photonic bandgap fiber for high-power narrow-linewidth optical transport [8961-3]**
C. R. Bennett, D. C. Jones, M. A. Smith, A. M. Scott, QinetiQ Ltd. (United Kingdom); J. K. Lyngsøe, C. Jakobsen, NKT Photonics A/S (Denmark)
- 8961 05 **Single-frequency 1178nm SDL/Yb-PBGF MOPA with an output power of 31 W [8961-4]**
T. Leinonen, Tampere Univ. of Technology (Finland); M. Chen, X. Fan, The Univ. of Electro-Communications (Japan); E. Kantola, Tampere Univ. of Technology (Finland); A. Shirakawa, The Univ. of Electro-Communications (Japan); M. Guina, Tampere Univ. of Technology (Finland)

BEAM COMBINATION

- 8961 06 **Approaching TW-peak powers at >10kHz repetition rate by multi-dimensional coherent combining of femtosecond fiber lasers [8961-5]**
S. Breitkopf, Friedrich-Schiller-Univ. Jena (Germany); T. Eidam, Friedrich-Schiller-Univ. Jena (Germany) and Helmholtz-Institut Jena (Germany); L. von Grafenstein, Friedrich-Schiller-Univ. Jena (Germany); A. Klenke, Friedrich-Schiller-Univ. Jena (Germany) and Helmholtz-Institut Jena (Germany); H. Carstens, S. Holzberger, I. Pupeza, E. Fill, Max-Planck-Institut für Quantenoptik (Germany) and Ludwig-Maximilians-Univ. München (Germany); T. Schreiber, Fraunhofer-Institut für Angewandte Optik und Feinmechanik (Germany); J. Limpert, Friedrich-Schiller-Univ. Jena (Germany), Helmholtz-Institut Jena (Germany), and Fraunhofer Institute for Applied Optics and Precision Engineering (Germany); F. Krausz, Max-Planck-Institut für Quantenoptik (Germany) and Ludwig-Maximilians-Univ. München (Germany); A. Tünnermann, Friedrich-Schiller-Univ. Jena (Germany), Helmholtz-Institut Jena (Germany), and Fraunhofer Institute for Applied Optics and Precision Engineering (Germany)
- 8961 07 **Coherent beam combining performance in harsh environment [8961-6]**
L. Lombard, G. Canat, A. Durecu, P. Bourdon, ONERA (France)

APPLICATIONS

- 8961 0C **High-power narrowline 1.5-μm fiber amplifier lidar transmitter for atmospheric CO₂ detection** [8961-11]
W. Lu, D. Engin, M. Storm, S. Gupta, Fibertek, Inc. (United States)
- 8961 0D **High power fiber lasers in geothermal, oil and gas (Invited Paper)** [8961-12]
M. S. Zediker, Foro Energy, Inc. (United States)

BANDGAP AND MICROSTRUCTURED FIBERS

- 8961 0F **Design of double-cladding large mode area all-solid photonic bandgap fibers** [8961-14]
E. Coscelli, Univ. degli Studi di Parma (Italy); T. T. Alkeskjold, NKT Photonics A/S (Denmark); A. Cucinotta, S. Selleri, Univ. degli Studi di Parma (Italy)
- 8961 0G **Novel multifocus tomography for measurement of microstructured and multicore optical fibers** [8961-15]
A. D. Yablon, Interfiber Analysis (United States)
- 8961 0I **Negative curvature hollow core fibers: design, fabrication, and applications (Invited Paper)** [8961-17]
A. D. Pryamikov, Fiber Optics Research Ctr. (Russian Federation)

ULTRASHORT PULSE LASERS I

- 8961 0K **Towards high power and high energy femtosecond fiber lasers** [8961-19]
P. Wan, L.-M. Yang, J. Liu, PolarOnyx, Inc. (United States)
- 8961 0L **Divided-pulse nonlinear compression** [8961-20]
F. Guichard, Amplitude Systèmes (France) and Lab. Charles Fabry, Institut d'Optique, CNRS, Univ. Paris-Sud (France); Y. Zaouter, Amplitude Systèmes (France); M. Hanna, F. Druon, Lab. Charles Fabry, Institut d'Optique, CNRS, Univ. Paris-Sud (France); E. Mottay, Amplitude Systèmes (France); P. Georges, Lab. Charles Fabry, Institut d'Optique, CNRS, Univ. Paris-Sud (France)
- 8961 0M **Analysis of divided-pulse amplification for high-energy extraction** [8961-21]
M. Kienel, A. Klenke, S. Hädrich, T. Eidam, Friedrich-Schiller-Univ. Jena (Germany) and Helmholtz-Institut Jena (Germany); J. Limpert, A. Tünnermann, Friedrich-Schiller-Univ. Jena (Germany), Fraunhofer-Institut für Angewandte Optik und Feinmechanik (Germany), and Helmholtz-Institut Jena (Germany)
- 8961 0N **215μJ 16W femtosecond fiber laser for precision industrial micro-machining** [8961-22]
K. Kim, X. Peng, W. Lee, Raydiance, Inc. (United States); X. Gu, JDSU (United States); M. Mielke, Raydiance, Inc. (United States)

NOVEL FIBERS AND DESIGNS

- 8961 OS **Fibers design with a bend-compensated cladding for distributed wavelength filtering** [8961-27]
J. M. Fini, J. W. Nicholson, OFS Labs. (United States)
- 8961 OT **Yb³⁺ doped ribbon fiber for high-average power lasers and amplifiers** [8961-28]
D. R. Drachenberg, M. J. Messerly, P. H. Pax, A. K. Sridharan, J. B. Tassano, J. W. Dawson, Lawrence Livermore National Lab. (United States)
- 8961 OU **Low-loss hybrid fiber with zero dispersion wavelength shifted to 1 μm** [8961-29]
S. S. Aleshkina, M. E. Likhachev, A. K. Senatorov, M. M. Bubnov, Fiber Optics Research Ctr. (Russian Federation); M. Yu. Salaganskii, A. N. Guryanov, Institute of Chemistry of High-Purity Substances (Russian Federation)

HIGH POWER I

- 8961 OV **3kW single-mode direct diode-pumped fiber laser** [8961-30]
V. Khitrov, J. D. Minelly, R. Tumminelli, V. Petit, E. S. Pooler, Coherent, Inc. (United States)
- 8961 OW **146W continuous wave ytterbium doped fiber amplifier at 1009 nm** [8961-31]
F. Beier, Friedrich-Schiller-Univ. Jena (Germany) and Fraunhofer-Institut für Angewandte Optik und Feinmechanik (Germany); H.-J. Otto, Friedrich-Schiller-Univ. Jena (Germany); B. Sattler, M. Ploetner, N. Haarlammerc, O. de Vries, Fraunhofer-Institut für Angewandte Optik und Feinmechanik (Germany); C. Jauregui, Friedrich-Schiller-Univ. Jena (Germany); T. Schreiber, Fraunhofer-Institut für Angewandte Optik und Feinmechanik (Germany); J. Limpert, Friedrich-Schiller-Univ. Jena (Germany) and Fraunhofer-Institut für Angewandte Optik und Feinmechanik (Germany); R. Eberhardt, Fraunhofer-Institut für Angewandte Optik und Feinmechanik (Germany); A. Tünnermann, Friedrich-Schiller-Univ. Jena (Germany) and Fraunhofer-Institut für Angewandte Optik und Feinmechanik (Germany)
- 8961 OX **Yb-free Er-doped all-fiber amplifier cladding-pumped at 976 nm with output power in excess of 100 W** [8961-32]
L. V. Kotov, Fiber Optics Research Ctr. (Russian Federation) and Moscow Institute of Physics and Technology (Russian Federation); M. E. Likhachev, M. M. Bubnov, O. I. Medvedkov, Fiber Optics Research Ctr. (Russian Federation); M. V. Yashkov, A. N. Guryanov, Institute of Chemistry of High-Purity Substances (Russian Federation); S. Février, XLIM, CNRS, Univ. de Limoges (France); J. Lhermite, E. Cormier, CeLIA Lab., CNRS, Univ. Bordeaux 1 (France)
- 8961 OZ **Investigation of a large core 976nm Yb fiber laser for high brightness fiber-based pump sources** [8961-34]
M. Leich, M. Jäger, S. Grimm, J. Dellith, D. Hoh, S. Jetschke, M. Becker, A. Hartung, T. Eschrich, J. Kobelke, H. Bartelt, Leibniz Institute of Photonic Technology e.V. (Germany)

HIGH POWER II

- 8961 10 **Bursting for enhanced ablation of materials (Invited Paper) [8961-35]**
S. Hendow, Adaptive Laser Processing (United States); E. Rea, Coherent, Inc. (United States); N. Kosa, Adaptive Laser Processing (United States); M. Bengtsson, Coherent, Inc. (United States); S. Shakir, Tau Technologies (United States)
- 8961 11 **High peak- and average-power pulse shaped fiber laser in the ns-regime applying step-index XLMA gain fibers [8961-36]**
R. Dinger, F.-P. Grundmann, C. Hapke, S. Ruppik, ROFIN-SINAR Laser GmbH (Germany)
- 8961 12 **High-peak power, flexible-pulse parameter, chirally coupled core (3C) fiber-based picosecond MOPA systems [8961-37]**
T. S. McComb, D. McCal, R. Farrow, T. L. Lowder, D. Logan, J. Green, T. N. Kutscha, C. Ye, V. Aallos, J. J. Koponen, G. Fanning, nLIGHT Corp. (United States)
- 8961 13 **An all-fiber high-energy cladding-pumped 93 nanosecond Q-switched fiber laser using an Y³⁺-doped fiber saturable absorber [8961-38]**
S. W. Moore, B. D. Patterson, D. B. S. Soh, S. E. Bisson, Sandia National Labs. (United States)
- 8961 14 **High-power monolithic fiber amplifiers based on advanced photonic crystal fiber designs [8961-39]**
D. L. Sipes Jr., J. D. Tafoya, D. S. Schulz, Optical Engines, Inc. (United States); T. T. Alkeskjold, J. Weirich, C. B. T. Olausson, NKT Photonics A/S (Denmark)

MATERIALS AND FABRICATION

- 8961 15 **Plasma outside deposition (POD) of fluorine doped silica for high-power laser applications (Invited Paper) [8961-40]**
A. Langner, G. Schötz, Heraeus Quarzglas GmbH & Co. KG (Germany)
- 8961 16 **The Yb-doped aluminosilicate fibers photodarkening mechanism based on the charge-transfer state excitation [8961-41]**
A. A. Rybaltovsky, K. K. Bobkov, V. V. Velmiskin, Fiber Optics Research Ctr. (Russian Federation); A. A. Umnikov, Institute of Chemistry of High-Purity Substances (Russian Federation); I. A. Shestakova, POLYUS Research and Development Institute (Russian Federation); A. N. Guryanov, Institute of Chemistry of High-Purity Substances (Russian Federation); M. E. Likhachev, M. M. Bubnov, E. M. Dianov, Fiber Optics Research Ctr. (Russian Federation)
- 8961 18 **Fabrication and characterization of a phosphosilicate YDF with high Yb absorbance and low background loss [8961-43]**
S.-J. Kim, Y. Hujimaki, H. Taniguchi, H. Kinoshita, K. Sato, Mitsubishi Cable Industries, Ltd. (Japan)

MID-IR SOURCES

- 8961 1A **Development of high-power holmium-doped fibre amplifiers** [8961-45]
A. Hemming, N. Simakov, A. Davidson, M. Oermann, L. Corena, D. Stepanov, N. Carmody, J. Haub, Defence Science and Technology Organisation (Australia); R. Swain, Sub-Micron Engineering Corp. (United States); A. Carter, Nufern (United States)
- 8961 1B **Efficiency improvement in Thulium-doped fibers via excited state pumping** [8961-46]
C. Jauregui, F. Stutzki, F. Jansen, Friedrich-Schiller-Univ. Jena (Germany); J. Limpert, Friedrich-Schiller-Univ. Jena (Germany) and Helmholtz-Institut Jena (Germany); A. Tünnermann, Fraunhofer-Institut für Angewandte Optik und Feinmechanik (Germany), Helmholtz-Institut Jena (Germany), and Fraunhofer-Institut für Angewandte Optik und Feinmechanik (Germany)
- 8961 1C **All-fiber optical supercontinuum sources in 1.7-3.2 μm range** [8961-47]
V. V. Dvoyrin, I. T. Sorokina, Norwegian Univ. of Science and Technology (Norway)

ULTRASHORT PULSE LASER II

- 8961 1D **2.1mJ, 210W femtosecond fiber CPA system** [8961-48]
A. Klenke, Friedrich-Schiller-Univ. Jena (Germany) and Helmholtz-Institut Jena (Germany); A. Hoffmann, Friedrich-Schiller-Univ. Jena (Germany); S. Hädrich, Friedrich-Schiller-Univ. Jena (Germany) and Helmholtz-Institut Jena (Germany); T. Eidam, Friedrich-Schiller-Univ. Jena (Germany) and Fraunhofer-Institut für Angewandte Optik und Feinmechanik (Germany); T. Gottschall, Friedrich-Schiller-Univ. Jena (Germany); J. Limpert, A. Tünnermann, Friedrich-Schiller-Univ. Jena (Germany), Fraunhofer-Institut für Angewandte Optik und Feinmechanik (Germany), and Helmholtz-Institut Jena (Germany)
- 8961 1E **High-pulse energy and average-power ultrashort laser pulses via nonlinear compression of coherently combined fiber CPA system** [8961-49]
S. Hädrich, A. Klenke, Friedrich-Schiller-Univ. Jena (Germany) and Helmholtz-Institut Jena (Germany); A. Hoffmann, T. Eidam, T. Gottschall, Friedrich-Schiller-Univ. Jena (Germany); J. Rothhardt, J. Limpert, Friedrich-Schiller-Univ. Jena (Germany) and Helmholtz-Institut Jena (Germany); A. Tünnermann, Friedrich-Schiller-Univ. Jena (Germany), Helmholtz-Institut Jena (Germany), and Fraunhofer-Institut für Angewandte Optik und Feinmechanik (Germany)
- 8961 1F **High average power and energetic femtosecond fiber laser using chirped- and divided-pulse amplification** [8961-50]
Y. Zaouter, Amplitude Systèmes (France); F. Guichard, Amplitude Systèmes (France) and Lab. Charles Fabry, Institut d'Optique, CNRS, Univ. Paris-Sud (France); M. Hanna, Lab. Charles Fabry, Institut d'Optique, CNRS, Univ. Paris-Sud (France); F. Morin, C. Höninger, Amplitude Systèmes (France); F. Druon, Lab. Charles Fabry, Institut d'Optique, CNRS, Univ. Paris-Sud (France); E. Mottay, Amplitude Systèmes (France); P. Georges, Lab. Charles Fabry, Institut d'Optique, CNRS, Univ. Paris-Sud (France)

- 8961 1G **Spectral synthesis to overcome gain-narrowing in femtosecond fiber amplifiers** [8961-51]
F. Guichard, Amplitude Systèmes (France) and Lab. Charles Fabry, Institut d'Optique, CNRS, Univ. Paris-Sud (France); M. Hanna, Lab. Charles Fabry, Institut d'Optique, CNRS, Univ. Paris-Sud (France); L. Lombard, ONERA (France); Y. Zaouter, Amplitude Systèmes (France); F. Druon, Lab. Charles Fabry, Institut d'Optique, CNRS, Univ. Paris-Sud (France); E. Mottay, Amplitude Systèmes (France); P. Georges, Lab. Charles Fabry, Institut d'Optique, CNRS, Univ. Paris-Sud (France)

NOVEL FIBERS AND DESIGNS II

- 8961 1K **High gain ytterbium doped Ge pedestal large pitch fiber** [8961-55]
C. Gaida, F. Stutzki, F. Jansen, H.-J. Otto, T. Eidam, C. Jauregui, Friedrich-Schiller-Univ. Jena (Germany); J. Limpert, Friedrich-Schiller-Univ. Jena (Germany) and Helmholtz-Institut Jena (Germany); A. Tünnermann, Friedrich-Schiller-Univ. Jena (Germany), Helmholtz-Institut Jena (Germany), and Fraunhofer-Institut für Angewandte Optik und Feinmechanik (Germany)
- 8961 1L **Double-clad large mode area Er-doped fiber for high-energy and high-peak power amplifiers** [8961-56]
L. V. Kotov, Fiber Optics Research Ctr. (Russian Federation) and Moscow Institute of Physics and Technology (Russian Federation); M. M. Bubnov, Fiber Optics Research Ctr. (Russian Federation); D. S. Lipatov, Moscow Institute of Physics and Technology (Russian Federation); A. N. Guryanov, Institute of Chemistry of High-Purity Substances (Russian Federation); S. Février, XLIM, CNRS, Univ. de Limoges (France); J. Lhermite, E. Cormier, CeLIA Lab., CNRS, Univ. Bordeaux 1 (France); M. Yu. Koptev, E. A. Anashkina, S. V. Muraviev, A. V. Andrianov, A. V. Kim, Institute of Applied Physics (Russian Federation); M. E. Likhachev, Fiber Optics Research Ctr. (Russian Federation)
- 8961 1M **Single mode fibers with antireflective surface structures for high power laser applications** [8961-57]
L. E. Busse, U.S. Naval Research Lab. (United States); C. M. Florea, Sotera Defense Solutions, Inc. (United States); L. B. Shaw, U.S. Naval Research Lab. (United States); I. D. Aggarwal, Sotera Defense Solutions, Inc. (United States); J. S. Sanghera, U.S. Naval Research Lab. (United States)
- 8961 1N **Breaking the symmetry for enhanced higher-order mode delocalization** [8961-58]
F. Stutzki, F. Jansen, C. Jauregui, Friedrich-Schiller-Univ. Jena (Germany); J. Limpert, Friedrich-Schiller-Univ. Jena (Germany) and Helmholtz-Institut Jena (Germany); A. Tünnermann, Fraunhofer-Institut für Angewandte Optik und Feinmechanik (Germany), Helmholtz-Institut Jena (Germany), and Fraunhofer-Institut für Angewandte Optik und Feinmechanik (Germany)

FIBER PUMPED FREQUENCY CONVERSION

- 8961 1P **A scalable high-power yellow laser source based on frequency doubling of a combined Yb-Raman fiber amplifier** [8961-60]
E. E. Rowen, G. Vashdi, J. Lasri, E. Inbar, V-Gen Ltd. (Israel)

CHARACTERIZATION

- 8961 1R **Threshold power and fiber degradation induced modal instabilities in high-power fiber amplifiers based on large mode area fibers [8961-62]**
K. Brar, M. Savage-Leuchs, J. Henrie, S. Courtney, C. Dilley, R. Afzal, E. Honea, Lockheed Martin Laser and Sensor Systems (United States)
- 8961 1S **Raising the mode instability thresholds of fiber amplifiers [8961-63]**
A. V. Smith, J. J. Smith, AS-Photonics, LLC (United States)
- 8961 1T **Analysis of stimulated Raman scattering in cw kW fiber oscillators [8961-64]**
T. Schreiber, A. Liem, E. Freier, C. Matzdorf, R. Eberhardt, Fraunhofer-Institut für Angewandte Optik und Feinmechanik (Germany); C. Jauregui, J. Limpert, Friedrich-Schiller-Univ. Jena (Germany); A. Tünnermann, Fraunhofer-Institut für Angewandte Optik und Feinmechanik (Germany) and Friedrich-Schiller-Univ. Jena (Germany)
- 8961 1U **Numerical analysis of modal instability onset in fiber amplifiers [8961-65]**
B. G. Ward, U.S. Air Force Academy (United States)

POSTER SESSION

- 8961 1V **High-brightness fiber-coupled pump modules in fiber laser applications [8961-66]**
D. Hemenway, W. Urbanek, K. Hoener, K. Kennedy, L. Bao, D. Dawson, E. Cragerud, D. Balsley, G. Burkholder, M. Reynolds, K. Price, J. Haden, M. Kanskar, D. Kliner, nLIGHT Corp. (United States)
- 8961 1W **Experimental study of SBS suppression via white noise phase modulation [8961-67]**
B. Anderson, CREOL, The College of Optics and Photonics, Univ. of Central Florida (United States); C. Robin, A. Flores, I. Dajani, Air Force Research Lab. (United States)
- 8961 1X **High energy, high average and peak power phosphate-glass fiber amplifiers for 1micron band [8961-68]**
M. Akbulut, A. Miller, K. Wiersma, J. Zong, D. Rhonehouse, D. Nguyen, A. Chavez-Pirson, NP Photonics, Inc. (United States)
- 8961 1Y **Coherent combining of SHG converters through active phase control of the fundamental waves [8961-69]**
A. Durécu, C. Aubert, G. Canat, J. Le Gouët, L. Lombard, P. Bourdon, ONERA (France)
- 8961 20 **Ho-doped fiber for high energy laser applications [8961-71]**
E. J. Friebele, C. G. Askins, U.S. Naval Research Lab. (United States); J. R. Peele, Sotera Defense Solutions, Inc. (United States); B. M. Wright, U.S. Naval Research Lab. (United States); N. J. Condon, Digital Optics Technologies, Inc. (United States); S. O'Connor, Naval Air Warfare Ctr. Aircraft Div. (United States); C. G. Brown, Sotera Defense Solutions, Inc. (United States); S. R. Bowman, U.S. Naval Research Lab. (United States)

- 8961 21 **Effective mitigation of photodarkening in Yb-doped lasers based on Al-silicate using UV/visible light** [8961-72]
R. Piccoli, Swansea Univ. (United Kingdom); T. Robin, iXFiber SAS (France); D. Méchin, PERFOS (France); T. Brand, DILAS Dioidenlaser GmbH (Germany); U. Klotzbach, IWS Fraunhofer (Germany); S. Taccheo, Swansea Univ. (United Kingdom)
- 8961 22 **All-fiber Raman oscillator for the generation of radially and azimuthally polarized beams** [8961-73]
C. Jocher, C. Jauregui, Friedrich-Schiller-Univ. Jena (Germany); M. Becker, M. Rothhardt, Institut für Photonische Technologien e.V. (Germany); J. Limpert, A. Tünnermann, Friedrich-Schiller-Univ. Jena (Germany) and Fraunhofer-Institut für Angewandte Optik und Feinmechanik (Germany)
- 8961 23 **Optimization of laser fibers for high pump light absorption** [8961-74]
J. Bierlich, J. Kobelke, S. Jetschke, S. Grimm, S. Unger, K. Schuster, IPHT Jena (Germany)
- 8961 24 **Completely monolithic linearly polarized high-power fiber laser oscillator** [8961-75]
S. Belke, F. Becker, B. Neumann, S. Ruppik, U. Hefter, ROFIN-SINAR Laser GmbH (Germany)
- 8961 26 **Single-crystal rare-earth doped YAG fiber lasers grown by the laser-heated pedestal growth technique** [8961-77]
C. D. Nie, J. A. Harrington, Rutgers, The State Univ. of New Jersey (United States); Y. Li, E. G. Johnson, Clemson Univ. (United States); E. F. Cloos, S. C. Rand, P. Machado, Univ. of Michigan (United States); R. K. Shori, SPAWAR Systems Ctr. (United States)
- 8961 28 **Passive mitigation of mode instabilities** [8961-79]
C. Jauregui, H.-J. Otto, F. Stutzki, F. Jansen, J. Limpert, Friedrich-Schiller-Univ. Jena (Germany); A. Tünnermann, Friedrich-Schiller-Univ. Jena (Germany), Helmholtz-Institut Jena (Germany), and Fraunhofer-Institut für Angewandte Optik und Feinmechanik (Germany)
- 8961 29 **Fabrication of microstructured fibers from preforms with sealed top-end holes** [8961-80]
S. L. Semjonov, A. N. Denisov, A. K. Senatorov, Fiber Optics Research Ctr. (Russian Federation)
- 8961 2A **Dual-wavelength fiber mode-locked laser based on graphene saturable absorber** [8961-81]
J. Sotor, G. Soboń, Wroclaw Univ. of Technology (Poland); I. Pasternak, Institute of Electronic Materials Technology (Poland); K. Krzempek, G. Dudzik, Wroclaw Univ. of Technology (Poland); A. Krajewska, Institute of Electronic Materials Technology (Poland) and Military Univ. of Technology (Poland); W. Strupinski, Institute of Electronic Materials Technology (Poland); K. M. Abramski, Wroclaw Univ. of Technology (Poland)
- 8961 2B **The effect of polarization in passive coherent beam combining of fiber lasers** [8961-82]
H.-S. Chiang, J. R. Leger, Univ. of Minnesota (United States); E. Huszar, Bethlen Gábor Református Gimnázium (Hungary); J. Nilsson, J. Sahu, Univ. of Southampton (United Kingdom)
- 8961 2F **980-nm random fiber laser directly pumped by a high-power 938-nm laser diode** [8961-86]
S. A. Babin, E. I. Dontsova, S. I. Kablukov, Institute of Automation and Electrometry (Russian Federation)

- 8961 2H **16W pulsed green laser based on efficient frequency conversion of an Yb-doped fibre laser externally modulated by a semiconductor optical amplifier** [8961-88]
A. Haboucha, CNRS Foton, Univ. de Rennes 1 (Canada); A. Mugnier, Quantel (France); C. Pareige, A. Fernandez, T. Chartier, CNRS Foton, Univ. de Rennes 1 (France); D. Pureur, Quantel (France)
- 8961 2I **Spatially resolved 3D measurements of long-period gratings written by fs-laser inscription in large mode area fibers** [8961-89]
A. Kliner, Fraunhofer-Institut für Angewandte Optik und Feinmechanik (Germany) and Friedrich-Schiller-Univ. Jena (Germany); R. G. Krämer, C. Voigtländer, Friedrich-Schiller-Univ. Jena (Germany); F. Theuer, T. Schreiber, R. Eberhardt, Fraunhofer-Institut für Angewandte Optik und Feinmechanik (Germany); S. Nolte, A. Tünnermann, Fraunhofer-Institut für Angewandte Optik und Feinmechanik (Germany) and Friedrich-Schiller-Univ. Jena (Germany)
- 8961 2J **Ultra-low noise optical phase-locked loop** [8961-90]
S. Ayotte, A. Babin, F. Costin, TeraXion Inc. (Canada)
- 8961 2K **Performance of kW class fiber amplifiers spanning a broad range of wavelengths: 1028~1100nm** [8961-91]
Y. Huang, J. Edgcombe, J. Ding, R. Holten, P. Ahmadi, C.-H. Wang, C. Guinrand, K. Farley, S. Christensen, K. Tankala, Nufern (United States)
- 8961 2L **Power scaling through narrowband ASE seeding in pulsed MOPA fiber systems** [8961-92]
M. Melo, Univ. of Porto (Portugal) and MWTechnologies, Ltd. (Portugal); J. M. Sousa, Datalogic, S.p.A. (Italy)
- 8961 2M **Development of narrow-linewidth Yb- and Er-fiber lasers and frequency mixing for ArF excimer laser seeding** [8961-93]
H. Xuan, Z. Zhao, The Univ. of Tokyo (Japan); H. Igarashi, S. Ito, K. Kakizaki, Gigaphoton Inc. (Japan); Y. Kobayashi, The Univ. of Tokyo (Japan)
- 8961 2N **Polarization maintaining, high-power and high-efficiency (6+1)×1 pump/signal combiner** [8961-94]
V. I. Kopp, J. Park, M. Włodawski, J. Singer, D. Neugroschl, Chiral Photonics, Inc. (United States)
- 8961 2P **Fiber amplifiers under thermal loads leading to transverse mode instability** [8961-96]
M. M. Johansen, K. R. Hansen, DTU Fotonik (Denmark); T. T. Alkeskjold, NKT Photonics A/S (Denmark); J. Lægsgaard, DTU Fotonik (Denmark)
- 8961 2Q **Thermo-optical effects in Tm-doped large mode area photonic crystal fibers** [8961-97]
C. Molardi, E. Coscelli, A. Cucinotta, S. Selleri, Univ. degli Studi di Parma (Italy)
- 8961 2S **Intense supercontinuum generation in a nanosecond nonlinear all-PM-fiber power amplifier** [8961-99]
C.-L. Chang, National Taiwan Univ. (Taiwan); Y.-Y. Lin, National Tsing Hua Univ. (Taiwan); P.-Y. Lai, National Central Univ. (Taiwan); Y.-Y. Li, D.-Y. Jheng, National Taiwan Univ. (Taiwan); S.-H. Chen, National Central Univ. (Taiwan); S.-L. Huang, National Taiwan Univ. (Taiwan)

- 8961 2T **Effective suppression of stimulated Raman scattering in high power fiber amplifiers using double-pass scheme** [8961-100]
 P.-Y. Lai, National Central Univ. (Taiwan); C.-L. Chang, S.-L. Huang, National Taiwan Univ. (Taiwan); S.-H. Chen, National Central Univ. (Taiwan)
- 8961 2U **Optical fiber designs for beam shaping** [8961-101]
 K. Farley, M. Conroy, C.-H. Wang, J. Abramczyk, Nufern (United States); S. Campbell, Optoskand AB (Sweden); G. Oulundsen, K. Tankala, Nufern (United States)
- 8961 2V **Adjustment of double resonance in short cavity Brillouin fiber lasers** [8961-102]
 C. A. López-Mercado, V. V. Spirin, Ctr. de Investigación Científica y de Educación Superior de Ensenada (Mexico); S. I. Kablukov, E. A. Zlobina, Institute of Automation and Electrometry (Russian Federation); I. O. Zolotovsky, Ulyanovsk State Univ. (Russian Federation); P. Mégret, Univ. de Mons (Belgium); A. A. Fotiadi, Ulyanovsk State Univ. (Russian Federation), Univ. de Mons (Belgium), and Ioffe Physico-Technical Institute (Russian Federation)
- 8961 2W **Mode coupling in few-mode large-mode-area fibers** [8961-103]
 C. Ye, J. Koponen, V. Aallos, L. Petit, O. Kimmelma, T. Kokki, nLIGHT Corp. (Finland)
- 8961 2X **Frequency conversion through spontaneous degenerate four wave mixing in large mode area hybrid photonic crystal fibers** [8961-104]
 S. R. Petersen, DTU Fotonik (Denmark); T. T. Alkeskjold, C. B. Olausson, NKT Photonics A/S (Denmark); J. Lægsgaard, DTU Fotonik (Denmark)
- 8961 2Z **Time-frequency-domain dispersion measurement in rare earth doped large effective mode area multicore fibers** [8961-106]
 T. Baselt, Ch. Taudt, P. Hartmann, Westsächsische Hochschule Zwickau (Germany)
- 8961 32 **Optical characterization, luminescence properties of Er³⁺ and Er^{3+}/Yb³⁺ co-doped tellurite glasses for broadband amplification}** [8961-111]
 M. Seshadri, L. C. Barbosa, J. A. P. Ferencz Junior, Univ. Estadual de Campinas (Brazil)
- 8961 33 **Photonic crystal fiber pump combiner for high-peak power all-fiber thulium lasers** [8961-112]
 A. Sincore, CREOL, The College of Optics and Photonics, Univ. of Central Florida (United States); J. Tafoya, D. Sipes Jr., Optical Engines, Inc. (United States); L. Leick, NKT Photonics A/S (Denmark); L. Shah, M. Richardson, CREOL, The College of Optics and Photonics, Univ. of Central Florida (United States)
- 8961 34 **Spectral and temporal phase measurement by optical frequency-domain reflectometry** [8961-114]
 B. Robillart, Institute Mines-Télécom and Télécom SudParis, CNRS (France); C. Calò, Lab. for Photonics and Nanostructures, CNRS (France); A. Fall, F. Lamare, Y. Gottesman, B.-E. Benkelfat, Institute Mines-Télécom and Télécom SudParis, CNRS (France)
- 8961 35 **Effect of linewidth enhancement factor in actively mode-locked ring laser** [8961-115]
 A. Takada, M. Saika, S. Nagano, Topcon Corp. (Japan)

- 8961 37 **Influence of zero dispersion wavelength on supercontinuum generation in near infrared, visible, and UV range for a series of microstructured fibres** [8961-117]
 Z. Holdynski, M. Napierala, M. Szymanski, M. Murawski, Military Univ. of Technology (Poland) and InPhoTech Ltd. (Poland); P. Mergo, Univ. of Maria Curie-Sklodowska (Poland); P. Marc, L. R. Jaroszewicz, Military Univ. of Technology (Poland); T. Nasilowski, Military Univ. of Technology (Poland) and InPhoTech Ltd. (Poland)
- 8961 38 **Analysis of supercontinuum generated with endlessly single mode new type of microstructured fibre series with near-visible zero dispersion wavelength** [8961-118]
 Z. Holdynski, M. Napierala, Military Univ. of Technology (Poland) and InPhoTech Ltd. (Poland); U. A. Laudyn, M. A. Karpierz, Warsaw Univ. of Technology (Poland); M. Szymanski, M. Murawski, Military Univ. of Technology (Poland) and InPhoTech Ltd. (Poland); P. Mergo, Univ. of Maria Curie-Sklodowska (Poland); P. Marc, L. R. Jaroszewicz, Military Univ. of Technology (Poland); T. Nasilowski, Military Univ. of Technology (Poland) and InPhoTech Ltd. (Poland)
- 8961 39 **Spectroscopic properties of Ho³⁺, Tm³⁺, and Ho³⁺/Tm³⁺ doped tellurite glasses for fiber laser applications** [8961-119]
 M. Seshadri, J. A. P. Ferencz Junior, Univ. Estadual de Campinas (Brazil); Y. C. Ratnakaram, Sri Venateswara Univ. (India); L. C. Barbosa, Univ. Estadual de Campinas (Brazil)
- 8961 3A **Effect of mode locking technique on the filtering bandwidth limitation in all normal dispersion femtosecond fiber laser** [8961-120]
 H. E. Kotb, Univ. of Ottawa (Canada); M. A. Abdelalim, Electronics Research Institute (Egypt); H. Anis, Univ. of Ottawa (Canada)
- 8961 3C **Automated image magnification for CO₂ laser glass processing system (LZM-100 LazerMaster)** [8961-122]
 M. E. Harju, H. Sugawara, T. Mizushima, Air Force Research Lab. (United States)
- 8961 3F **High power fiber amplifier with adjustable repetition rate for use in all-fiber supercontinuum light sources** [8961-125]
 T. Baselt, Ch. Taudt, P. Hartmann, Westsächsische Hochschule Zwickau (Germany)
- 8961 3H **Stimulated Brillouin scattering suppression with a chirped laser seed: comparison of dynamical model to experimental data** [8961-125]
 E. Petersen, Z. Yang, J. O. White, U.S. Army Research Lab. (United States); G. Rakuljic, Telaris, Inc. (United States); N. Satyan, A. Vasilyev, A. Yariv, California Institute of Technology (United States)

Author Index

Conference Committee

Symposium Chairs

Bo Gu, Bos Photonics (United States)
Andreas Tünnermann, Fraunhofer-Institut für Angewandte Optik und Feinmechanik (Germany) and Friedrich-Schiller-Universität Jena (Germany)

Symposium Co-chairs

Guido Hennig, Daetwyler Graphics AG (Switzerland)
Yongfeng Lu, University of Nebraska-Lincoln (United States)

Program Track Chair

Gregory J. Quarles, Optoelectronics Management Network (United States)

Conference Chair

Siddharth Ramachandran, Boston University (United States)

Conference Co-chair

Brandon Shaw, U.S. Naval Research Laboratory (United States)

Conference Program Committee

Thomas T. Alkeskjold, NKT Photonics A/S (Denmark)
Paulo Almeida, Fianium Ltd. (United Kingdom)
John Ballato, Clemson University (United States)
Adrian L. Carter, Nufern (United States)
Fabio Di Teodoro, The Aerospace Corporation (United States)
Ingmar Hartl, Deutsches Elektronen-Synchrotron (Germany)
Clifford Headley III, OFS Laboratories (United States)
Sami T. Hendow, Adaptive Laser Processing (United States)
Eric C. Honea, Lockheed Martin Aculight (United States)
Jens Limpert, Friedrich-Schiller-Universität Jena (Germany)
Jian Liu, PolarOnyx, Inc. (United States)
John D. Minelly, Coherent, Inc. (United States)
Peter F. Moulton, Q-Peak, Inc. (United States)
Martin H. Muendel, JDSU (United States)
Hans-Jürgen Otto, Friedrich-Schiller-Universität Jena (Germany)
Craig A. Robin, Lockheed Martin Aculight (United States)

Akira Shirakawa, The University of Electro-Communications (Japan)
Daniel B. Soh, Sandia National Laboratories (United States)
Ji Wang, Corning Inc. (United States)
Michalis N. Zervas, University of Southampton (United Kingdom)

Session Chairs

- 1 Narrow Linewidth
Akira Shirakawa, The University of Electro-Communications (Japan)
- 2 Beam Combination
Craig A. Robin, Lockheed Martin Aculight (United States)
- 3 Applications
Clifford Headley III, OFS Laboratories (United States)
- 4 Bandgap and Microstructured Fibers
Siddharth Ramachandran, Boston University (United States)
- 5 Ultrashort Pulse Lasers I
Ingmar Hartl, Deutsches Elektronen-Synchrotron (Germany)
- 6 Pioneers of Fiber Optics
Siddharth Ramachandran, Boston University (United States)
- 7 Novel Fibers and Designs
Siddharth Ramachandran, Boston University (United States)
- 8 High Power I
Sami T. Hendorow, Adaptive Laser Processing (United States)
- 9 High Power II
Eric C. Honea, Lockheed Martin Aculight (United States)
- 10 Materials and Fabrication
Adrian L. Carter, Nufern (United States)
- 11 Mid-IR Sources
Brandon Shaw, U.S. Naval Research Laboratory (United States)
- 12 Ultrashort Pulse Laser II
Jian Liu, PolarOnyx, Inc. (United States)
- 13 Novel Fibers and Designs II
Ji Wang, Corning Incorporated (United States)

- 14 Fiber Pumped Frequency Conversion
Peter F. Moulton, Q-Peak, Inc. (United States)
- 15 Characterization
John D. Minelly, Coherent, Inc. (United States)

