

# PROCEEDINGS OF SPIE

[SPIDigitalLibrary.org/conference-proceedings-of-spie](https://spiedigitallibrary.org/conference-proceedings-of-spie)

## Front Matter: Volume 7972

, "Front Matter: Volume 7972," Proc. SPIE 7972, Advances in Resist Materials and Processing Technology XXVIII, 797201 (29 April 2011); doi: 10.1117/12.899317

**SPIE.**

Event: SPIE Advanced Lithography, 2011, San Jose, California, United States

PROCEEDINGS OF SPIE

***Advances in Resist Materials and  
Processing Technology XXVIII***

**Robert D. Allen  
Mark H. Somervell**  
*Editors*

**28 February–2 March 2011  
San Jose, California, United States**

*Sponsored and Published by*  
SPIE

**Volume 7972**  
Part One of Two Parts

Proceedings of SPIE, 0277-786X, v. 7972

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

The papers included in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. The papers published in these proceedings reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from this book:

Author(s), "Title of Paper," in *Advances in Resist Materials and Processing Technology XXVIII*, edited by Robert D. Allen, Mark H. Somervell, Proceedings of SPIE Vol. 7972 (SPIE, Bellingham, WA, 2011) Article CID Number.

ISSN 0277-786X  
ISBN 9780819485311

Published by

**SPIE**

P.O. Box 10, Bellingham, Washington 98227-0010 USA  
Telephone +1 360 676 3290 (Pacific Time) · Fax +1 360 647 1445  
SPIE.org

Copyright © 2011, Society of Photo-Optical Instrumentation Engineers

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at [copyright.com](http://copyright.com). Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/11/\$18.00.

Printed in the United States of America.

Publication of record for individual papers is online in the SPIE Digital Library.

The logo for SPIE Digital Library features the word "SPIE" in a bold, sans-serif font above the words "Digital Library" in a smaller, sans-serif font. To the right of the text is a stylized graphic consisting of three vertical bars of increasing height from left to right, with a curved line above them.

[SPIDigitalLibrary.org](http://SPIDigitalLibrary.org)

---

**Paper Numbering:** Proceedings of SPIE follow an e-First publication model, with papers published first online and then in print and on CD-ROM. Papers are published as they are submitted and meet publication criteria. A unique, consistent, permanent citation identifier (CID) number is assigned to each article at the time of the first publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online, print, and electronic versions of the publication. SPIE uses a six-digit CID article numbering system in which:

- The first four digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc.

The CID number appears on each page of the manuscript. The complete citation is used on the first page, and an abbreviated version on subsequent pages. Numbers in the index correspond to the last two digits of the six-digit CID number.

# Contents

## Part One

xv *Conference Committee*

---

### SESSION 1 INVITED SESSION

---

- 7972 02 **Critical challenges for EUV resist materials (Invited Paper)** [7972-01]  
P. P. Naulleau, C. N. Anderson, L.-M. Baclea-an, P. Denham, S. George, K. A. Goldberg, G. Jones, Lawrence Berkeley National Lab. (United States); B. McClinton, R. Miyakawa, Univ. of California, Berkeley (United States); S. Rekawa, N. Smith, Lawrence Berkeley National Lab. (United States)
- 7972 04 **Materials challenges for sub-20nm lithography (Invited Paper)** [7972-03]  
J. W. Thackeray, Dow Electronic Materials (United States)

---

### SESSION 2 NOVEL PROCESSING SPECIAL TOPIC: NEGATIVE-TONE DEVELOPMENT I

---

- 7972 05 **Solvent development processing of chemically amplified resists: chemistry, physics, and polymer science considerations (Invited Paper)** [7972-04]  
C. K. Ober, C. Ouyang, Cornell Univ. (United States); J.-K. Lee, Inha Univ. (Korea, Republic of); M. Krysak, Cornell Univ. (United States)
- 7972 06 **Fundamental investigation of negative tone development (NTD) for the 22nm node (and beyond)** [7972-05]  
G. Landie, STMicroelectronics (United States); Y. Xu, S. Burns, IBM Corp. (United States); K. Yoshimoto, IBM Thomas J. Watson Research Ctr. (United States); M. Burkhardt, L. Zhuang, K. Petrillo, J. Meiring, IBM Corp. (United States); D. Goldfarb, M. Glodde, IBM Thomas J. Watson Research Ctr. (United States); A. Scaduto, M. Colburn, IBM Corp. (United States); J. Desisto, Y. Bae, M. Reilly, C. Andes, V. Vohra, The Dow Chemical Co. (United States)
- 7972 07 **Developer effect on the negative tone development process under low NILS conditions** [7972-06]  
Y. C. Bae, S.-H. Lee, R. Bell, L. Joesten, G. G. Barclay, The Dow Chemical Co. (United States)

---

### SESSION 3 EUV I: JOINT SESSION WITH CONFERENCE 7969

---

- 7972 08 **Assessment of resist outgassing related EUV optics contamination for CAR and non-CAR material chemistries** [7972-07]  
I. Pollentier, I. Neira, R. Gronheid, IMEC (Belgium)
- 7972 09 **Performance of EUV molecular resists based on fullerene derivatives** [7972-08]  
H. Oizumi, K. Matsunaga, K. Kaneyama, J. J. Santillan, G. Shiraishi, T. Itani, Semiconductor Leading Edge Technologies, Inc. (Japan)

- 7972 0A **Characterizing polymer bound PAG-type EUV resist** [7972-09]  
H. Tamaoki, S. Tarutani, H. Tsubaki, T. Takahashi, N. Inoue, T. Tsuchihashi, H. Takizawa,  
H. Takahashi, FUJIFILM Corp. (Japan)

---

#### SESSION 4 PITCH REDUCTION AND DOUBLE PATTERNING

---

- 7972 0B **Novel approaches to implement the self-aligned spacer double-patterning process toward 11-nm node and beyond** [7972-10]  
H. Yaegashi, K. Oyama, K. Yabe, S. Yamauchi, A. Hara, S. Natori, Tokyo Electron Ltd. (Japan)
- 7972 0C **The resist-core spacer patterning process for fabrication of 2xnm node semiconductor devices** [7972-11]  
K. Sho, T. Oori, K. Iida, K. Kobayashi, K. Kikutani, K. Yamamoto, F. Aiso, K. Matsunaga,  
E. Shiobara, K. Hashimoto, Toshiba Corp. (Japan)
- 7972 0D **A novel double patterning approach for 30nm dense holes** [7972-12]  
D. S.-H. Hsu, W. Wang, W.-H. Hsieh, C.-Y. Huang, W.-B. Wu, C.-L. Shih, S. Shih, Nanya  
Technology Corp. (Taiwan)
- 7972 0E **Resist freezing process challenges of cross pattern applications** [7972-13]  
Z. Zhang, K. Jain, S. L. Light, A. J. deVilliers, Micron Technology, Inc. (United States)
- 7972 0F **Photobase generator enabled pitch division: a progress report** [7972-14]  
X. Gu, Y. Cho, T. Kawakami, Y. Hagiwara, B. Rawlings, R. Mesch, T. Ogata, T. Kim, T. Seshimo,  
W. Wang, The Univ. of Texas at Austin (United States); A. K. Sundaresan, N. J. Turro, Columbia  
Univ. (United States); R. Gronheid, IMEC (Belgium); J. Blackwell, R. Bristol, Intel Corp. (United  
States); C. G. Willson, The Univ. of Texas at Austin (United States)
- 7972 0G **Optimization of pitch-split double patterning photoresist for applications at the 16nm node**  
[7972-15]  
S. J. Holmes, IBM Systems and Technology Group (United States); C. Tang, JSR Micro, Inc.  
(United States); S. Burns, IBM Research Div. (United States); Y. Yin, IBM Systems and  
Technology Group (United States); R. Chen, IBM Systems and Technology Group (United  
States); C. Koay, IBM Systems and Technology Group (United States); S. Kini, KLA-Tencor  
Corp. (United States); H. Tomizawa, Toshiba (United States); S.-T. Chen, IBM Systems and  
Technology Group (United States); N. Fender, B. Osborn, L. Singh, JSR Micro, Inc. (United  
States); K. Petrillo, G. Landie, S. Halle, IBM Systems and Technology Group (United States);  
S. Liu, KLA-Tencor Corp. (United States); J. C. Arnold, T. Spooner, IBM Research Div. (United  
States); R. Varanasi, KLA-Tencor Corp. (United States); M. Slezak, JSR Micro, Inc. (United  
States); M. Colburn, IBM Research Div. (United States)

---

#### SESSION 5 RESIST FUNDAMENTALS

---

- 7972 0H **In situ dissolution analysis of EUV resists** [7972-16]  
T. Itani, J. J. Santillan, Semiconductor Leading Edge Technologies, Inc. (Japan)
- 7972 0I **Visualization of the develop process** [7972-17]  
L. K. Sundberg, G. M. Wallraff, A. M. Friz, B. W. Davis, S. A. Swanson, P. J. Brock, C. T. Rettner,  
W. D. Hinsberg, IBM Almaden Research Ctr. (United States)

7972 OK **Revisit pattern collapse for 14nm node and beyond** [7972-19]  
K. Yoshimoto, GLOBALFOUNDRIES Inc. (United States); C. Higgins, GLOBALFOUNDRIES Inc. (United States) and College of Nanoscale Science & Engineering, Univ. of Albany (United States); A. Raghunathan, J. G. Hartley, College of Nanoscale Science & Engineering, Univ. of Albany (United States); D. L. Goldfarb, IBM Thomas J. Watson Research Ctr. (United States); H. Kato, Toshiba America Electronic Components, Inc. (United States); K. Petrillo, M. E. Colburn, IBM Corp. (United States); J. Schefske, O. Wood, T. I. Wallow, GLOBALFOUNDRIES Inc. (United States)

7972 OL **Characteristics of main chain decomposable STAR polymer for EUV resist** [7972-20]  
J. Iwashita, T. Hirayama, I. Takagi, K. Matsuzawa, K. Suzuki, S. Yoshizawa, K. Konno, M. Yahagi, K. Sato, Tokyo Ohka Kogyo Co., Ltd. (Japan); S. Tagawa, K. Enomoto, Osaka Univ. (Japan) and Japan Science and Technology Agency, CREST (Japan); A. Oshima, Osaka Univ. (Japan)

---

**SESSION 6 NOVEL PROCESSING SPECIAL TOPIC: NEGATIVE-TONE DEVELOPMENT II**

---

7972 OM **Negative-tone imaging (NTI) at the 22nm node: process and material development** [7972-21]  
J. Cantone, Tokyo Electron Technology Ctr., America, LLC (United States); K. Petrillo, Y. Xu, IBM Corp. (United States); G. Landie, STMicroelectronics (United States); S. Kawakami, S. Dunn, Tokyo Electron Technology Ctr., America, LLC (United States); M. Colburn, IBM Corp. (United States)

7972 ON **High volume manufacturing capability of negative tone development process** [7972-22]  
S. Tarutani, S. Kamimura, K. Fujii, K. Katou, Y. Enomoto, FUJIFILM Corp. (Japan)

7972 OO **Patterning conventional photoresists in environmentally friendly silicone fluids** [7972-23]  
C. Y. Ouyang, J.-K. Lee, M. Krysak, C. K. Ober, Cornell Univ. (United States)

7972 OP **Patterning process study for 30nm hole** [7972-25]  
K. Lee, C. Bok, J. Kim, B. Lee, J. Bang, H. Shim, S. Kim, J. Moon, D. Yim, S.-K. Park, Hynix Semiconductor Inc. (Korea, Republic of)

7972 OQ **BARC surface property matching for negative-tone development of a conventional positive-tone photoresist** [7972-26]  
D. J. Guerrero, V. Krishnamurthy, D. M. Sullivan, Brewer Science, Inc. (United States)

---

**SESSION 7 DIRECTED SELF-ASSEMBLY I: SELECTED SEMICONDUCTOR APPLICATIONS: JOINT SESSION WITH CONFERENCE 7970**

---

7972 OT **Designing materials for advanced microelectronic patterning applications using controlled polymerization RAFT technology** [7972-29]  
M. T. Sheehan, DuPont Electronic Polymers L.P. (United States); W. B. Farnham, E. I. duPont de Nemours & Co. (United States); C. R. Chambers, DuPont Electronic Polymers L.P. (United States); H. V. Tran, E. I. duPont de Nemours & Co. (United States); H. Okazaki, DuPont Electronic Polymers L.P. (United States); Y. Brun, E. I. duPont de Nemours & Co. (United States); M. L. Romberger, J. R. Sounik, DuPont Electronic Polymers L.P. (United States)

---

**SESSION 8 SIMULATION OF LITHOGRAPHIC PHENOMENA**

---

- 7972 0U **Analysis of resist patterns for material and process design: parameter extraction from dose pitch matrices of line-width and edge roughness and cross-sectional SEM images** [7972-30]  
T. Kozawa, Osaka Univ. (Japan); H. Oizumi, T. Itani, Semiconductor Leading Edge Technologies, Inc. (Japan); S. Tagawa, Osaka Univ. (Japan)
- 7972 0V **Stochastic acid-based quenching in chemically amplified photoresists: a simulation study** [7972-31]  
C. A. Mack, Lithoguru.com (United States); J. J. Biafore, M. D. Smith, KLA-Tencor Corp. (United States)
- 7972 0W **Meso-scale simulation of the line-edge structure based on resist polymer molecules by negative-tone process** [7972-33]  
H. Morita, National Institute of Advanced Industrial Science and Technology (Japan)
- 7972 0Y **Negative tone development: gaining insight through physical simulation** [7972-32]  
S. A. Robertson, KLA-Tencor Corp. (United States); M. Reilly, Dow Electronic Materials (United States); J. J. Biafore, M. D. Smith, KLA-Tencor Corp. (United States); Y. Bae, Dow Electronic Materials (United States)
- 7972 0Z **Physical modeling of developable BARC at KrF** [7972-35]  
M. Reilly, Dow Electronic Materials (United States); J. Biafore, KLA-Tencor Corp. (United States); J. F. Cameron, Dow Electronic Materials (United States); S. A. Robertson, KLA-Tencor Corp. (United States)

---

**SESSION 9 EUV II: JOINT SESSION WITH CONFERENCE 7969**

---

- 7972 10 **Extendibility of EUV resists in the exposure wavelength from 13.5 down to 3.1 nm for next-generation lithography** [7972-36]  
T. G. Oyama, T. Takahashi, Waseda Univ. (Japan); A. Oshima, Osaka Univ. (Japan); M. Washio, Waseda Univ. (Japan); S. Tagawa, Waseda Univ. (Japan) and Osaka Univ. (Japan)
- 7972 11 **Coefficient of thermal expansion (CTE) in EUV lithography: LER and adhesion improvement** [7972-37]  
C. Higgins, C. Settens, P. Wolfe, College of Nanoscale Science & Engineering, Univ. of Albany (United States); K. Petrillo, SEMATECH (United States); R. Auger, The Dow Chemical Co. (United States); R. Matyi, R. Brainard, College of Nanoscale Science & Engineering, Univ. of Albany (United States)
- 7972 12 **EUV underlayer materials for 22nm HP and beyond** [7972-38]  
H. Yao, Z. Bogusz, J. Shan, J. Cho, S. Mullen, G. Lin, M. Neisser, AZ Electronic Materials USA Corp. (United States)

---

**SESSION 10 NOVEL MATERIALS AND PROCESSING I**

---

- 7972 13 **Impact of post-litho LWR smoothing processes on the post-etch patterning result** [7972-39]  
P. Foubert, IMEC (Belgium); A. Vaglio Pret, IMEC (Belgium) and Katholieke Univ. Leuven (Belgium); E. Altamirano Sanchez, R. Gronheid, IMEC (Belgium)

- 7972 14 **Developable BARC (DBARC) technology as a solution to today's implant lithography challenges** [7972-40]  
J. Cameron, J. W. Sung, S. Wong, A. Ware, Dow Electronic Materials (United States); Y. Yamamoto, H. Kitaguchi, Dow Electronic Materials (Japan); L. Vyklicky, S. Holmes, I. Popova, R. Kwong, P. R. Varanasi, IBM Corp. (United States)
- 7972 15 **193nm resist chemical modification induced by HBr cure plasma treatment: a TD-GC/MS outgassing study** [7972-41]  
R. Tiron, CEA-LETI (France); E. Pargon, L. Azarnouche, CEA-LTM (France); H. Fontaine, S. Cetre, C. Sourd, CEA-LETI (France)
- 7972 16 **Systematic studies on reactive ion etch-induced deformations of organic underlayers** [7972-42]  
M. Glodde, S. Engelmann, M. Guillorn, IBM Thomas J. Watson Research Ctr. (United States); S. Kanakasabapathy, E. Mclellan, C.-S. Koay, Y. Yin, M. Sankarapandian, J. C. Arnold, K. Petrillo, IBM Corp. (United States); M. Brink, H. Miyazoe, IBM Thomas J. Watson Research Ctr. (United States); E. A. de Silva, GLOBALFOUNDRIES Inc. (United States); H. Yusuff, IBM Systems and Technology Group (United States); K. Yoon, SAMSUNG Electronics Co., Ltd. (United States); Y. Wei, GLOBALFOUNDRIES Inc. (United States); C. J. Wu, P. R. Varanasi, IBM Corp. (United States)
- 7972 17 **Fundamental study on reaction mechanisms in chemically amplified extreme ultraviolet resists by using 61nm free-electron laser** [7972-56]  
K. Okamoto, Hokkaido Univ. (Japan) and RIKEN (Japan); T. Kozawa, RIKEN (Japan) and Osaka Univ. (Japan); T. Hatsui, RIKEN (Japan); Y. Tajima, Hokkaido Univ. (Japan) and RIKEN (Japan); K. Oikawa, Hokkaido Univ. (Japan); M. Nagasono, T. Kameshima, RIKEN (Japan); T. Togashi, RIKEN (Japan) and JASRI (Japan); K. Tono, M. Yabashi, RIKEN (Japan); H. Kimura, RIKEN (Japan) and JASRI (Japan); Y. Senba, JASRI (Japan); H. Ohashi, RIKEN (Japan); T. Sumiyoshi, Hokkaido Univ. (Japan)
- 7972 18 **Bound PAG resists: an EUV and electron beam lithography performance comparison of fluoropolymers** [7972-44]  
L. D. Bozano, P. J. Brock, H. D. Truong, M. I. Sanchez, G. M. Wallraff, W. D. Hinsberg, R. D. Allen, M. Fujiwara, IBM Almaden Research Ctr. (United States); K. Maeda, Central Glass Co., Ltd. (Japan)

---

**SESSION 11 NOVEL MATERIALS AND PROCESSING II**

---

- 7972 19 **Addressing challenges in lithography using sub-millisecond post exposure bake of chemically amplified resists** [7972-45]  
B. Jung, C. K. Ober, M. O. Thompson, Cornell Univ. (United States); T. R. Younkin, M. Chandhok, Intel Corp. (United States)



- 7972 1A **Extending photo-patternable low- $\kappa$  concept to 193nm lithography and e-beam lithography** [7972-46]  
 Q. Lin, IBM Thomas J. Watson Research Ctr. (United States); A. Nelson, L. Bozano, P. Brock, IBM Almaden Research Ctr. (United States); S. Cohen, IBM Thomas J. Watson Research Ctr. (United States); B. Davis, IBM Almaden Research Ctr. (United States); R. Kwong, IBM Systems and Technology Group (United States); E. Liniger, D. Neumayer, IBM Thomas J. Watson Research Ctr. (United States); J. S. Rathore, IBM Almaden Research Ctr. (United States); H. Shobha, IBM Systems and Technology Group (United States); R. Sooriyakumaran, IBM Almaden Research Ctr. (United States); S. Purushothaman, IBM Thomas J. Watson Research Ctr. (United States); R. Miller, R. Allen, IBM Almaden Research Ctr. (United States); T. Spooner, IBM Systems and Technology Group (United States); R. Wisnieff, IBM Thomas J. Watson Research Ctr. (United States)
- 7972 1B **Process capability of implementing ArF negative resist into production** [7972-47]  
 M.-F. Tsai, Y.-L. Li, C.-T. Wu, Y.-S. Chang, C.-L. Lin, Powerchip Technology Corp. (Taiwan)
- 7972 1C **Development of an inorganic nanoparticle photoresist for EUV, e-beam, and 193nm lithography** [7972-48]  
 M. Krysak, M. Trikeriotis, E. Schwartz, Cornell Univ. (United States); N. Lafferty, P. Xie, B. Smith, Rochester Institute of Technology (United States); P. Zimmerman, Intel Corp. (United States); W. Montgomery, SEMATECH (United States); E. Giannelis, C. K. Ober, Cornell Univ. (United States)

---

**POSTER SESSION: EUV**

- 7972 1E **EUV negative-resist based on thiol-yne system** [7972-51]  
 M. Shirai, K. Maki, H. Okamura, Osaka Prefecture Univ. (Japan); K. Kaneyama, T. Itani, Semiconductor Leading Edge Technologies, Inc. (Japan)
- 7972 1G **High-sensitivity EUV resists based on fluorinated polymers** [7972-53]  
 T. Yamashita, M. Morita, Y. Tanaka, Daikin Industries, Ltd. (Japan); J. J. Santillan, T. Itani, Semiconductor Leading Edge Technologies, Inc. (Japan)
- 7972 1H **Characterization of EUV irradiation effects on polystyrene derivatives studied by x-ray photoelectron spectroscopy (XPS) and ultraviolet photoelectron spectroscopy (UPS)** [7972-54]  
 H. Yamamoto, T. Kozawa, S. Tagawa, Osaka Univ. (Japan) and Japan Science and Technology Agency, CREST (Japan)
- 7972 1I **Ultra-thin-film EUV resists beyond 20nm lithography** [7972-55]  
 H. Nakagawa, JSR Micro, Inc. (United States); T. Fujisawa, JSR Corp. (Japan); K. Goto, JSR Micro, Inc. (United States); T. Kimura, T. Kai, JSR Corp. (Japan); Y. Hishiro, JSR Micro, Inc. (United States)
- 7972 1J **Calculated reactivity analysis of photoacid generators for EUV resist** [7972-57]  
 M. Endo, S. Tagawa, Osaka Univ. (Japan) and Japan Science and Technology Agency, CREST (Japan)

## Part Two

---

### POSTER SESSION: NEGATIVE TONE

---

- 7972 1K **Defect printability analysis in negative tone development lithography** [7972-59]  
J. Heo, C. Oh, J. Lee, M. Park, H. Seo, C. Bok, D. Yim, S. Park, Hynix Semiconductor Inc. (Korea, Republic of)
- 7972 1L **A study on post-exposure delay of negative tone resist and its chemistry** [7972-60]  
M. Toukhy, M. Paunescu, C. Chen, AZ Electronic Materials (United States)

---

### POSTER SESSION: RESIST FUNDAMENTALS

---

- 7972 1M **Predicting resist sensitivity to chemical flare effects through use of exposure density gradient method** [7972-61]  
M. Hyatt, A. DeVilliers, K. Jain, Micron Technology, Inc. (United States)
- 7972 1N **Deprotonation mechanism of poly(styrene-acrylate)-based chemically amplified resist** [7972-62]  
Y. Tajima, Hokkaido Univ. (Japan); K. Okamoto, Hokkaido Univ. (Japan) and Japan Science and Technology Agency, CREST (Japan); T. Kozawa, S. Tagawa, Japan Science and Technology Agency, CREST (Japan) and Osaka Univ. (Japan); R. Fujiyoshi, T. Sumiyoshi, Hokkaido Univ. (Japan)
- 7972 1O **Diffusion of amines from resist to BARC layer** [7972-63]  
M. Shirai, T. Hatsuse, H. Okamura, Osaka Prefecture Univ. (Japan); S. Kimura, Y. Nakajima, Nissan Chemical Industries, Ltd. (Japan)
- 7972 1P **Reduction of micro-bridging defects for 193nm immersion resist** [7972-64]  
L. Gou, V. Nair, H. Mori, A. Olson, D. Swindler, A. Devilliers, Micron Technology, Inc. (United States)
- 7972 1Q **Study of major factors to affect photoresist profile on developable bottom anti-reflective coating process** [7972-65]  
H. J. Roh, D. K. Ju, H. J. Kim, J. Kim, Dongjin Semichem Co., Ltd. (Korea, Republic of)
- 7972 1R **Photoinitiated polymerization of new hybrid monomer containing vinyl ether and (methyl) acryloyl groups** [7972-66]  
C. Diao, Y. Zou, Beijing Normal Univ. (China)
- 7972 1S **Analysis of the generating action of the acid from PAG using acid sensitive dyes** [7972-67]  
A. Sekiguchi, Y. Matsumoto, H. Konishi, Litho Tech Japan Corp. (Japan); K. Moriyasu, Y. Morimoto, Ushio Inc. (Japan)
- 7972 1U **Primary structure control of ArF resist polymer by regulating feed rate of monomers and initiator** [7972-69]  
T. Oshikiri, A. Yasuda, K. Kato, S. Maeda, Mitsubishi Rayon Co., Ltd. (Japan)

- 7972 1W **A study of reactive adhesion promoters and their ability to mitigate pattern collapse in thin film lithography** [7972-113]  
W.-M. Yeh, R. A. Lawson, L. M. Tolbert, C. L. Henderson, Georgia Institute of Technology (United States)
- 7972 1X **A comprehensive model and method for model parameterization for predicting pattern collapse behavior in photoresist nanostructures** [7972-114]  
W.-M. Yeh, R. A. Lawson, C. L. Henderson, Georgia Institute of Technology (United States)
- 7972 1Y **The effect of drying rate on pattern collapse performance in thin film lithography** [7972-115]  
W.-M. Yeh, R. A. Lawson, L. M. Tolbert, C. L. Henderson, Georgia Institute of Technology (United States)

---

**POSTER SESSION: NOVEL MATERIALS**

- 7972 1Z **Hexafluoroalcohol (HFA) containing molecular resist materials for high-resolution lithographic applications** [7972-43]  
A. De Silva, IBM Thomas J. Watson Research Ctr. (United States); L. K. Sundberg, R. Sooriyakumaran, L. Bozano, G. Breyta, W. D. Hinsberg, IBM Almaden Research Ctr. (United States); M. Fujiwara, Central Glass Co., Ltd. (Japan)
- 7972 21 **Polymer-bound photobase generators and photoacid generators for pitch division lithography** [7972-71]  
Y. Cho, X. Gu, Y. Hagiwara, T. Kawakami, T. Ogata, B. Rawlings, The Univ. of Texas at Austin (United States); Y. Li, A. K. Sundaresan, N. J. Turro, Columbia Univ. (United States); R. Bristol, J. M. Blackwell, Intel Corp. (United States); C. G. Willson, The Univ. of Texas at Austin (United States)
- 7972 23 **Development of molecular resists based on Phenyl[4]calixarene for EBL** [7972-73]  
M. Takasuka, Y. Okada, H. Hayashi, M. Echigo, Mitsubishi Gas Chemical Co., Inc. (Japan)
- 7972 25 **Development of new Si-contained hardmask for tri-layer process** [7972-76]  
M. Nakajima, Y. Kanno, W. Shibayama, S. Takeda, M. Kato, T. Matsumoto, Nissan Chemical Industries, Ltd. (Japan)
- 7972 26 **Etch durable spin-on hard mask** [7972-77]  
M. Muramatsu, M. Iwashita, Tokyo Electron Kyusyu Ltd. (Japan); T. Kondo, H. Hirose, Tokyo Electron AT Ltd. (Japan); S. Fujimoto, Tokyo Electron Ltd. (Japan)
- 7972 27 **Implementation of KrF DBARCs for implant applications on advanced lithography nodes** [7972-78]  
J. Lowes, A. Guerrero, M. Weigand, C. Washburn, C. Stroud, Brewer Science, Inc. (United States); S. Sharma, D. Torres, M. Slezak, G. Dabbagh, C. Tang, JSR Micro, Inc. (United States)
- 7972 28 **A study of conductive material for e-beam lithography** [7972-79]  
W.-Y. Wang, C.-Y. Liu, T.-C. Chien, C.-C. Huang, S.-J. Lin, Y.-H. Chang, J. J.-H. Chen, C.-Y. Chang, Y.-C. Ku, B. J. Lin, Taiwan Semiconductor Manufacturing Co., Ltd. (Taiwan)

- 7972 29 **Development of plant-based resist materials in electron beam lithography** [7972-80]  
S. Takei, Toyama Prefectural Univ. (Japan) and Osaka Univ. (Japan); A. Oshima, N. Yanamori, Osaka Univ. (Japan); A. Sekiguchi, Toyama Prefectural Univ. (Japan); T. Kozawa, S. Tagawa, Osaka Univ. (Japan) and Japan Science and Technology Agency, CREST (Japan)
- 7972 2A **Environmentally friendly natural materials-based photoacid generators for next-generation photolithography** [7972-81]  
Y. Cho, C. Y. Ouyang, M. Krysak, Cornell Univ. (United States); W. Sun, V. Gamez, R. Sierra-Alvarez, The Univ. of Arizona (United States); C. K. Ober, Cornell Univ. (United States)
- 7972 2B **Synthesis and photo-initiated polymerization of silicon-containing hybrid monomers** [7972-82]  
F. Yuan, Z. Yingquan, Beijing Normal Univ. (China)
- 7972 2C **Development of hard mask resist materials in nanoimprint lithography** [7972-83]  
S. Takei, Toyama Prefectural Univ. (Japan), Osaka Univ. (Japan), and The Univ. of Texas at Austin (United States); T. Ogawa, The Univ. of Texas at Austin (United States)
- 7972 2D **Study on a few  $\alpha$ -disulfone compounds as photoacid generators** [7972-84]  
D. Guo, J. Liu, L. Wang, Beijing Normal Univ. (China)
- 7972 2E **Sensitive polysulfone based chain scissioning resists for 193nm lithography** [7972-86]  
Y. K. Goh, L. Chen, A. Dorgelo, The Univ. of Queensland (Australia); X. Peng, N. Lafferty, B. Smith, Rochester Institute of Technology (United States); P. Zimmerman, Intel Corp. (United States); W. Montgomery, Sematech (United States); I. Blakey, A. K. Whittaker, The Univ. of Queensland (Australia)
- 7972 2F **Comparisons of the new thick negative resist to Su8 resist** [7972-87]  
D. Bourrier, M. Dilhan, A. Ghannam, H. Granier, LAAS, CNRS (France) and Univ. de Toulouse (France)
- 7972 2H **Tailorable BARC system to provide optimum solutions for various substrates in immersion lithography** [7972-89]  
M. Swope, V. Krishnamurthy, Z. Zhu, D. Sullivan, S. Simmons, C. Cox, R. Bennett, C. Nesbit, Brewer Science, Inc. (United States)
- 7972 2I **Developing directly photodefinable substrate guiding layers for block copolymer directed self-assembly (DSA) patterning** [7972-111]  
J. Cheng, R. A. Lawson, W.-M. Yeh, L. M. Tolbert, C. L. Henderson, Georgia Institute of Technology (United States)

---

#### POSTER SESSION: NOVEL PROCESSES

- 7972 2J **Using positive photomasks to pattern SU-8 masking layers for fabricating inverse MEMS structures** [7972-90]  
S. A. Ostrow II, J. P. Lombardi III, R. A. Coutu, Jr., Air Force Institute of Technology (United States)

- 7972 2K **Negative photo-imageable spin-on dielectrics: report on progress, challenges, and opportunities** [7972-91]  
R. M. Zhang, C.-H. S. Lee, E. Wolfer, AZ Electronic Materials USA Corp. (United States); T. Nagahara, AZ Electronic Materials (Japan) K.K. (Japan); M. Neisser, R. R. Dammel, AZ Electronic Materials USA Corp. (United States)
- 7972 2L **Performance of tri-layer process required for 22 nm and beyond** [7972-92]  
Y. Wei, GLOBALFOUNDRIES Inc. (United States); M. Glodde, IBM Thomas J. Watson Research Ctr. (United States); H. Yusuff, M. Lawson, IBM Microelectronics (United States); S. Y. Chang, K. S. Yoon, SAMSUNG Electronics Co., Ltd. (United States); C.-H. Wu, IBM Microelectronics (United States); M. Kelling, GLOBALFOUNDRIES Inc. (United States)
- 7972 2M **Regeneration of imprint molds using vacuum ultraviolet light** [7972-93]  
M. Nakao, National Institute of Information and Communications Technology (Japan); M. Yamaguchi, S. Yabu, Ushio Inc. (Japan)
- 7972 2N **Plasma etching of high-resolution features in a fullerene molecular resist** [7972-94]  
J. Manyam, M. Manickam, J. A. Preece, R. E. Palmer, A. P. G. Robinson, The Univ. of Birmingham (United Kingdom)
- 7972 2O **Method of ellipsometric characterization of the resist and DBARC interface** [7972-95]  
M. Reilly, J. F. Cameron, S. Wong, A. Ware, Dow Advanced Materials (United States)
- 7972 2P **Process optimization of high aspect ratio sub-32nm HSQ/AR3 bi-layer resist pillar** [7972-97]  
W.-S. Chen, M.-J. Tsai, Industrial Technology Research Institute (Taiwan)
- 7972 2Q **The enhanced photoresist shrink process technique toward 22nm node** [7972-98]  
K. Oyama, S. Yamauchi, K. Yabe, A. Hara, S. Natori, H. Yaegashi, Tokyo Electron Ltd. (Japan)
- 7972 2S **LWR reduction and flow of chemically amplified resist patterns during sub-millisecond heating** [7972-100]  
B. Jung, C. K. Ober, M. O. Thompson, Cornell Univ. (United States); M. Chandhok, Intel Corp. (United States)
- 7972 2T **Critical challenges for non-critical layers** [7972-101]  
J. M. Gomez, I. Y. Popova, B. Zhang, H. Kry, IBM Corp. (United States); S. J. Holmes, IBM Thomas J. Watson Research Ctr. (United States); S. Nakagawa, Toshiba America Electronic Components Inc. (United States); T. Murakami, Renesas Electronics Corp. (United States); C. S. Chang, C. Kim, SAMSUNG Electronics Co., Ltd. (United States)
- 7972 2U **SUEx process optimization for ultra-thick high-aspect ratio LIGA imaging** [7972-102]  
D. W. Johnson, DJ DevCorp (United States); J. Goettert, V. Singh, D. Yemane, Louisiana State Univ. (United States)
- 7972 2V **E-beam patterning and stability study of sub-22nm HSQ pillars** [7972-103]  
W.-S. Chen, M.-J. Tsai, Industrial Technology Research Institute (Taiwan)

---

**POSTER SESSION: MANUFACTURING**

---

- 7972 2W **A study of an acid-induced defect on chemically amplified photoresist applied to sub-30nm NAND flash memory** [7972-104]  
Y.-H. Lim, J.-D. Eom, W.-Y. Jung, M.-S. Jang, B.-S. Lee, J.-W. Kim, Hynix Semiconductor Inc. (Korea, Republic of)
- 7972 2X **Investigation of processing performance and requirements for next generation lithography cluster tools** [7972-105]  
M. Enomoto, T. Shimoaoki, K. Nafus, N. Nakashima, K. Tsutsumi, H. Marumoto, H. Kosugi, Tokyo Electron Kyushu Ltd. (Japan); P. Derwin, R. Maas, C. Verspaget, J. Mallmann, R. Vangheluwe, I. Lamers, E. van der Heijden, S. Wang, ASML Netherlands B.V. (Netherlands)
- 7972 2Y **Characterization of filter performance on contact-hole defectivity** [7972-106]  
J. Braggin, Entegris, Inc. (United States); N. Vitorino, V. Monreal, J. Zook, AZ Electronic Materials USA Corp. (United States)
- 7972 2Z **Improving material-specific dispense processes for low-defect coatings** [7972-108]  
N. Brakensiek, Brewer Science, Inc. (United States); J. Braggin, Entegris, Inc. (United States); J. Berron, Brewer Science, Inc. (United States); R. Ramirez, K. Anderson, Entegris, Inc. (United States); B. Smith, Brewer Science, Inc. (United States)
- 7972 30 **Resist dispense system for further defect reduction** [7972-110]  
Y. Yamamoto, K. Nishi, K. Takayanagi, T. Okubo, T. Furusho, K. Yoshihara, T. Shibata, Tokyo Electron Kyushu Ltd. (Japan)

*Author Index*



# Conference Committee

## *Symposium Chairs*

**Donis G. Flagello**, Nikon Research Corporation of America (United States)

**Harry J. Levinson**, GLOBALFOUNDRIES Inc. (United States)

## *Conference Chairs*

**Robert D. Allen**, IBM Almaden Research Center (United States)

**Mark H. Somervell**, Tokyo Electron America, Inc. (United States)

## *Program Committee*

**Ramakrishnan Ayothi**, JSR Micro, Inc. (United States)

**George G. Barclay**, Dow Electronic Materials (United States)

**Luisa D. Bozano**, IBM Almaden Research Center (United States)

**Sean D. Burns**, IBM Corporation (United States)

**Ralph R. Dammel**, AZ Electronic Materials USA Corporation (United States)

**Roel Gronheid**, IMEC (Belgium)

**Douglas J. Guerrero**, Brewer Science, Inc. (United States)

**Clifford L. Henderson**, Georgia Institute of Technology (United States)

**Christopher K. Hohle**, Fraunhofer-Center Nanoelektronische Technologien (Germany)

**Scott W. Jessen**, Texas Instruments Inc. (United States)

**Yoshio Kawai**, Shin-Etsu Chemical Company, Ltd. (Japan)

**Qinghuang Lin**, IBM Thomas J. Watson Research Center (United States)

**Nobuyuki N. Matsuzawa**, Sony Corporation (Japan)

**Dah-Chung Owe-Yang**, Shin-Etsu MicroSi, Inc. (United States)

**Daniel P. Sanders**, IBM Almaden Research Center (United States)

**Thomas I. Wallow**, GLOBALFOUNDRIES Inc. (United States)

**Gregory M. Wallraff**, IBM Almaden Research Center (United States)

**Todd R. Younkin**, Intel Corporation (United States)

## *Session Chairs*

### 1 Invited Session

**Robert D. Allen**, IBM Almaden Research Center (United States)

**Mark H. Somervell**, Tokyo Electron America, Inc. (United States)



- 2 Novel Processing Special Topic: Negative-Tone Development I  
**Sean D. Burns**, IBM Corporation (United States)  
**George G. Barclay**, Dow Electronic Materials (United States)
- 3 EUV I: Joint Session with Conference 7969  
**Thomas I. Wallow**, GLOBALFOUNDRIES Inc. (United States)
- 4 Pitch Reduction and Double Patterning  
**Dah-Chung Owe-Yang**, Shin-Etsu MicroSi, Inc. (United States)  
**Nobuyuki N. Matsuzawa**, Sony Corporation (Japan)
- 5 Resist Fundamentals  
**Todd R. Younkin**, Intel Corporation (United States)  
**Roel Gronheid**, IMEC (Belgium)
- 6 Novel Processing Special Topic: Negative-Tone Development II  
**Ralph R. Dammel**, AZ Electronic Materials USA Corporation (United States)  
**Ramakrishnan Ayothi**, JSR Micro, Inc. (United States)
- 7 Directed Self-Assembly I: Selected Semiconductor Applications: Joint Session with Conference 7970  
**Daniel P. Sanders**, IBM Almaden Research Center (United States)
- 8 Simulation of Lithographic Phenomena  
**Scott W. Jessen**, Texas Instruments Inc. (United States)  
**Christoph K. Hohle**, Fraunhofer-Center Nanoelektronische Technologien (Germany)
- 9 EUV II: Joint Session with Conference 7969  
**Yoshio Kawai**, Shin-Etsu Chemical Company, Ltd. (Japan)
- 10 Novel Materials and Processing I  
**Qinghuang Lin**, IBM Thomas J. Watson Research Center (United States)  
**Douglas J. Guerrero**, Brewer Science, Inc. (United States)
- 11 Novel Materials and Processing II  
**Luisa D. Bozano**, IBM Almaden Research Center (United States)  
**Clifford L. Henderson**, Georgia Institute of Technology (United States)