Medical Imaging 2013

Biomedical Applications in Molecular, Structural, and Functional Imaging

John B. Weaver Robert C. Molthen Editors

10–13 February 2013 Lake Buena Vista, Florida, United States

Sponsored by SPIE

Cosponsored by

Aeroflex Incorporated • CREOL – The College Of Optics and Photonics, University of Central Florida (United States) • DQE Instruments, Inc. (Canada) • Medtronic, Inc. • PIXELTEQ, Multispectral Sensing & Imaging

Cooperating Organizations

AAPM—American Association of Physicists in Medicine (United States) • APS—American Physiological Society • CARS—Computer Assisted Radiology and Surgery (Germany) Medical Image Perception Society (United States) • Radiological Society of North America (United States) • The DICOM Standards Committee (United States) • Society for Imaging Informatics in Medicine (United States) • Florida Photonics Cluster (United States) World Molecular Imaging Society

Published by SPIE

Volume 8672

Proceedings of SPIE 1605-7422, V. 8672

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

Medical Imaging 2013: Biomedical Applications in Molecular, Structural, and Functional Imaging, edited by John B. Weaver, Robert C. Molthen, Proc. of SPIE Vol. 8672, 867201 © 2013 SPIE · CCC code: 1605-7422/13/\$18 · doi: 10.1117/12.2026638 The papers included in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. The papers published in these proceedings reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from this book:

Author(s), "Title of Paper," in Medical Imaging 2013: Biomedical Applications in Molecular, Structural, and Functional Imaging, edited by John B. Weaver, Robert C. Molthen, Proceedings of SPIE Vol. 8672 (SPIE, Bellingham, WA, 2013) Article CID Number.

ISSN: 1605-7422 ISBN: 9780819494467

Published by **SPIE** P.O. Box 10, Bellingham, Washington 98227-0010 USA Telephone +1 360 676 3290 (Pacific Time) · Fax +1 360 647 1445 SPIE.org

Copyright © 2013, Society of Photo-Optical Instrumentation Engineers.

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$18.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 1605-7422/13/\$18.00.

Printed in the United States of America.

Publication of record for individual papers is online in the SPIE Digital Library.



Paper Numbering: Proceedings of SPIE follow an e-First publication model, with papers published first online and then in print and on CD-ROM. Papers are published as they are submitted and meet publication criteria. A unique, consistent, permanent citation identifier (CID) number is assigned to each article at the time of the first publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online, print, and electronic versions of the publication. SPIE uses a six-digit CID article numbering system in which:

- The first four digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04,
- 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc.

The CID Number appears on each page of the manuscript. The complete citation is used on the first page, and an abbreviated version on subsequent pages. Numbers in the index correspond to the last two digits of the six-digit CID Number.

Contents

xiii Conference Committee

SESSION 1 NOVEL SENSING AND IMAGING METHODS

- A multimodal (MRI/ultrasound) cardiac phantom for imaging experiments [8672-77]
 V. Tavakoli, Univ. of Louisville (United States); M. Kendrick, Robley Rex VA Medical Ctr. (United States); M. Shakeri, Univ. of Louisville (United States); M. Alshaher, M. F. Stoddard, Robley Rex VA Medical Ctr. (United States); A. Amini, Univ. of Louisville (United States)
- 8672 03 Peripheral quantitative CT (pQCT) using a dedicated extremity cone-beam CT scanner [8672-2]

A. A. Muhit, S. Arora, M. Ogawa, Y. Ding, W. Zbijewski, J. W. Stayman, G. Thawait, The Johns Hopkins Univ. (United States); N. Packard, R. Senn, D. Yang, J. Yorkston, Carestream Health, Inc. (United States); C. O. Bingham III, The Johns Hopkins Univ. (United States); K. Means, MedStar Union Memorial Hospital (United States); J. A. Carrino, J. H. Siewerdsen, The Johns Hopkins Univ. (United States)

8672 04 Comparative studies of collimator performance in DaTscan (Ioflupane I-123) striatal SPECT [8672-3]

A. Krol, M. A. McGrath, B. T. Carey, D. H. Feiglin, SUNY Upstate Medical Univ. (United States)

8672 05 Fibrosis detection in renal artery stenosis mouse model using magnetization transfer MRI [8672-4]

B. Ebrahimi, S. I. Macura, B. E. Knudsen, J. P. Grande, L. O. Lerman, Mayo Clinic (United States)

8672 06 Quantification of microfluidic dye mixing using front line tracking in curvature scale space [8672-5]

S. Jonas, RWTH Aachen (Germany) and Yale School of Medicine (United States); E. Zhou, B. Huang, Yale School of Engineering and Applied Sciences (United States); M. A. Choma, Yale School of Medicine (United States) and Yale School of Engineering and Applied Sciences (United States); T. M. Deserno, RWTH Aachen (Germany)

SESSION 2 CARDIOVASCULAR

8672 08 Porcine pulmonary artery distension during static pressure inflation [8672-7]
 Y. C. Lee, A. Clark, The Univ. of Auckland (New Zealand); M. Fuld, S. Haynes, A. Divekar,
 E. Hoffman, The Univ. of Iowa (United States); M. Tawhai, The Univ. of Auckland (New Zealand)

8672 09 MRI-based hemodynamical analysis in patients with surgically treated aortic coarctations [8672-8]

M. Delles, M. Noe, Y.-T. Jeong, Karlsruhe Institute of Technology (Germany); S. Ley, Heidelberg Univ. Hospital (Germany) and Univ. of Toronto (Canada); H. von Tengg-Kobligk, Heidelberg Univ. Hospital (Germany) and German Cancer Research Ctr. (Germany); H.-U. Kauczor, Heidelberg Univ. Hospital (Germany); R. Dillmann, R. Unterhinninghofen, Karlsruhe Institute of Technology (Germany)

- 8672 0A Comparison of Cartesian, UTE radial, and spiral phase-contrast MRI in measurement of blood flow in extracranial carotid arteries: normal subjects [8672-9]
 M. Negahdar, M. Kadbi, V. Tavakoli, J. Heidenreich, A. A. Amini, Univ. of Louisville (United States)
- 8672 OB **Cardiac deformation analysis using 3D SinMod from 3D CSPAMM tagged MRI** [8672-10] H. Wang, Philips Healthcare (United States); A. A. Amini, Univ. of Louisville (United States)
- 8672 OC Improved cardiac motion detection from ultrasound images using TDIOF: a combined B-mode/ tissue Doppler approach [8672-11]
 V. Tavakoli, Univ. of Louisville (United States); M. F. Stoddard, A. A. Amini, Univ. of Louisville (United States) and Robley Rex VA Medical Ctr. (United States)

SESSION 3 IMAGE ANALYSIS AND MORPHOLOGY

- 8672 0D Texture-based CT Image analysis of asthma [8672-12]
 H. Hariharan, S. Wenzel, B. Zheng, B. Whiting, J. Pu, D. Gur, J. K. Leader, Univ. of Pittsburgh (United States)
- 8672 OE Quantitative measurement of MR cortical atrophy: MR brain surface intensity model (BSIM) and group and individual cortical thinning studies [8672-13]
 Z. Lin, G. Avinash, K. McMillan, L. Yan, S. Sirohey, GE Healthcare (United States);
 S. Minoshima, Univ. of Washington (United States)
- 8672 OF Statistical texture analysis based MRI quantification of Duchenne muscular dystrophy in a canine model [8672-14]

J. Wang, Z. Fan, The Univ. of North Carolina at Chapel Hill (United States); K. Vandenborne, G. Walter, Univ. of Florida (United States); Y. Shiloh-Malawsky, H. An, The Univ. of North Carolina at Chapel Hill (United States); J. N. Kornegay, The Univ. of North Carolina at Chapel Hill (United States) and Texas A&M Univ. (United States); M. A. Styner, The Univ. of North Carolina at Chapel Hill (United States)

Bevelopment of a method to image blood flow beneath the skull or tissue using ultrasonic speckle reflections [8672-15]
 J. Sadler, Z. Ahmed, Institute for Diagnostic Imaging Research, Univ. of Windsor (Canada);

K. Shapoori, Tessonics Inc. (Canada); A. Wydra, Institute for Diagnostic Imaging Research, Univ. of Windsor (Canada); E. Malyarenko, Tessonics Corp. (United States); E. Maeva, Univ. of Windsor (Canada); R. G. Maev, Institute for Diagnostic Imaging Research, Univ. of Windsor (Canada)

8672 0H MR-guided conformal microwave imaging for enhanced inclusion detection within irregularly shaped volumes [8672-16]
 N. R. Epstein, P. M. Meaney, K. D. Paulsen, Dartmouth College (United States)

SESSION 4 BRAIN IMAGING AND THERAPY

- 8672 0I Introducing anisotropic Minkowski functionals and quantitative anisotropy measures for local structure analysis in biomedical imaging [8672-17]
 A. Wismüller, T. De, Univ. of Rochester (United States); E. Lochmüller, F. Eckstein, Paracelsus Medical Univ. Salzburg (Austria); M. B. Nagarajan, Univ. of Rochester (United States)
- Fuzzy object models for newborn brain MR image segmentation [8672-18]
 S. Kobashi, Univ. of Hyogo (Japan) and Osaka Univ. (Japan); J. K. Udupa, Osaka Univ. (Japan)

8672 0K The ANTs cortical thickness processing pipeline [8672-19]

N. J. Tustison, Univ. of Virginia (United States); B. B. Avants, P. A. Cook, G. Song, S. Das, Univ. of Pennsylvania (United States); N. van Strien, Norwegian Univ. of Science and Technology (Norway); J. R. Stone, Univ. of Virginia (United States); J. C. Gee, Univ. of Pennsylvania (United States)

- 8672 0L CT image feature analysis in distinguishing radiation fibrosis from tumour recurrence after stereotactic ablative radiotherapy (SABR) for lung cancer: a preliminary study [8672-20]
 S. A. Mattonen, The Univ. of Western Ontario (Canada); D. A. Palma, The Univ. of Western Ontario (Canada) and London Regional Cancer Program (Canada); C. J. A. Haasbeek, S. Senan, Vrije Univ. Medical Ctr. (Netherlands); A. D. Ward, The Univ. of Western Ontario (Canada)
- Lateral ventricle morphology analysis via mean latitude axis [8672-21]
 B. Paniagua, A. Lyall, J.-B. Berger, The Univ. of North Carolina at Chapel Hill (United States);
 C. Vachet, The Univ. of Utah (United States); R. M. Hamer, S. Woolson, The Univ. of North Carolina at Chapel Hill (United States); W. Lin, The Univ. of North Carolina School of Medicine (United States); J. Gilmore, M. Styner, The Univ. of North Carolina at Chapel Hill (United States)
- 8672 0N Influence of different sources of noise on epileptic spike EEG source localization [8672-22] Y. Shirvany, Chalmers Univ. of Technology (Sweden) and Sahlgrenska Univ. Hospital (Sweden); X. Chen, P. Sharad Dhanpalwar, M. Mir Hashemi, Chalmers Univ. of Technology (Sweden); F. Edelvik, Fraunhofer-Chalmers Research Ctr. (Sweden); M. Persson, Chalmers Univ. of Technology (Sweden) and Sahlgrenska Univ. Hospital (Sweden)

SESSION 5 fMRI

- Fusing functional magnetic resonance image and electrophysiological data during face processing using joint independent component analysis [8672-23]
 X. Yang, X. Zhao, L. Yao, Beijing Normal Univ. (China); C. Wang, Beijing Normal Univ. (China) and Emory Univ. and Georgia Institute of Technology (United States)
- Real-time independent component analysis of fMRI using spatial constraint [8672-24]
 Z. Wang, Beijing Normal Univ. (China); H. Zhang, Peking Univ. (China); X. Wu, L. Yao,
 Z. Long, Beijing Normal Univ. (China)

- Motor execution and imagery: a comparison of the functional network based on ICA and hierarchical integration [8672-25]
 M. Hui, Beijing Normal Univ. (China); H. Zhang, Peking Univ. (China); R. Ge, L. Yao, Z. Long, Beijing Normal Univ. (China)
- 8672 OR Motor execution and imagination: a comparison of functional connectivity based on connection strength [8672-26]
 L. Xu, Beijing Normal Univ. (China); H. Zhang, Peking Univ. (China); M. Hui, Z. Long, L. Yao, Beijing Normal Univ. (China); Y. Liu, Peking Univ. (China)
- 8672 0S Exploring the relationship between N170's amplitudes and the activation of the picture visual stimuli using general linear model [8672-27]
 X. Zheng, X. Zhao, L. Yao, Beijing Normal Univ. (China); C. Wang, Beijing Normal Univ. (China) and Emory Univ. and Georgia Institute of Technology (United States)

SESSION 6 KEYNOTE AND FMRI AND BRAIN IMAGING

8672 OT Characterizing and utilizing fMRI fluctuations, patterns, and dynamics (Keynote Paper) [8672-28]

P. A. Bandettini, P. Kundu, J. Gonzalez-Castillo, M. Misaki, P. Guillod, National Institutes of Health (United States)

8672 0U Statistical bias in optimized VBM [8672-29]

N. J. Tustison, Univ. of Virginia (United States); B. B. Avants, P. A. Cook, J. C. Gee, Univ. of Pennsylvania (United States); J. R. Stone, Univ. of Virginia (United States)

8672 0V **3D of brain shape and volume after cranial vault remodeling surgery for craniosynostosis** correction in infants [8672-30]

B. Paniagua, O. Emodi, J. Hill, The Univ. of North Carolina at Chapel Hill (United States); J. Fishbaugh, The Univ. of Utah (United States); L. A. Pimenta, The Univ. of North Carolina at Chapel Hill (United States); S. R. Aylward, E. Andinet, Kitware, Inc. (United States); G. Gerig, The Univ. of Utah (United States); J. Gilmore, J. A. van Aalst, M. Styner, The Univ. of North Carolina at Chapel Hill (United States)

8672 0W Altered hemodynamic oscillations of resting-state networks in mesial temporal lobe epilepsy [8672-31]

X. Song, Peking Univ. (China); Y. Zhang, Xidian Univ. (China); H. Zhang, Q. Xie, Peking Univ. (China); S. Song, H. Xu, Huazhong Univ. of Science and Technology (China); Y. Liu, Peking Univ. (China) and Univ. of Florida (United States)

SESSION 7 PULMONARY IMAGING

8672 0X Multiscale multimodal fusion of histological and MRI volumes for characterization of lung inflammation [8672-32]
 M. Rusu, H. Wang, Case Western Reserve Univ. (United States); T. Golden, A. Gow, Rutgers Univ. (United States); A. Madabhushi, Case Western Reserve Univ. (United States)

8672 0Y Longitudinal assessment of treatment effects on pulmonary ventilation using 1H/3He MRI multivariate templates [8672-33]

N. J. Tustison, B. Contrella, T. A. Altes, Univ. of Virginia (United States); B. B. Avants, Univ. of Pennsylvania (United States); E. E. de Lange, J. P. Mugler III, Univ. of Virginia (United States)

8672 0Z Using CT imaging to quantify differences between young and elderly healthy lungs [8672-34] K. Subramaniam, The Univ. of Auckland (New Zealand); E. A. Hoffman, The Univ. of Iowa

K. Subramaniam, The Univ. of Auckland (New Zealand); E. A. Hoffman, The Univ. of Iowc (United States); M. H. Tawhai, The Univ. of Auckland (New Zealand)

8672 10 Graph-based segmentation of the pediatric trachea in MR images to model growth [8672-35] R. L. Amendola, J. M. Reinhardt, Y. Sato, M. B. Zimmerman, H. R. Diggelmann,

R. L. Amendola, J. M. Reinhardt, Y. Sato, M. B. Zimmerman, H. R. Diggelmann D. Kacmarynski, The Univ. of Iowa (United States)

8672 11 Stochastic tracking of small pulmonary vessels in human lung alveolar walls using synchrotron radiation micro CT images [8672-36]
Y. Kawata, N. Niki, Univ. of Tokushima (Japan); K. Umetani, Japan Synchrotron Radiation Research Institute (Japan); Y. Nakano, Shiga Univ. of Medical Science (Japan);
H. Ohamatsu, National Cancer Ctr. Hospital East (Japan); N. Moriyama, National Cancer Ctr. (Japan); H. Itoh, Univ. of Fukui (Japan)

- 8672 12 From imaging to functional outcome in pulmonary embolism [8672-37]
 A. R. Clark, The Univ. of Auckland (New Zealand); K. S. Burrowes, Univ. of Oxford (United Kingdom); D. G. Milne, M. L. Wilsher, Auckland City Hospital (New Zealand); M. H. Tawhai, The Univ. of Auckland (New Zealand)
- 8672 13 Strain as a novel index of regional pulmonary function from thoracic 4D CT images: in-vivo validation with tomographic SPECT ventilation and perfusion [8672-38]
 M. Negahdar, Stanford Univ. School of Medicine (United States); N. Dunlap, A. Zacarias, A. C. Civelek, S. Y. Woo, A. A. Amini, Univ. of Louisville (United States)

SESSION 8 OPTICAL IMAGING

- 8672 14 Automated 3D region-based volumetric estimation of optic disc swelling in papilledema using spectral-domain optical coherence tomography [8672-39]
 J.-K. Wang, M. S. Miri, The Univ. of Iowa (United States); R. H. Kardon, M. K. Garvin, The Univ. of Iowa (United States) and VA Ctr. for the Prevention and Treatment of Visual Loss (United States)
- 8672 16 Evaluation of embolic deflection devices using optical particle tracking [8672-41]
 C. N. Ionita, D. R. Bednarek, S. Rudin, Toshiba Stroke and Vascular Research Ctr., Univ. at Buffalo (United States)
- Biodistribution study of nanoparticle encapsulated photodynamic therapy drugs using multispectral imaging [8672-43]
 L. V. Halig, D. Wang, Emory Univ. (United States); A. Y. Wang, Ocean NanoTech LLC (United States); Z. G. Chen, Emory Univ. (United States); B. Fei, Emory Univ. (United States) and Emory Univ. and Georgia Institute of Technology (United States)

SESSION 9 NANOPARTICLE IMAGING AND SENSING

- 8672 19 Single-sided magnetic particle imaging: magnetic field and gradient [8672-44]
 K. Gräfe, M. Grüttner, T. F. Sattel, M. Graeser, T. M. Buzug, Univ. zu Lübeck (Germany)
- 8672 1 A System matrices for field of view patches in magnetic particle imaging [8672-45] M. Grüttner, T. F. Sattel, F. Griese, T. M. Buzug, Univ. zu Lübeck (Germany)
- 8672 1B Scanner setup and reconstruction for three-dimensional magnetic particle imaging [8672-46] I. Wawrzik, C. Kuhlmann, F. Ludwig, M. Schilling, Jachnische Univ. Proupschweig, (Cormany

T. Wawrzik, C. Kuhlmann, F. Ludwig, M. Schilling, Technische Univ. Braunschweig (Germany)

- 8672 1C Langevin equation simulation of Brownian magnetic nanoparticles with experimental and model comparisons [8672-47]
 D. B. Reeves, Dartmouth College (United States); J. Weizenecker, Univ. of Applied Science Karlsruhe (Germany); J. B. Weaver, Dartmouth College (United States) and Dartmouth-Geisel School of Medicine (United States)
- Magnetic red blood cells as new contrast agents for MRI applications [8672-48]
 A. Antonelli, C. Sfara, Univ. of Urbino Carlo Bo (Italy); E. Manuali, S. Salamida, Experimental Zooprofilactic Institute of Umbria and Marche (Italy); G. Louin, Guerbet Research Group (France); M. Magnani, Univ. of Urbino Carlo Bo (Italy)

8672 1E Interstitial detection of gold nanoparticles in deep tissues with optical radiance using porcine phantom [8672-49]
 S. Grabtchak, Univ. of Prince Edward Island (Canada) and Dalhousie Univ. (Canada);
 E. Tonkopi, QEII Health Sciences Ctr. (Canada) and Dalhousie Univ. (Canada);
 W. M. Whelan, Univ. of Prince Edward Island (Canada) and Atlantic Veterinary College (Canada)

SESSION 10 ELASTOGRAPHY METHODS: JOINT SESSION WITH CONFERENCES 8672 AND 8675

- 8672 1F A consistent pre-clinical/clinical elastography approach for assessing tumor mechanical properties in therapeutic systems [8672-50]
 J. A. Weis, T. E. Yankeelov, S. A. Munoz, Vanderbilt Univ. (United States); R. A. Sastry, Stanford Univ. (United States); S. L. Barnes, L. R. Arlinghaus, X. Li, M. I. Miga, Vanderbilt Univ. (United States)
- A mechanically coupled reaction diffusion model of breast tumor response during neoadjuvant chemotherapy [8672-51]
 J. A. Weis, M. I. Miga, X. Li, L. R. Arlinghaus, A. B. Chakravarthy, V. Abramson, R. G. Abramson, J. Farley, T. E. Yankeelov, Vanderbilt Univ. (United States)
- 8672 11 Stable automated segmentation of liver MR elastography images for clinical stiffness measurement [8672-53]
 B. Dzyubak, S. K. Venkatesh, K. Glaser, M. Yin, J. Talwalkar, J. Chen, A. Manduca, R. L. Ehman, Mayo Clinic (United States)

8672 1J Characterizing healthy and osteoarthritic knee cartilage on phase contrast CT with geometric texture features [8672-54]

M. B. Nagarajan, Univ. of Rochester (United States); P. Coan, Ludwig Maximilians Univ. Munich (Germany) and European Synchrotron Radiation Facility (France); M. B. Huber, Univ. of Rochester (United States); P. C. Diemoz, Ludwig Maximilians Univ. Munich (Germany) and European Synchrotron Radiation Facility (France); C. Glaser, Ludwig Maximilians Univ. Munich (Germany); A. Wismüller, Univ. of Rochester (United States) and Ludwig Maximilians Univ. Munich (Germany)

SESSION 11 ELASTOGRAPHY: MSK APPLICATIONS: JOINT SESSION WITH CONFERENCES 8672 AND 8675

8672 1K Predicting the biomechanical strength of proximal femur specimens through high dimensional geometric features and support vector regression [8672-55]
 C.-C. Yang, M. B. Nagarajan, M. B. Huber, Univ. of Rochester (United States);
 J. Carballido-Gamio, Univ. of California, San Francisco (United States); J. S. Bauer, T. Baum, Technische Univ. München (Germany); F. Eckstein, E. Lochmüller, Paracelsus Medical Univ. Salzburg (Austria); S. Majumdar, T. M. Link, Univ. of California, San Francisco (United States);
 A. Wismüller, Univ. of Rochester (United States) and Ludwig Maximilians Univ. Munich (Germany)

3D micron-scale imaging of the cortical bone canal network in human osteogenesis imperfecta (OI) [8672-56]

J. R. Jameson, Lawrence Berkeley National Lab. (United States), Marquette Univ. (United States), and Orthopaedic and Rehabilitation Engineering Ctr., Marquette Univ. (United States); C. I. Albert, Marquette Univ. (United States), Orthopaedic and Rehabilitation Engineering Ctr., Marquette Univ. (United States), and Shriners Hospitals for Children (United States); B. Busse, Univ. Medical Ctr. Hamburg-Eppendorf (Germany); P. A. Smith, Orthopaedic and Rehabilitation Engineering Ctr., Marquette Univ. (United States); G. F. Harris, Marquette Univ. (United States), Orthopaedic and Rehabilitation Engineering Ctr., Marquette Univ. (United States) and Shriners Hospitals for Children (United States); G. F. Harris, Marquette Univ. (United States), Orthopaedic and Rehabilitation Engineering Ctr., Marquette Univ. (United States), Orthopaedic and Rehabilitation Engineering Ctr., Marquette Univ. (United States), Orthopaedic and Rehabilitation Engineering Ctr., Marquette Univ. (United States), Orthopaedic and Rehabilitation Engineering Ctr., Marquette Univ. (United States), Orthopaedic and Rehabilitation Engineering Ctr., Marquette Univ. (United States), Orthopaedic and Rehabilitation Engineering Ctr., Marquette Univ. (United States), and Shriners Hospitals for Children (United States)

- Assessment and characterization of in situ rotator cuff biomechanics [8672-57]
 E. A. Trent, Clemson Univ. (United States); L. Bailey, F. N. Mefleh, Proaxis Therapy (United States) and Univ. of South Carolina (United States); V. P. Raikar, Clemson Univ. (United States); E. Shanley, C. A. Thigpen, Proaxis Therapy (United States); D. Dean, D. M. Kwartowitz, Clemson Univ. (United States)
- 8672 1N Non-invasive quantitative assessment of scoliosis spinal surgery outcome [8672-58]
 L. Seoud, École Polytechnique de Montréal (Canada); F. Cheriet, École Polytechnique de Montréal (Canada) and Sainte Justine Hospital Research Ctr. (Canada); H. Labelle, S. Parent, Sainte Justine Hospital Research Ctr. (Canada)

SESSION 12 KEYNOTE AND ULTRASOUND AND MR ELASTOGRAPHY: JOINT SESSION WITH CONFERENCES 8672 AND 8675

8672 10 A full inversion unconstrained ultrasound elastography technique for prostate cancer assessment [8672-59]
 S. R. Mousavi, Western Univ. (Canada); A. Samani, Western Univ. (Canada) and Robarts Research Institute (Canada)

8672 1P Development of a poroelastic dynamic mechanical analysis technique for biphasic media [8672-60]

A. J. Pattison, M. D. J. McGarry, Dartmouth College (United States); J. B. Weaver, K. D. Paulsen, Dartmouth College (United States) and Dartmouth-Hitchcock Medical Ctr. (United States)

POSTER SESSION

8672 1R Abdominal adiposity quantification at MRI via fuzzy model-based anatomy recognition [8672-63]

Y. Tong, J. K. Udupa, D. Odhner, The Univ. of Pennsylvania Health System (United States); S. Sin, R. Arens, Children's Hospital at Montefiore, Albert Einstein College of Medicine (United States)

- 8672 1U Quantitative analysis of the effect of phosphorylated tau on cellular microfilament networks [8672-66] D. Sturm, A. Alonso, College of Staten Island (United States); C. Corbo, Wagner College (United States); I. Osores, C. Murillo, College of Staten Island (United States)
- 8672 1V Classifying spatial patterns of fMRI activity for object category based on information mappina [8672-67]

X. OuYang, C. Yan, L. Yao, X. Guo, Beijing Normal Univ. (China)

8672 1W A visualization platform for high-throughput, follow-up, co-registered multi-contrast MRI rat brain data [8672-69] A. Khmelinskii, Leiden Univ. Medical Ctr. (Netherlands); L. Mengler, Max Planck Institute for

Neurological Research (Germany); P. Kitslaar, M. Staring, Leiden Univ. Medical Ctr. (Netherlands); M. Hoehn, Max Planck Institute for Neurological Research (Germany); B. Lelieveldt, Leiden Univ. Medical Ctr. (Netherlands) and Delft Univ. of Technology (Netherlands)

- 8672 1X An automated method for registration and perfusion analysis of pulmonary CT data for evaluating response to radiotherapy in patient with non-small cell lung cancer [8672-70] Y.-T. Lee, C.-H. Tsou, National Taiwan Univ. (Taiwan); Y.-C. Chang, National Taiwan Univ. Hospital (Taiwan); C.-M. Chen, National Taiwan Univ. (Taiwan)
- 8672 1Y Multiparametric prediction of acute ischemic stroke tissue outcome using CT perfusion datasets [8672-71] N. D. Forkert, J. Fiehler, S. Siemonsen, A. Kemmling, Univ. Medical Ctr. Hamburg-Eppendorf

(Germany)

8672 1Z Realistic comparison between aneurysmal wall shear stress vector and blood rheology in patient-specific computational hemodynamic models [8672-72] M. A. Castro, Consejo Nacional de Investigaciones Científicas y Técnicas (Argentina); M. C. Ahumada Olivares, Univ. Favaloro (Argentina); C. M. Putman, Inova Fairfax Hospital (United States); J. R. Cebral, George Mason Univ. (United States)

- 8672 20 Intracranial aneurysm wall motion and wall shear stress from 4D computerized tomographic angiography images [8672-73]
 M. A. Castro, Consejo Nacional de Investigaciones Científicas y Técnicas (Argentina);
 M. C. Ahumada Olivares, Univ. Favaloro (Argentina); C. M. Putman, Inova Fairfax Hospital (United States); J. R. Cebral, George Mason Univ. (United States)
- 8672 21 Automated 3D mouse lung segmentation from CT images for extracting quantitative tumor progression biomarkers [8672-74]
 R. Ren, The Univ. of Southern California (United States) and Merck Research Labs. (United States); S. Somayajula, R. Sevilla, A. Vanko, M. C. Wiener, B. Dogdas, W. Zhang, Merck Research Labs. (United States)
- 8672 22 Optimization of automated segmentation of monkeypox virus-induced lung lesions from normal lung CT images using hard C-means algorithm [8672-75]
 M. A. Castro, Consejo Nacional de Investigaciones Científicas y Técnicas (Argentina) and National Institutes of Health (United States); D. Thomasson, National Institutes of Health (United States); N. A. Avila, Washington D.C. Veterans Affairs Medical Ctr. (United States) and National Institutes of Health (United States); J. Hufton, J. Senseney, R. F. Johnson, J. Dyall, National Institutes of Health (United States)
- Reduced centrality of Wernicke's area in autism (Cum Laude Poster Award) [8672-78]
 C. J. Goch, B. Stieltjes, German Cancer Research Ctr. (Germany); R. Henze, German Cancer Research Ctr. (Germany) and Heidelberg Univ. Hospital (Germany); J. Hering, H.-P. Meinzer, K. H. Fritzsche, German Cancer Research Ctr. (Germany)

Author Index

Conference Committee

Symposium Chairs

Nico Karssemeijer, Radboud University Nijmegen Medical Center (Netherlands) Ehsan Samei, Duke University (United States)

Conference Chairs

John B. Weaver, Dartmouth Hitchcock Medical Center United States) Robert C. Molthen, Medical College of Wisconsin (United States)

Conference Program Committee

Amir A. Amini, University of Louisville (United States) Thorsten M. Buzug, Universität zu Lübeck (Germany) Juan R. Cebral, George Mason University (United States) Yu Chen, University of Maryland, College Park (United States) Anne Clough, Marquette University (United States) Barjor Gimi, Geisel School of Medicine at Dartmouth (United States) Andreas H. Hielscher, Columbia University (United States) Xiaoping P. Hu, Emory University (United States) Xavier Intes, Rensselaer Polytechnic Institute (United States) Andrzej Krol, SUNY Upstate Medical University (United States) John F. LaDisa, Marquette University (United States) Armando Manduca, Mayo Clinic College of Medicine (United States) Erik Leo Ritman, Mayo Clinic (United States) Merryn H. Tawhai, The University of Auckland (New Zealand) Nicholas J. Tustison, University of Virginia (United States) Axel Wismüller, University of Rochester Medical Center (United States)

Session Chairs

- Novel Sensing and Imaging Methods
 Erik Leo Ritman, Mayo Clinic (United States)
 Amir A. Amini, University of Louisville (United States)
- 2 Cardiovascular **Robert C. Molthen**, Medical College of Wisconsin (United States)

- Image Analysis and Morphology
 Nicholas J. Tustison, University of Virginia (United States)
 Erik Leo Ritman, Mayo Clinic (United States)
- Brain Imaging and Therapy
 Andrzej Krol, SUNY Upstate Medical University (United States)
 Axel Wismüller, University of Rochester Medical Center (United States)
- 5 fMRI
 Axel Wismüller, University of Rochester Medical Center (United States)
 Xiaoping P. Hu, Emory University (United States)
- Keynote and fMRI and Brain Imaging
 John B. Weaver, Dartmouth Hitchcock Medical Center (United States)
 Robert C. Molthen, Medical College of Wisconsin (United States)
- Pulmonary Imaging
 Robert C. Molthen, Medical College of Wisconsin (United States)
 Merryn H. Tawhai, The University of Auckland (New Zealand)
 Anne Clough, Marquette University (United States)
- 8 Optical Imaging
 Yu Chen, University of Maryland, College Park (United States)
 Andreas H. Hielscher, Columbia University (United States)
- 9 Nanoparticle Imaging and Sensing
 John B. Weaver, Dartmouth Hitchcock Medical Center (United States)
 Thorsten M. Buzug, Universität zu Lübeck (Germany)
- Elastography Methods: Joint Session with Conferences 8672 and 8675
 John B. Weaver, Dartmouth Hitchcock Medical Center (United States)
 Marvin M. Doyley, University of Rochester (United States)
- 11 Elastography: MSK Applications: Joint Session with Conferences 8672 and 8675

Armando Manduca, Mayo Clinic College of Medicine (United States) Marvin M. Doyley, University of Rochester (United States) 12 Keynote and Ultrasound and MR Elastography: Joint Session with Conferences 8672 and 8675
 Chris L. de Korte, Radboud University Nijmegen Medical Center (Netherlands)
 Johan G. Bosch, Erasmus University Rotterdam (Netherlands)