PROCEEDINGS OF SPIE

3rd International Conference on Laser, Optics, and Optoelectronic Technology (LOPET 2023)

Xiaotian Li Manuel Filipe Costa Editors

26–28 May 2023 Kunming, China

Organized by

Guangdong Engineering Laboratory of IoT IC and System Application Technologies (China)

Sponsored by

AEIC-Academic Exchange Information Centre (China)

Published by SPIE

Volume 12757

Proceedings of SPIE 0277-786X, V. 12757

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at SPIEDigitalLibrary.org.

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings:

Author(s), "Title of Paper," in 3rd International Conference on Laser, Optics, and Optoelectronic Technology (LOPET 2023), edited by Xiaotian Li, Manuel Filipe Costa, Proc. of SPIE 12757, Seven-digit Article CID Number (DD/MM/YYYY); (DOI URL).

ISSN: 0277-786X

ISSN: 1996-756X (electronic)

ISBN: 9781510667624

ISBN: 9781510667631 (electronic)

Published by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA Telephone +1 360 676 3290 (Pacific Time)

SPIE.org

Copyright © 2023 Society of Photo-Optical Instrumentation Engineers (SPIE).

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of fees. To obtain permission to use and share articles in this volume, visit Copyright Clearance Center at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher.

Printed in the United States of America by Curran Associates, Inc., under license from SPIE.

Publication of record for individual papers is online in the SPIE Digital Library.



Paper Numbering: A unique citation identifier (CID) number is assigned to each article in the Proceedings of SPIE at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

- The first five digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

Contents

xi Conference Committee

INTEGRATED OPTICS APPLICATION AND TECHNOLOGY OPTIMIZATION

12757 02	Ink layer thickness detection based on laser triangulation technology [12757-8]
12757 03	Qualitative and quantitative analysis of mixtures using terahertz spectroscopy combined with machine learning [12757-53]
12757 04	Wavefront phase reconstruction of plenoptic sensor based on centroid method [12757-159]
12757 05	Frequency-resolved optical mode decomposition of multimode quantum fields [12757-161]
12757 06	Study on optical properties and photocatalytic properties of layered MoO ₃ [12757-111]
12757 07	Signal enhancement and mechanism analysis of pulse shaped femtosecond laser-induced breakdown spectroscopy of fused silica [12757-13]
12757 08	Effect of laser spot offsets on microstructures and mechanical properties of LZ91 and TC4 alloys laser welding joint [12757-116]
12757 09	Laser oscillation welding process control of LZ91 magnesium-lithium alloy/TC4 titanium alloys [12757-77]
12757 0A	Efficient coupling interface for hybrid integration of DFB lasers on 3µm SOI waveguide platform [12757-117]
12757 OB	Research on hyperspectral polarization detection for unexploded ordnance target identification [12757-74]
12757 OC	Thick-mask optimization based on particle swarm optimization algorithm [12757-25]
12757 OD	Elliptical polarization characterization of scattered light in dark field defect inspection technology [12757-35]
12757 OE	Micro-angle attitude measurement technology and research progress based on quantum weak value measurement [12757-145]
12757 OF	Planar crystal array spectrometer for simultaneous spectrum and integrated time spectrum measurement of pulse characteristic x-ray [12757-91]
12757 0G	Applications of GaN HEMT: current state and future trends [12757-120]

12757 OH	Research on precise proportioning method of matrine by applying spectral analysis technique [12757-89]
12757 OI	Simulation research on adaptive nulling technology based on wavelength selective switching delay network [12757-46]
12757 OJ	Research on the observation modes of high-precision automated ground-solar-sky radiometer [12757-137]
12757 OK	Complex non-diffracting bessel-like beams shaping method based on separable radial and azimuthal dependence phase designing [12757-43]
12757 OL	Free-space optical link for quantum key distribution using unmanned vehicle [12757-39]
12757 OM	High-finesse optical enhancement cavity and its finesse measurement [12757-54]
12757 ON	A data processing system for range optical measurement [12757-62]
12757 00	A thermo-optic switch based on RAMZI with graphene heater [12757-108]
12757 OP	Research on the application of sagnac interference combined with multimode interference in vibration measurement [12757-80]
12757 0Q	Research on temperature control technology for laser molding of thermoplastic composite materials [12757-61]
12757 OR	Optical imaging method of space target based on compressive sensing [12757-100]
12757 OS	Research on the effect of pulsed UV light on microbial photoreactivation [12757-42]
12757 OT	Creating a spatial quasi-spherical focal spot and optical ring with controllable characteristics based on orthogonally superimposed dipoles antenna [12757-28]
12757 OU	Ultra wideband flexible frequency conversion for integrated electronic systems [12757-70]
12757 OV	The demonstration of integrated coupled DFB lasers to generate tunable microwave signal [12757-69]
	ELECTROMAGNETIC WAVE AND SUPERCONDUCTOR MATERIAL RESEARCH
	ELECTROMAGNETIC WAVE AND 301 ERCONDUCTOR MATERIAL RESEARCH
12757 OW	Research on the current modulated short coherent light source based on semiconductor laser [12757-131]
12757 OX	Numerical analysis of thermal lens effects in a nonplanar ring oscillator [12757-115]
12757 OY	Study of the polarization conversion characteristics of surface liquid crystal vertical cavity surface emitting lasers [12757-20]

12757 OZ	Preparation and properties study of double flame agent synergetic radiation yellow light illuminant [12757-2]
12757 10	Experimental study on the photocatalytic reduction of CO ₂ by Bi ₂ WO ₆ /g-C ₃ N ₄ composite photocatalyst [12757-84]
12757 11	Coherent square pulse generation based on continuous wave phase modulation for SSMB [12757-119]
12757 12	Study on polarization characteristics of LC-VCSEL arrays by liquid crystal rotation angle [12757-130]
12757 13	Liquid zoom lens through remote control [12757-15]
12757 14	The hydrogen peroxide sensors based on localized surface plasmon resonance in Ag-PVA nanocomposite [12757-55]
12757 15	Optical chirality signal enhancement of spherical particles based on polarization vortex beams [12757-52]
12757 16	Electro-optical transient response study of pulsed VCSEL arrays [12757-154]
12757 17	Emergence of topological phases in the anisotropic electromagnetic media [12757-71]
12757 18	Slippery liquid infused surface with corrosion resistance fabricated through temporally shaped femtosecond laser processing [12757-136]
12757 19	Study on the influence of laser pulse width on nanosecond pulse laser cleaning of 2A12 aluminum alloy surface composite coating [12757-143]
12757 1A	The influence of laser power on the effect of different paint layers on the surface of 2024 aluminum alloy with nanosecond pulse laser [12757-141]
12757 1B	Femtosecond laser ablation evolution of ultrahard double-layer films [12757-156]
12757 1C	Life prediction of lithium titanate batteries for high energy laser systems [12757-19]
12757 1D	Femtosecond laser surface treatment of aerospace high modulus CFRP composites and its effect on surface wettability [12757-118]
12757 1E	Ultrafast carrier dynamics in metallic Ti_2CT_x and semiconductor-like Nb ₄ C ₃ T _x MXenes [12757-134]
12757 1F	Theoretical analysis of rotational Doppler effect when vortex beam is misaligned with rotational axis [12757-31]
12757 1G	Analysis of the effect of surface recombination on the results of microwave photoconductive decay method for measuring minority carrier lifetime of HgCdTe epilayers [12757-124]

12757 1H	A frequency-hopping system based on optical frequency comb [12757-60]
12757 11	Research on calculation of heliostat spot center point based on openCV [12757-73]
12757 1J	High sensitivity sensing by all-dielectric metasurface via dual bound states in the continuum [12757-66]
12757 1K	Optical-carrier radio-frequency phase stabilization transfer based on phase lock loop [12757-38]
12757 1L	Research on PV power fluctuation smoothing control strategy based on ESS [12757-121]
12757 1M	Sum frequency generation of semiconductor laser based on V-shaped spectral beam combining [12757-128]
12757 1N	Design of a power supply protection circuit with EMI suppression function [12757-94]
12757 10	Study of window functions for the Moiré fringe phase demodulation [12757-135]
12757 1P	Improved center strip extraction algorithm based on Steger algorithm [12757-10]
	OPTOELECTRONIC DEVICE AND MACHINE VISION ANALYSIS
12757 1Q	High repetition rate passively Q-switched microchip laser at 1.5 µm [12757-30]
12757 1Q 12757 1R	
	High repetition rate passively Q-switched microchip laser at 1.5 µm [12757-30] An improved iterative nearest point registration method for vehicle-mounted laser point cloud
12757 1R	High repetition rate passively Q-switched microchip laser at 1.5 µm [12757-30] An improved iterative nearest point registration method for vehicle-mounted laser point cloud [12757-110] Large bandwidth and high efficiency silicon nitride grating coupler with bottom reflector
12757 1R 12757 1S	High repetition rate passively Q-switched microchip laser at 1.5 µm [12757-30] An improved iterative nearest point registration method for vehicle-mounted laser point cloud [12757-110] Large bandwidth and high efficiency silicon nitride grating coupler with bottom reflector [12757-148] A wavelength-multiplexed photonic tensor processor based on Mach-Zehnder modulator
12757 1R 12757 1S 12757 1T	High repetition rate passively Q-switched microchip laser at 1.5 µm [12757-30] An improved iterative nearest point registration method for vehicle-mounted laser point cloud [12757-110] Large bandwidth and high efficiency silicon nitride grating coupler with bottom reflector [12757-148] A wavelength-multiplexed photonic tensor processor based on Mach-Zehnder modulator [12757-160] Flexible non-fullerene organic photodetectors enabled by a tin ions-chelated polymer
12757 1R 12757 1S 12757 1T 12757 1U	High repetition rate passively Q-switched microchip laser at 1.5 µm [12757-30] An improved iterative nearest point registration method for vehicle-mounted laser point cloud [12757-110] Large bandwidth and high efficiency silicon nitride grating coupler with bottom reflector [12757-148] A wavelength-multiplexed photonic tensor processor based on Mach-Zehnder modulator [12757-160] Flexible non-fullerene organic photodetectors enabled by a tin ions-chelated polymer cathode interfacial layer [12757-152]
12757 1R 12757 1S 12757 1T 12757 1U 12757 1V	High repetition rate passively Q-switched microchip laser at 1.5 µm [12757-30] An improved iterative nearest point registration method for vehicle-mounted laser point cloud [12757-110] Large bandwidth and high efficiency silicon nitride grating coupler with bottom reflector [12757-148] A wavelength-multiplexed photonic tensor processor based on Mach-Zehnder modulator [12757-160] Flexible non-fullerene organic photodetectors enabled by a tin ions-chelated polymer cathode interfacial layer [12757-152] Design of 21 mega-pixel mobile phone lens [12757-14] Ultra-broadband and low loss silicon photonic power splitter with enhanced coupling of

12757 1Z	Preparation of Bi ₂ S ₃ nanorod and their photocatalytic activity [12757-146]
12757 20	Parameters affecting the plasma block acceleration driven by a linearly polarized laser pulse [12757-56]
12757 21	The change of reflectivity of CFRP femtosecond laser ablation based on pump-probe [12757-76]
12757 22	Ultra-broadband, compact, low-loss 3-dB power splitter using adiabatic subwavelength grating in silicon-on-insulator [12757-51]
12757 23	Research on the detection method of gold based on laser-induced breakdown spectroscopy [12757-23]
12757 24	Femtosecond laser rapidly targets gene transfection and regulates cell expression [12757-44]
12757 25	A single-pass two-stage Nd: YVO ₄ picosecond laser system [12757-9]
12757 26	Multi-wavelength mode-locked erbium-doped fiber laser employing NPR and multi-mode fiber [12757-3]
12757 27	3.8 kW high brightness MOPA fiber laser [12757-12]
12757 28	Experimental study on spectral morphological changes of narrow pulse width picosecond lasers [12757-5]
12757 29	Repetitive frequency broad tunable high beam quality 1064 nm laser [12757-7]
12757 2A	Antireflective micro hole array on ZnS surface by femtosecond laser [12757-151]
12757 2B	Experimental and numerical study on molten pool dynamics and porosity formation mechanism of laser beam oscillation welding of titanium and aluminum [12757-59]
12757 2C	Effects of laser parameters on microgrooves morphology of SiC/SiC composites fabricated by femtosecond laser [12757-155]
12757 2D	Femtosecond laser controllable processing of micro/nano structures on zinc surfaces [12757-34]
12757 2E	An improved active quenching equivalent circuit model for single-photon avalanche photodiodes with avalanche self-sustainability [12757-85]
12757 2F	Detection of E. coli O157:H7 via GO-modified fiber optic SPR sensor with Au nanoparticle signal amplification [12757-157]
12757 2G	Exploring the processing capability of femtosecond laser two-photon polymerization pathway [12757-72]
12757 2H	Ultra-large FSR filter based on Bragg grating-subwavelength grating slot microring resonator [12757-24]

12757 21	Design and modal analysis of fs-laser turning module [12757-79]
12757 2J	Ultrafast dynamics of femtosecond laser irradiation of silicon with different fluence [12757-158]
12757 2K	Adjustable MMI for dynamic on-chip monitoring based on nano-opto-electro-mechanical interaction [12757-11]
12757 2L	Geometric and electronic structure of low-index Cu ₂ O surfaces based DFT [12757-6]
12757 2M	Analysis of ground state and excited state of powder according to laser polarization response [12757-63]
12757 2N	Correcting tristimulus colorimeters via spectrum-enhanced algorithm [12757-139]
	OPTICAL FIBER COMMUNICATION AND OPTOELECTRONIC INFORMATION PROCESSING
12757 20	Multi-source target detection based on pixel-level fusion and decision-level fusion [12757-129]
12757 2P	Doubling the temporal resolution of SOFI with two-color sequence coupling [12757-57]
12757 2Q	Distributed optical fiber strain sensing under ultra-low temperature based on Rayleigh backscattering [12757-75]
12757 2R	Study on model of laser interference on UAV detector [12757-132]
12757 2S	Segmented mirror co-focus and co-phasing experiment based on pyramid wavefront sensor [12757-149]
12757 2T	Self-focusing pin-like optical vortex beams resist atmospheric turbulence propagation for the space optical communication [12757-123]
12757 2U	Optical image encryption scheme based on random phase mask and phase shift digital holography [12757-41]
12757 2V	Influence of multiple-beam interference on diffractive waveguide imaging [12757-125]
12757 2W	Visual modeling of eucalyptus forest using LiDAR data [12757-106]
12757 2X	FMCW LiDAR based on integrated coherent receiver chip [12757-126]
12757 2Y	A path planning method for large-aperture non-spherical surface detection profilometer [12757-17]
12757 2Z	U-L-shaped silicon modulator for efficient and high-speed transmission [12757-50]

12757 30	Simulation of two PMTs layout differences for the imaging atmospheric Cherenkov Telescope [12757-18]
12757 31	Three-dimensional surface reconstruction based on known point cloud normal vector [12757-47]
12757 32	Study on nitrate detection method in water using UV full-spectrum combined with PCA-BPNN [12757-99]
12757 33	Fiber optical in-situ sensor for accurate monitoring the discharge quantity of lead-acid batteries [12757-162]
12757 34	Adaptive star extraction algorithm in high dynamic [12757-147]
12757 35	Fabrication of a Fabry-Pérot dielectric filter with sub-nanometer narrow bandwidth [12757-21]
12757 36	Design of improved Gram-Schmidt orthonormalization method for phase extraction of random phase shifting grating projection interferograms [12757-16]
12757 37	An infrared and visible image fusion method based on multi-head attention feature and autoencoder $[12757-58]$
12757 38	Multichannel coherent channelized reception of high frequency broadband signals based on cascaded modulation dual combs [12757-67]
12757 39	Cavity gain drop caused by revisited Gouy phase [12757-33]
12757 3A	System design of microscopic ghost imaging [12757-109]
12757 3B	Coded aperture compressive imaging using dynamic range modulation for optical communication [12757-78]
12757 3C	Binocular three-dimensional display with super multiviews enabled by pixelated nanogratings [12757-138]
12757 3D	Transparent 3D display enabled by flat glass waveguide and pixelated nano-gratings [12757-68]
12757 3E	Transmission and reflection mode switching terahertz metasurface for wavefront manipulation [12757-49]
12757 3F	Noise-robust hyperspectral anomaly detection via relative total variation collaborative representation [12757-87]
12757 3G	Subcutaneous vein display device based on dual wavelength LED source [12757-107]
12757 3H	Improved algorithm for laser Doppler velocimetry based on spectrum analysis [12757-32]
12757 31	Generation, verification, and imaging of ultrafast rotating optical field based on a pure optical method [12757-45]

Conference Committee

General Chair

Ming Jiang, Sun Yat-sen University (China)

Organized Committee

Ruifang Dong, National Time Service Center, Chinese Academy of Sciences (China)

Zhaoyang Zhang, Xi'an Jiaotong University (China)

Wei Guo, Ningbo Institute of Material Technology and Engineering (China)

Xiaotian Li, Changchun Institute of Optics, Fine Mechanics and Physics, Chinese Academy of Sciences (China)

Xianwen Liu, Beijing Institute of Technology (China)

Rajib Biswas, Tezpur University (India)

Leila Yousefi, University of Tehran (Iran, Islamic Republic of)

M.A. Butt, Samara University (Russian Federation)

Rohan Katti, Bennett University (India)

Conference Review Committee

Abbas Zarifkar, Shiraz University (Iran, Islamic Republic of)

Salman Noach, Jerusalem College of Technology (Israel)

Chandra Shakher, Center for Sensors, Instrumentation and Cyber-Physical System Engineering (India)

Jannick Rolland, University of Rochester (United States)

Manuel Filipe Costa, Universidade de Minho (Portugal)

Paulo Pereira Monteiro, Universidade de Aveiro (Portugal)

Mohammed M. Shabat, Islamic University of Gaza (Palestine, State of)

Farshad Miramirkhani, Isık Üniversitesi (Turkev)

Patrice Salzenstein, Centre National de la Recherche Scientifique (France)

Lee Siang Chuah, Universiti Sains Malaysia (Malaysia)

Graciana Puentes, Universidad de Buenos Aires (Argentina)

Andrey Pryamikov, Prokhorov General Physics Institute of the Russian Academy of Sciences (Russian Federation)

Hani Kbash, Aston University (United Kingdom)