

Visual attention learning and antiocclusion-based correlation filter for visual object tracking (Erratum)

Yuming Huang,^a Yingpin Chen,^{a,b} Chen Lin,^a Qiang Hu,^a and Jianhua Song^a

^aMinnan Normal University, School of Physics and Engineering, Zhangzhou, China

^bUniversity of Electronic Science and Technology of China, School of Mathematical Sciences, Chengdu, China

[DOI: [10.1117/1.JEI.32.1.019801](https://doi.org/10.1117/1.JEI.32.1.019801)]

This article [*J. of Electronic Imaging*, 32(1), 013023 (2022) <https://doi.org/10.1117/1.JEI.32.1.013023>] was originally published on 6 February 2023 with an error in Eq. 35. Part of the equation incorrectly included the term \mathcal{L} .

The incorrect equation appeared as

$$\hat{l}_d^{(i+1)} = \arg \max_{\hat{l}_d} \mathcal{L}((\hat{\mathbf{h}}_{c,d}^{(i+1)})^*, \mathbf{h}_{\bar{m},d}^{(i+1)}, \hat{l}_d | \bar{\mathbf{M}}) = \arg \max_{\hat{l}_d} \mathcal{L}\{\hat{l}_d^H(\hat{\mathbf{h}}_{c,d}^* - \hat{\mathbf{h}}_{\bar{m},d})\}. \quad (35)$$

The corrected Eq. 35 is

$$\hat{l}_d^{(i+1)} = \arg \max_{\hat{l}_d} \mathcal{L}((\hat{\mathbf{h}}_{c,d}^{(i+1)})^*, \mathbf{h}_{\bar{m},d}^{(i+1)}, \hat{l}_d | \bar{\mathbf{M}}) = \arg \max_{\hat{l}_d} \{\hat{l}_d^H(\hat{\mathbf{h}}_{c,d}^* - \hat{\mathbf{h}}_{\bar{m},d})\}. \quad (35)$$

The article was corrected on 24 February 2023.